

Map Unit Descriptions

Quaternary

- Qal** Young alluvium—Cobbles and pebbles of limestone in modern fluvial channels, incised into surrounding strata.
- Qes** Eolian Sheet Deposits—Eolian silt, internally stratified, common pebbles and cobbles of limestone. Can be up to 4-5 m thick.
- Qc** Young colluvium—Colluvial fans with pebbles to boulders of limestone, dolomite and sandstone
- Qt** Terrace deposits—Flat topped, thick deposits of pebbles and cobbles. Up to 4-5 m thick.
- Tertiary**
- Tg** Fluvial gravels—Gravels deposited by Pinon Creek. Interbedded cobble and pebble conglomerate and medium grained quartz sandstone with cross-bedding or ripple cross-lamination. Up to 20 m thick.

Permian

- Psb** Bonney Canyon Member, San Andres Formation—Thin to medium bedded tan dolomite. Common chert that is white, yellow, red, orange and purple in color.
- Psr** Rio Bonito Member, San Andres Formation—Medium to occasionally thick bedded dark gray micrite to wackestone, with packstone occurring in upper third. 0.5 m thick tongue of Hondo Sandstone occurs rarely: gold, medium grained, well sorted, well rounded quartz arenite.
- Py** Yeso Formation—Bright yellow and red mudstone interbedded with thin pale brown dolomite beds and medium beds of sandstone (massive to thin bedded).

Correlation Diagram

PERMIAN	Leonardian	Guadalupian	Tertiary	Quaternary

Map Symbols

- Contact
- Fault Trace. Bar-ball on down-thrown side
- Extrapolation of contact, fold, or fault trace
- Fold, anticline
- Fold, syncline
- Horizontal bedding
- Strike and dip of inclined bedding
- Geologic cross section



Thick Qes deposits on Rio Bonito Member.



Thick beds in lower Rio Bonito Member.



Yeso Formation at the base of The Rim.



Interbedded dolomite and muddy sandstone in Yeso Formation.

Geologic map of the
Cornucopia Canyon quadrangle,
Chaves and Otero Counties, New Mexico

May 2009

by
Kate E. Zeigler

Zeigler Geologic Consulting, Albuquerque, NM, 87123

COMMENTS TO MAP USERS

A geologic map displays information on the distribution, nature, orientation, and age relationships of rock and deposits and the occurrence of structural features. Geologic and fault contacts are irregular surfaces that form boundaries between different types or ages of units. Data depicted on this geologic quadrangle map may be based on any of the following: reconnaissance field geologic mapping, compilation of published and unpublished work, and photogeologic interpretation. Locations of contacts are not surveyed, but are plotted by interpretation of the position of a given contact onto a topographic base map; therefore, the accuracy of contact locations depends on the scale of mapping and the interpretation of the geologist(s). Any enlargement of this map could cause misunderstanding in the detail of mapping and may result in erroneous interpretations. Site-specific conditions should be verified by detailed surface mapping or subsurface exploration. Topographic and cultural changes associated with recent development may not be shown.

Cross sections are constructed based upon the interpretations of the author made from geologic mapping, and available geophysical, and subsurface (drillhole) data. Cross-sections should be used as an aid to understanding the general geologic framework of the map area, and not be the sole source of information for use in locating or designing wells, buildings, roads, or other man-made structures.

The map has not been reviewed according to New Mexico Bureau of Geology and Mineral Resources standards. The contents of the report and map should not be considered final and complete until reviewed and published by the New Mexico Bureau of Geology and Mineral Resources. The views and conclusions contained in this document are those of the authors and should not be interpreted as necessarily representing the official policies, either expressed or implied, of the State of New Mexico, or the U.S. Government.



Tertiary fluvial deposits exposed in wall of modern fluvial channel.



Tilted Tg deposits along Pinon Creek




ACKNOWLEDGMENTS

Funding for the mapping of Chimney Lake, Lewis Peak, Pinon Ranch and Cornucopia Canyon quadrangles was provided by the StateMap Program, which is jointly supported by the U.S. Geological Survey and the New Mexico Bureau of Geology and Mineral Resources. I thank Dr. J. Michael Timmons for logistical support and Stacy Timmons for contact information for local land owners. Land owners who graciously granted permission for this project include: Benton (for McCasland Ranch), Coupland, Melton, Hibbard, Mr. Rand French (Marbob Oil, Artesia, NM), Kinkaid (for Cauhape Ranch), Datola, Evrage, Rodarte, Knipcamp, Rice and Mott. A very special thanks goes to Jay and Kristy Powell for allowing me to stay with them for the duration of this project. Dr. Barry Kues identified invertebrate fossil material from the San Andres Formation.

Base map from U.S. Geological Survey 1965 from photographs taken 1964 and 1965, field checked in 1965. 1927 North American datum. Polyconic projection, reprojected to UTM projection—zone 13N. 1000-meter Universal Transverse Mercator grid, zone 13, shown in blue.

CHIMNEY LAKE	LEWIS PEAK
CORNUCOPIA CANYON	PINON RANCH
BEVAN CANYON	TAMER RANCH

QUADRANGLE LOCATION



New Mexico Bureau of Geology and Mineral Resources
Open-file Map Series
OFGM 192

Mapping of this quadrangle was funded by a matching-funds grant from the STATEMAP program of the National Cooperative Geologic Mapping Act administered by the U.S. Geological Survey, and by the New Mexico Bureau of Geology and Mineral Resources, (L. Greer Price, Director and State Geologist Dr. J. Michael Timmons, Geologic Mapping Program Manager).

New Mexico Bureau of Geology and Mineral Resources
New Mexico Tech
801 Leroy Place
Socorro, New Mexico
87801-4796

[575] 835-5490

This and other STATEMAP quadrangles are (or soon will be) available for free download in both PDF and ArcGIS formats at:

<http://geoinfo.nmt.edu>

