

REFERENCES

- Abbott, M. N., 1975, A basic evaluation of the uranium potential of the Morrison Formation of northwestern Cimarron County, Oklahoma, and adjoining areas of New Mexico and Colorado [M.S. thesis thesis]: Oklahoma State University, 93 p.
- Abdel-Gawad, A. M., and Kerr, P. F., 1961, Urano-organic mineral association: *American Mineralogist*, v. 46, p. 402-419.
- Adams, J. W., Arengi, J. T., and Parrish, I. S., 1980, Uranium- and thorium-bearing pegmatites of the United States: U. S. Department of Energy Open-file Report GJBX-166(80), p. 127.
- Adams, S. S., Curtis, H. S., and Hafen, P. L., 1974, Alteration of detrital magnetite-ilmenite in continental sandstone of the Morrison Formation, New Mexico, Foramtion of uranium ore deposits, sedimentary basins, and sandstone-type deposits, North American deposits, International Atomic Energy Agency, p. 219-253.
- Adams, S. S., Curtis, H. S., Hafen, P. L., and Salek-Nejad, H., 1978, Interpretation of post-depositional processes related to the formation and destruction of the Jackpile-Paguete uranium deposit, northwest New Mexico: *Economic Geology*, v. 73, p. 1635-1654.
- Adams, S. S., and Saucier, A. E., 1981, Geology and recognition criteria for uraniferous humate deposits, Grants uranium region, New Mexico--final report: U. S. Department of Energy Open-file Report GJBX-2(81), p. 225.
- Albrethsen, H., Jr., and McGinley, F. E., 1982, Summary history of domestic uranium procurement under U. S. Atomic Enegery Commission contracts--final report: U. S. Department of Energy Open-file Report GJBX-220(82), p. 161.
- Aldrich, L. T., Weatherill, G. W., Davis, G. L., and Tilton, G. R., 1958, Radioactive ages of micas from granitic rocks by Rb-Sr and K-Ar methods: *American Geophysical Union (EOS), Transactions*, v. 39, p. 1124-1134.
- Allen, J. E., and Balk, R., 1954, Mineral resources of Fort Definace and Tohatchi quadrangles, Arizona and New Mexico: *New Mexico Bureau of Mines and Mineral Resources, Bulletin*, v. 36, p. 192.
- Allen, J. E., 1955, Mineral resources of the Navajo Reservation in New Mexico (exclusive of uranium, oil, coal, gas, and water): *New Mexico Bureau of Mines and Mineral Resources, Bulletin* 44.
- Allen, J. E., 1956, Titaniferous Cretaceous beach placer in McKinley County, New Mexico (abs.): *Geologic Society of America Bulletin*, v. 67, p. 1789.
- Allison, J. W., 1954, Intrusives of the Jackpile area, Valencia County (now Cibola County) New Mexico: U. S. Atomic Energy Comm. Tech. Mem. TM-59, p. 3.
- Allison, J. W., and Freeland, R. E., 1955, Final report on airborne activities near Tucumcari, New Mexico and Amarillo, Texas: U. S. Atomic Energy Comm. Tech. Mem. TM-208, p. 14.
- Allison, J. W., and Ove, W. E., 1957, A report on an airborne survey and ground investigation at Silver City, New Mexico: U. S. Atomic Energy Comm.

- Report RME-1081, p. 15.
- Anderson, E. C., 1954 (1955), Occurrences of the uranium ore in New Mexico: New Mexico Bureau of Mines and Mineral Resources, Circular 29, p. 27.
- , 1957, The metal resources of New Mexico and their economic feature through 1954: New Mexico Bureau of Mines and Mineral Resources, Bulletin 39.
- Anderson, O. J., 1980, Abandoned or inactive uranium mines in New Mexico, New Mexico Bureau of Mines and Mineral Resources, Open-file Report 148, 778 p.
- Anderson, O. J., Jones, G. E., and Green, G. N., 1994, Geologic map of New Mexico: New Mexico Bureau of Mines and Mineral Resources, Open-file Report 408a, scale 1:500,000.
- Anderson, R. Y., and Kirkland, D. W., 1960, Origin, varves, and cycles of the Jurassic Todilto Formation, New Mexico: Association of Petroleum Geologists, Bulletin, v. 44, no. 1, p. 34-52.
- Apsouri, C. N., 1944, Reconnaissance study of pegmatite deposits in the Petaca area, New Mexico: Union Mines Dev. Copr. Report RMO-105.
- Archer, B. J., Jr., 1957, Reconnaissance for uranium in the Toalena area, San Juan County, New Mexico: U. S. Atomic Energy Comm. Tech. Mem. TM-99, p. 15.
- Argall, G. O. J., 1956, Why Anaconda uranium mines are unique: Mining World, v. 16, no. 10, p. 54-59.
- , 1956, How Anaconda recovers U₃O₈ from sandstone ore at Bluewater mill: Mining World, v. 18, no. 11, p. 46-51.
- Arnold, E. C., Foster, R. W., Hill, J. M., Kottowski, F. E., Page, G. B., Reiter, M. A., and Stone, W. J., 1976, New Mexico's energy resources, 1975: New Mexico Bureau of Mines and Mineral Resources, Bulletin 107, p. 40.
- Ash, H. O., 1958, The Jurassic Todilto Formation of New Mexico [M. S. thesis]: University of New Mexico, 63 p.
- Austin, G. S., 1982, Industrial rocks and minerals of the Southwest: New Mexico Bureau of Mines and Mineral Resources, Circular 182, p. 111.
- Austin, S. R., 1960, Alteration at Ambrosia Lake, New Mexico: U. S. Atomic Energy Comm. Report RME-134, p. 19.
- , 1983, An investigation of sedimentary, mineralogical, chemical, and color patterns and associations in the Rio del Oro Mine, McKinley County, New Mexico: U. S. Department Energy Report GJBX-30(83), p. 47.
- Bachman, G. O., and Read, C. B., 1951, Results of recent reconnaissance investigations of uranium on coal, black shale, and related deposits, Sandoval and Rio Arriba Counties, New Mexico: U. S. Geological Survey, Trace Element Memo. TEM-309.
- Bachman, G. O., and Read, C. B., 1952a, Trace elements reconnaissance investigations in New Mexico and adjoining states [Arizona] in 1951: U.S. Atomic Energy Commission, Trace Elements Investigations Report, TEM-443-A.
- Bachman, G. O., and Read, C. B., 1952b, Uranium-bearing copper deposits near Guadalupita, Mora County, New Mexico: U. S. Geological Survey, Trace Element Memo. TEM-435, p. 9.

- Bachman, G. O., Baltz, E. H., and O'Sullivan, R. B., 1953, Reconnaissance for uranium-bearing carbonaceous rocks in New Mexico, 1952: U. S. Geological Survey, Trace Element Inv. TEI-198, p. 20.
- Bachman, G. O., Baltz, E. H., and Griggs, R. L., 1957, Reconnaissance of geology and uranium occurrences of the upper Alamosa Creek Valley, Catron County, New Mexico: U. S. Geological Survey, Trace Element Inv. TEI-521, p. 39.
- Bachman, G. O., Vine, J. D., Read, C. B., and Moore, G. W., 1959, Uranium-bearing coal and carbonaceous shale in La Ventana Mesa area, Sandoval County, New Mexico, Uranium in coal in the western United States, U. S. Geological Survey, Bulletin 1055-J, p. 12.
- Bachman, G. O., and Harbour, R. L., 1970, Geologic map of the northern part of the San Andres Mountains, central New Mexico: U. S. Geological Survey, Miscellaneous Geologic Investigations Map I-600, scale 1:62,500.
- Bain, G. W., 1952, Uranium deposits in southwestern Colorado Plateau: U. S. Atomic Energy Comm. Report RMO-982 (revised), p. 59.
- Baird, C. W., Martin, K. W., and Lowry, R. M., 1980, Comparison of braided-stream depositional environments and uranium deposits as Saint Anthony underground mine, *in* Rautman, C. A., (compiler), ed., Geology and mineral technology of the Grants uranium region 1979, New Mexico Bureau of Mines and Mineral Resources, Mem. 38, p. 292-298.
- Baldwin, B., and Muehlberger, W. R., 1959, Geologic studies of Union County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 63, p. 171.
- Balk, R., 1961, Geologic map of the Tres Hermanas Mountains, Luna County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 16, scale 1:48,000.
- Baltz, E. H., Jr., 1953, Uranium in carbonaceous rocks-southwestern Colorado and New Mexico, Geologic investigations of radioactive deposits, semiannual progress report, June 1 to November 30, 1953, U. S. Geologic Survey, Trace Element Inv. TEI-390, p. 119-121.
- Baltz, E. H., Jr., 1954, Reconnaissance for uranium in the United States-New Mexico and southeastern Colorado, Geologic investigations of radioactive deposits, semiannual progress report, June 1 to November 30, 1954, U. S. Geological Survey, Trace Element Inv. TEI-490, p. 219-222.
- , 1955a, A reconnaissance for uranium in carbonaceous rocks in southwestern Colorado and parts of New Mexico: U. S. Geological Survey, Trace Element Memo. TEM-915, p. 52.
- , 1955b, A reconnaissance for uranium in parts of Colorado and parts of New Mexico: U. S. Geological Survey, Trace Element Memo. TEM-929, p. 44.
- , 1972, Geologic map and cross sections of the Gallinas Creek area, Sangre de Cristo Mountains, San Miguel County, New Mexico: U. S. Geological Survey, Misc. Geologic Inv. Map I-673, scale 1:24,000.
- Barendsen, R. J., and Heron, J. A., 1980, Mt. Taylor project, *in* Morse, J. G., (coordinator), ed., Uranium resources and technology seminar II, Colorado School of Mines, p. 93-108.

- Barker, F. B., 1958, Precambrian and Tertiary geology of Las Tablas quadrangle, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 45.
- Bartsch-Winkler, S., 1997, Geology, Mineral and Energy Resources of the Mimbres Resource Area, New Mexico, U.S. Geological Survey, Open-file Report 97-521, CD-ROM, p. 718.
- Bates, T. F., and O'Neil, R. L., 1960, An investigation of the mineralogy, petrology, and paleobotany of uranium bearing lignites: U. S. Atomic Energy Comm. Report NYO-7949, p. 50.
- Bauer, H. L., Jr, 1950a, Autunite at the Monarch No. 2, Moneymaker, and Wild Irishman claims, White Signal district, Grant County, New Mexico: U. S. Geological Survey, Trace Element Memo. TEM-160, p. 2.
- , 1950b, Radioactive ilmenite, Virginia Claim, Hillsboro mining district, Sierra County, New Mexico: U. S. Geological Survey, Trace Element Memo. TEM-139, p. 2.
- Bauer, H. L., Jr, 1951, Apache Trail uranium prospect, White Signal district, Grant County, New Mexico: U. S. Geological Survey, Trace Element Memo. TEM-121, p. 11.
- Bauer, P. W., and Lozinsky, R. P., 1991, The Bent dome--part of a major Paleozoic uplift in southern New Mexico, *in* Barker, J. M., Kues, B. S., Austin, G. S., and Lucas, S. G., ed., Geology of the Sierra Blanca, Sacramento, and Capitan Ranges, New Mexico, New Mexico Geological Society, Guidebook 42, p. 175-181.
- Baumgardner, L., 1956, Preliminary reconnaissance of the central Zuni uplift, New Mexico: U. S. Atomic Energy Comm. Tech. Mem. TM-98, p. 17.
- Beck, R. G., Cherrywell, C. H., Earnest, D. F., and Feirn, W. C., 1980, Jackpile-Paquate deposit- a review, *in* Rautman, C. A., (compiler), ed., Geology and mineral technology of the Grants uranium region 1979, New Mexico Bureau of Mines and Mineral Resources, Mem. 38, p. 269-275.
- Bell, A. R., 1983, Victorio Mountains molybdenum/tungsten project, Luna County, New Mexico; Gulf Mineral Resources Co., American Heritage Center, University of Wyoming, No. 43303.01, 150 p.
- Berkoff, E. W., and Stocking H. E., 1958, Report on the Rio de Oro Mines, Incorporated at Ambrosia Lake, McKinley County, New Mexico: U. S. Atomic Energy Comm. Tech. Mem. TM-332, p. 23.
- Berry, V. P., Spreng, P. A., Barnes, C. W., and Smouse, D, 1982, Uranium resource evaluation, Tularosa quadrangle, New Mexico: U. S. Department of Energy Preliminary report PGJ-004(80), p. 31.
- Bingler, E. C., 1963, Niobium-bearing Santostee heavy mineral deposit, San Juan Basin, northwestern New Mexico: New Mexico Bureau of Mines and Mineral Resources, Circular 68, p. 63.
- , 1968, Geology and mineral resources of Rio Arriba County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 91, p. 158.
- Birsoy, R., 1977, Coloring of fluorites and problems related to their design [Ph D. thesis]: New Mexico Institute of Mining and Technology, 115 p.
- Blagbrough, J. W., and Brown, J. F., 1955, Diamond and wagon drilling in the

- east Carrizo area, Apache County, Arizona, and San Juan County, New Mexico: U. S. Atomic Energy Comm. Report RME-83, p. 19.
- Blagbrough, J. W., Thieme, D. A., Archer, B. J., Jr, and Lott, R. W., 1959, Uranium reconnaissance and drilling in the Santosee area, San Juan County, New Mexico, and Apache County, Arizona: U. S. Atomic Energy Comm. Rept. RME-111.
- Bloom, M. S., 1975, Mineral paragenesis and contact metamorphism in the Jarilla Mountains, Orogrande, New Mexico [M. S. thesis]: New Mexico Institute of Mining and Technology, 107 p.
- Bornhorst, T. J., and Elston, W. E., 1981, Uranium and thorium in mid-Cenozoic rocks of the Mogollon-Datil volcanic field, southwestern New Mexico, *in* Goodell, P. C., and Waters, A. C., ed., Uranium in volcanic and volcanoclastic rocks, American Association of Petroleum Geologists, studies in geology 13, p. 145-154.
- Boyd, F. S., Jr., and Wolfe, H. D., 1953, Recent investigations of radioactive occurrences in Sierra, Dona Ana, and Hidalgo Counties, New Mexico, Southwestern New Mexico, New Mexico Geological Society, Guidebook 4, p. 141-142.
- Boyd, F. S., Jr., 1955, Some recent discoveries of uranium in Sierra County, New Mexico, South-central New Mexico, New Mexico Geological Society, Guidebook 6, p. 123.
- , 1957, Uranium occurrences on the Empire claims, Iron Mountain mining district, Sierra County, New Mexico: U. S. Atomic Energy Comm. Tech. Mem. Report DAO-4-TM-4.
- Brassfield, J. C., 1956, Preliminary report on the uranium possibilities of the Jemez Indian Reservation and Jemez Pueblo Grant, Sandoval County, New Mexico: U. S. Atomic Energy Comm. Tech. Mem. TM-82, p. 8.
- Briggs, J. P., 1982b, Mineral investigation of the Columbine-Hondo roadless area, Taos County, New Mexico: U. S. Bureau of Mines, Open-file Report MLA 143-82, p. 21.
- Broderick, J. C., 1984, The geology of Granite Hill, Luna County, New Mexico [M.S. thesis]: University of Texas at El Paso, 89 p.
- Broderick, J. C., Hoffer, R. L., and Hoffer, J. M., 1986, Precambrian granite at Granite Hill, Luna County, New Mexico, Geology of southcentral New Mexico: El Paso Geological Society, Guidebook to the 1986 Field Conference, p. 117-118.
- Bromfield, C. S., and Wrucke, C. T., 1961, Reconnaissance Geologic Map of the Cedar Mountains, Grant and Luna Counties, New Mexico: U.S. Geologic Survey, Mineral Investigations Field studies Map MF-159, scale 1:62,500.
- Brookins, D. G., 1977a, Geochemical genesis of uranium in the southern San Juan Basin, *in* 1977 NURE uranium geology symposium, Dec. 7-8, 1977, Abstracts and visual presentations, p. 67-86.
- , 1977b, Upper Cretaceous black-sand deposits of the San Juan Basin, Supplement articles to San Juan Basin III, New Mexico Geological Society, Guidebook 28, p. 31-33.
- , 1979a, Uranium deposits of the Grants mineral belt (II): U. S. Department of

- Energy Report GJBX-141(79), p. 411.
- , 1979b, Study of drill core from the east Chaco Canyon area, San Juan Basin: U. S. Department of Energy Report GJBX-215(80), p. 106.
 - , 1980, Geochronological studies on the Grants mineral belt, *in* Rautman, C. A., (compiler), ed., *Geology and mineral technology of the Grants uranium region*, 1979, New Mexico Bureau of Mines and Mineral Resources, Mem. 38, p. 52-58.
- Brown, H. G., III, 1955, Uranium deposits of the Vegitas cluster, Rio Arriba and Sandoval Counties: U. S. Atomic Energy Comm. Report RME-84, p. 14.
- Brown, S. D., 1982, Mineral investigation of the Wheeler Peak Wilderness Area, Taos County, New Mexico: U. S. Bureau of Mines, Open-file Report MLA-127-82, p. 32.
- Budding, A. J., 1980, Geology and oil characteristics of tar sand near Santa Rosa, New Mexico: *New Mexico Geology*, v. 2, no. 1, p. 4-5.
- Burchard, E. F., 1911, Fluorspar in New Mexico (Fluorite Ridge): Mining and Scientific Press, p. 74-76.
- Chamberlin, R. M., 1981, Uranium potential of the Datil Mountains-Pie Town area, Catron County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Open-File Report 138, p. 58.
- Chamberlin, R. M., and others, 1982, Preliminary evaluation of the mineral resource potential of the Sierra Ladrones Wilderness Study Area, Socorro County, New Mexico: New Mexico Bureau of Mines and Mineral Resources Open-file Report 179.
- Chapin, C. E., Osburn, G. R., Hook, S. C., Massingill, G. L., and Frost, S. J., 1979, Coal, uranium, oil and gas potential of the Riley-Puertecito area, Socorro County, New Mexico: New Mexico Energy Inst. Open-file Report ERB 77-3302; New Mexico Bureau of Mines and Mineral Resources Open File report 103, p. 33.
- Chapman Wood and Griswold, I., 1974 (1977), Grants uranium region, Valencia (now Cibola), Bernalillo, Sandoval, and McKinley Counties: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 31, scale 1 inch = 2 mi. (revised 1977).
- Chenoweth, W. L., 1955, The geology and uranium deposits of the northwest Carrizo area, Apache County, Arizona: Four Corners Geological Society, Guidebook 1, p. 177-185.
- Chenoweth, W. L., and Stehle, F. T., 1957, Reconnaissance for uranium in parts of the San Juan Basin, New Mexico and Colorado: U. S. Atomic Energy Comm. Tech. Mem. TM-114, p. 19.
- Chenoweth, W. L., 1957a, Radioactive titaniferous heavy-mineral deposits in the San Juan Basin, New Mexico and Colorado, Southwestern San Juan Mountain, Colorado, New Mexico Geological Society, Guidebook 8, p. 212-217.
- , 1957b, A reconnaissance for uranium in the uppermost Cretaceous and early Tertiary rocks of the eastern San Juan Basin, New Mexico: U. S. Atomic Energy Comm. Report RME-97, p. 19.
 - , 1957c, Airborne radiometric survey, Jicarilla Apache Indian Reservation: U. S.

- Atomic Energy Comm. Rept. RME-97.
- Chenoweth, W. L., 1958, The Boyd uranium deposits in the Fruitland Formation, San Juan County, New Mexico: U. S. Atomic Energy Comm. Report RME-1075, p. 13.
- Chenoweth, W. L., and Laverty, R. A., 1964, Some notes on the uranium production history and ore deposits, Church Rock and Hogback areas, McKinley County, New Mexico: U. S. Atomic Energy Comm. Tech. Mem. TM-333, p. 7.
- Chenoweth, W. L., and Malan, R. C., 1973, The uranium deposits of northern Arizona, Monument Valley (Arizona, Utah, and New Mexico), New Mexico Geological Society, Guidebook 24, p. 139-149.
- Chenoweth, W. L., 1973a, Uranium occurrences of the Nacimiento region, Sandoval and Rio Arriba Counties, New Mexico: U. S. Atomic Energy Comm. Tech. Mem. TM-189, p. 15.
- , 1973b, Mine location map, Carrizo Mountains uranium area, Apache County, Arizona, and San Juan County, New Mexico, scale 1 inch = 2 mi.
- , 1974a, Uranium in the Petaca, Ojo Caliente, and Bromide districts, Rio Arriba County, Ghost Ranch (central-northern New Mexico), New Mexico Geological Survey, Guidebook 25, p. 315.
- , 1974b, Uranium occurrences of the Nacimiento-Jemez region, Sandoval and Rio Arriba Counties, New Mexico, Ghost Ranch (central-northern New Mexico), New Mexico Geological Society Guidebook 25, p. 309-313.
- , 1977, Uranium in the San Juan Basin-an overview, San Juan Basin II, New Mexico Geological Society, Guidebook 28, p. 257-262.
- , 1979, Uranium in the Santa Fe area, New Mexico, Santa Fe county, New Mexico Geological Society, Guidebook 30, p. 261-264.
- , 1980, Mine location map, Carrizo Mountains uranium area, Apache County, Arizona and San Juan County, New Mexico: U. S. Department of Energy Tech. Memo. TM-209, 1 map.
- Chenoweth, W. L., and Learned, E. A., 1980, Historical review of uranium-vanadium production in the eastern Carrizo Mountains, San Juan County, New Mexico, and Apache County, Arizona, U. S. Department of Energy Tech. Memo. TM-210, 19 p.
- Chenoweth, W. L., and Holen, H. K., 1980, Exploration in Grants uranium region since 1963, *in* Rautman, C. A., (compiler), ed., Geology and mineral technology of the Grants uranium region since 1979, New Mexico Bureau of Mines and Mineral Resources, Mem. 38, p. 17-21.
- Chew, R. T., 1956, Uranium and vanadium deposits of the Colorado Plateau that produced more than 1,000 tons of ore through June 30, 1955: U. S. Geological Survey, Misc. Field Studies Map MF-54, scale 1:750,000.
- Chico, R. J., 1959, The geology of the uranium-vanadium deposits of the Diamond No. 2 mine near Gallup, New Mexico [M.S. thesis]: Missouri School of Mines, 125 p.
- Clark, D. S., and Havenstrite, S. R., 1963, Geology and ore deposits of the Cliffside mine Ambrosia Lake area, *in* Kelley, V. C., (compiler), ed., Geology and technology of the Grants uranium region, New Mexico

- Bureau of Mines and Mineral Resources Mem. 15, p. 108-116.
- Clark, D. S., 1980, Uranium ore rolls in Westwater Canyon sandstone, San Juan Basin, New Mexico, *in* Rautman, C. A., (compiler), ed., Geology and mineral technology of the Grants uranium region 1979, New Mexico Bureau of Mines and Mineral Resources, Mem. 38, p. 195-201.
- Clark, K. F., and Read, C. B., 1972, Geology and ore deposits of Eagle nest area, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 94, p. 152.
- Clary, T. A., Mobley, C. M., and Moulton, G. F., Jr., 1963, Geologic setting of an anomalous ore deposit in the Section 30 mine, Ambrosia Lake area, *in* Kelley, V. C., (compiler), ed., Geology and technology of the Grants uranium region, New Mexico Bureau of Mines and Mineral Resources, Mem. 15, p. 72-79.
- Clemons, R. E., 1982a, Geology of Florida Gap Quadrangle, Luna County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 52, scale 1:24,000.
- , 1982b, Geology of Massacre Peak quadrangle, Luna County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 51, scale 1:24,000.
- Clemons, R. E., and Brown, G. A., 1983, Geology of Gym Peak quadrangle, Luna County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 58, scale 1:24,000.
- Clemons, R. E., 1984, Geology of Capitol Dome Quadrangle, Luna County: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 56, scale 1:24,000.
- , 1985, Geology of South Peak Quadrangle, Luna County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 59, scale 1:24,000.
- Clemons, R. E., and Mack, G. H., 1988, Geology of southwestern New Mexico, *in* Mack, G. H., Lawton, T. F., and Lucas, S. G., ed., Cretaceous and Laramide evolution of southwestern New Mexico, New Mexico Geological Society, Guidebook 39, p. 45-57.
- Clemons, R. E., 1988b, Mineralization, alteration, and igneous activity in the Florida Mountains, southwestern New Mexico (abstr.): New Mexico Geology, v. 10, p. 44-45.
- , 1998a, Geology of the Florida Mountains, southwest New Mexico, New Mexico Bureau of Mines and Mineral Resources, Memoir 43, 29 p.
- Coleman, A. H., 1944, A report on the geology and ore deposits of the B'Cla B'Toh (Beclabito) district, Carrizo uplift area, New Mexico and Arizona: Union Mines Dev. Corp. Report RMO-469.
- Collins, G. E., and Mallory, N. S., 1954, Airborne radiometric survey and ground geologic reconnaissance in the Socorro and Carrizozo areas, New Mexico: U. S. Atomic Energy Comm. Report RME-1054.
- Collins, G. E., and Freeland, R. E., 1956, A report in the airborne radiometric survey and ground geologic reconnaissance in the Espanola area, New Mexico: U. S. Atomic Energy Comm. Report RME-1075, p. 16.

- Collins, G. E., and Smith, B. C., 1956, Airborne radiometric survey in the Lemitar-Ladron area, New Mexico: U. S. Atomic Energy Comm. Report RME-1073, p. 10.
- Collins, G. E., 1956, Thorium occurrences in the Capitan Mountains area, Lincoln County, New Mexico: U. S. Atomic Energy Comm. Tech. Mem. Report DAO-4-TM-1, p. 11.
- , 1957, Reconnaissance of uranium in the Mogollon mining district, Catron County, New Mexico: U. S. Atomic Energy Comm. Tech. Mem. Report DAO-4-TM-7, p. 20.
- Collins, G. E., and Nye, T. S., 1957a, Exploration drilling in the Ladron Peak area, Socorro County, New Mexico: U. S. Atomic Energy Comm. Tech. Mem. Report DAO-4-TM-8, p. 25.
- , 1957b, Exploration drilling for uranium in the Scholle area, Torrance County, New Mexico: U. S. Atomic Energy Comm. Tech. Mem. Report DAO-4-TM-9, p. 23.
- Collins, G. E., 1958a, Uranium occurrences in the Datil Mountains area, Catron and Socorro Counties, New Mexico: U. S. Atomic Energy Comm. Tech. Mem. Report DBO-4-TM-6, p. 11.
- , 1958b, Preliminary reconnaissance for uranium in the Cornudas Mountains, Otero County, New Mexico, and Husbeth County, Texas: U. S. Atomic Energy Comm. Tech. Mem. Report DBO-4-TM-5, p. 1.
- Condie, K. C., 1976, Precambrian rocks of Ladron Mountains Socorro County, New Mexico: New Mexico Bureau of Mines and Mineral Resources Geologic Map 38, scale 1:24,000.
- Condie, K. C., and Budding, A. J., 1979, Geology and geochemistry of Precambrian rocks, central and south-central New Mexico: New Mexico Bureau of Mines and Mineral Resources, Memoir 35, p. 58.
- Condie, K. C., 1981, Precambrian rocks of Red River-Wheeler Peak area, in northern New Mexico: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 50, scale 1:24,000.
- Conine, W. D., 1980, Uranium solution mining-comparison of New Mexico with south Texas, *in* Rautman, C. A., (compiler), ed., Geology and mineral technology of the Grants uranium region 1979, New Mexico Bureau of Mines and Mineral Resources, Mem. 38, p. 340-343.
- Consulting Professionals, I., 1980, Uranium resource evaluation, Dalhart quadrangle, Texas, New Mexico, Oklahoma, Colorado, and Kansas: U. S. Department of Energy Preliminary report PGJ-081(81).
- Cooper, J. R., 1962, Bismuth in the United States, exclusive of Alaska and Hawaii: U. S. Geological Survey Mineral Investigations Resource Map MR-22, scale 1: 3,168,000.
- Correa, B. P., 1980, Fluorine and lithophile element mineralization in the Black Range and Sierra Cuchillo, New Mexico, *in* Burt, D. M. a. S., M. F., ed., Uranium mineralization in fluorine-enriched volcanic rocks, U. S. Dept. Energy Report GJBX-225(80), p. 549-594.
- Cronk, R. J., 1963, Geology of the Dysart No. 1 mine, Ambrosia Lake area, *in* Kelley, V. C., (compiler), ed., Geology and technology of the Grants

- uranium region, New Mexico Bureau of Mines and Mineral Resources, Mem. 15, p. 60-65.
- Dale, V. B., and McKinney, W. A., 1959, Tungsten deposits of New Mexico, U. S. Bureau of Mines, Report of Investigations 5517, 72 p.
- Darton, N. H., 1928, "Red Beds" and associated formations in New Mexico, with an outline of the geology of the State, U.S. Geological Survey, Bulletin 794, 173 figs., 62 plates p.
- Davis, J. D., and Guilbert, J. M., 1973, Distribution of the radioelements potassium, uranium, and thorium in selected porphyry copper deposits: *Economic Geology*, v. 68, p. 145-160.
- Deal, E. G., and Rhodes, R. C., 1976, Volcano-tectonic structures in the San Mateo mountains, Socorro County, New Mexico, Cenozoic volcanism in southwestern New Mexico, New Mexico Geological Society, Special Publication 5, p. 51-56.
- DeLillo, N. J., 1991, Geology and geochemistry of gold mineralization in the Jornada Vista prospect, Fra Cristobal Range, New Mexico [M. S. thesis]: Colorado School of Mines, 97 p.
- DeMark, R., 1992, New Mexico mineral locality index: *Rocks and Minerals*, v. 67, p. 314-327, 330-331.
- DeVaney, F. D., Fine, M. M., and Shelton, S. M., 1942a, Ore-dressing studies of manganese ores from the Little Florida Mountains, Luna County, New Mexico; Manganese Investigations-Metallurgical Division, U.S. Bureau of Mines, Report of Investigations 3620, 9 p.
- , 1942b, Manganese investigations - metallurgical division, U. S. Bureau of Mines, Report of Investigations 3620, 9 p.
- Disbrow, A. E., and Stoll, W. C., 1957, Geology of the Cerrillos area, Santa Fe County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 48, p. 73.
- Doraibabu, P., and Proctor, P. D., 1972, Zinc-lead-copper trace contents in Tres Hermanas stock, Luna County, New Mexico, New Mexico Bureau of Mines and Mineral Resources, Target Exploration Report E-4, 9 p.
- , 1973, Trace Metals, petrography, and alteration of the Tres Hermanas stock, Luna County, New Mexico, New Mexico Bureau of Mines and Mineral Resources, Circular 132, 29 p.
- Dow, V. T., and Batty, J. V., 1961, Reconnaissance of titaniferous-sandstone deposits of Utah, Wyoming, New Mexico, and Colorado: U. S. Bureau of Mines, Report of Investigations RI-5860.
- Drewes, H., Houser, B. B., Hedlund, D. C., Richter, D. H., Thorman, C. H., and Finnell, T. L., 1985, Geological map of the Silver City 1° x 2° Quadrangle New Mexico and Arizona: U.S. Geological Survey, Map I-1310C, scale 1:250,000.
- Drouillard, R. F., and Jones, E. E., 1951a, Investigations of uranium deposits near Santostee, New Mexico: U. S. Atomic Energy Comm. Report RMO-861, p. 7.
- , 1951b, Investigations of uranium deposits near Santostee, New Mexico: U. S. Atomic Energy Comm. Report RMO-909, p. 7.

- Duffield, W. A., Richter, D. H., and Priest, S. S., 1987, Preliminary geologic map of the Taylor Creek Rhyolite, Catron and Sierra Counties, New Mexico: U. S. Geological Survey, Open-file report OF-87-515, scale 1:50,000.
- Duffield, W. A., and du Bray, E. A., 1990, Temperature, size, and depth of the magma reservoir for the Taylor Creek Rhyolite, New Mexico: *American Mineralogist*, v. 75, p. 1059-1070.
- Duffield, W. A., and Dalrymple, G. B., 1990, The Taylor Creek Rhyolite of New Mexico: A rapidly emplaced field of lava domes and flows: *Bulletin of Volcanology*, v. 52, p. 475-487.
- Duffield, W. A., and Ruiz, J., 1992, Compositional gradients in large reservoirs of silicic magmas as evidenced by ignimbrites versus Taylor Creek Rhyolite lava domes: *Contributions to Mineralogy and Petrology*, v. 110, p. 192-210.
- Dunbar, N., and McLemore, V.T., 2000, Preliminary mineralogy of the Victorio district, New Mexico (abstr.): *New Mexico Geology*, v. 22, p. 12-13.
- , 2001, The origin of rhyolitic spherulites at Rockhound State Park, New Mexico (abstr.): *New Mexico Geology*, v. 23, p. 22.
- Duncan, D. C., and Stokes, W. L., 1942, Vanadium deposits in the Carrizo Mountains district, Navajo Indian Reservation northeastern Arizona and northwestern New Mexico: U. S. Geological Survey, Report RMO-28, p. 27.
- Dunham, C. K., 1935, The geology of the Organ Mountains with an account of the geology and mineral resources of Doña Ana County, New Mexico, New Mexico Bureau of Mines and Mineral Resources, Bulletin 11, 272 p.
- Easton, W. W., 1955, Airborne radiometric survey of the Nacimiento Mountains and adjacent areas, Rio Arriba and Sandoval Counties, New Mexico, 1954-1955: U. S. Atomic Energy Comm. Tech. Mem. TM-291, p. 40.
- Eggleson, T. L., and Norman, D. I., 1986, A summary of the geology, geochemistry, and tin occurrences in the Black Range, New Mexico, *in* Clemons, R. E., King, W. E., Mack, G. H., and Jidek, J., ed., *Truth or Consequences region, New Mexico Geological Society, Guidebook 37*, p. 173-177.
- Einaudi, M. T., 1982, Skarns associated with porphyry copper deposits: description of deposits, I. Southwestern North America, II. General features and origin, *in* Titley, S. R., ed., *Advances in the geology of the porphyry copper deposits, southwestern North America*, University of Arizona Press, Tucson, p. 139-183.
- Elevatoriski, E. A., 1979, Uranium deposits of the central and southern Rockies, Wyoming, Colorado, and New Mexico: Dana Point, California, Minobras, 72 p.
- Ellis, C. E., and Scott, D. C., 1982, Mineral resources investigation of the Ryan Hill Rare II further planning area, Socorro County, New Mexico: U. S. Bureau of Mines, Open-file Report MLA-78-82, p. 8.
- Ellis, R. W., 1930, New Mexico Mineral Deposits except fuels, University of New Mexico, Geological Series, Bulletin 167, 148 p.
- Elston, W. E., 1953, Cenozoic History of the Sherman quadrangle, Grant, Luna,

- and Sierra Counties, New Mexico [M.A. thesis]: Columbia University.
- , 1957, Geology and Mineral resources of Dwyer Quadrangle, Grant, Luna, and Sierra Counties, New Mexico Bureau of Mines and Mineral Resources, Bulletin 38, 86 p.
 - , 1958, Some aspects of volcanism and mineralization in southwestern New Mexico, The Hatchet Mountains and the Cook's Range-Florida Mountains areas, Grant, Hidalgo, and Luna Counties, southwestern New Mexico, Roswell Geological Society, Guidebook 11, p. 57-59.
 - , 1960a, Reconnaissance Geologic map of the Virden 30-minute quadrangle: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 15, scale 1:126,720.
 - , 1960b, Geology and mineral resources of Hidalgo County, New Mexico, New Mexico Bureau of Mines and Mineral Resources, Open-File Report, 781 p.
 - , 1961, Mineral resources of Bernalillo, Sandoval, and Santa Fe Counties, New Mexico (exclusive of oil and gas), Albuquerque country, New Mexico Geological Society, Guidebook 12, p. 155-167.
 - , 1963, Geology and mineral resources of Hidalgo County, New Mexico, New Mexico Bureau of Mines and Mineral Resources, Open-File Report, 448 p.
 - Elston, W. E., 1965, Mining districts of Hidalgo County, New Mexico, Southwestern New Mexico II, New Mexico Geological Society, Guidebook 16, p. 210-214.
 - , 1967, Summary of the mineral resources of Bernalillo, Sandoval, and Santa Fe Counties, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 81, p. 81.
 - , 1978, Mid-Tertiary cauldrons and their relationship to mineral resources, southwestern New Mexico: A brief overview, *in* Chapin, C. E., Elston, W. E., and James, H. L., ed., Field guide to selected cauldrons and mining districts of the Datil-Mogollon volcanic field, New Mexico: New Mexico Geological Society, Special Publication No. 7, p. 107-113.
 - , 1994, Siliceous volcanic centers as guides to mineral exploration-review and summary: *Economic Geology*, v. 89, no. 8, p. 1662-1686.
- Energy Minerals and Natural Resources Department, 1994-2000, New Mexico's natural resources, data and statistics for 1994-2000: Rio Rancho Printing, Rio Rancho, Energy, Minerals and Natural Resources Department, 65 p.
- Estep, J. W., and Lucas, S. G., 1999, The Lower Cretaceous section at Eagle Nest, Luna County, New Mexico (abstr.): *New Mexico Geology*, v. 21, p. 44.
- Evans, A. M., 1949, Investigations of Manganese Deposits, Little Florida Mountains Mining District, Luna county, New Mexico, U.S. Bureau of Mines, Report of Investigations 4536, 11 p.
- Eveleth, R. W., 1979, New methods of working an old mine: *New Mexico Geology*, v. 1, p. 7-11.
- Everhart, D. L., 1957, Uranium-bearing veins in the U.S., U.S. Geological Survey, Professional Paper 300, p. 97-104.
- Ewing, T. E., 1979, Lead isotope data from mineral deposits of southern New Mexico: A reinterpretation: *Economic Geology*, v. 74, p. 678-683.

- Falkowski, S. K., 1980a, Geology and ore deposits of Johnny M mine, Ambrosia Lake district, *in* Rautman, C. A., (compiler), ed., Geology and mineral technology of the Grants uranium region, New Mexico Bureau of Mines and Mineral Resources, Mem. 38, p. 230-239.
- , 1980b, The geology and ore deposits of the Johnny mine Ambrosia Lake district, Grants, New Mexico [M. S. thesis]: New Mexico Institute of Mining and Technology, 154 p.
- Farnham, L. L., 1961, Manganese deposits of New Mexico, U.S. Bureau of Mines, Information Circular IC-8030, 176 p.
- Fassett, J. E., and Hines, J. S., 1971, Geology and fuel resources of the Fruitland Formation and Kirtland Shale of the San Juan Basin, New Mexico and Colorado: U. S. Geological Survey, Professional Paper 676, p. 76.
- Fay, R. O., 1983, Copper deposits in Sheep Pan Sandstone (Triassic) in Cimarron County, Oklahoma, and adjacent parts of Colorado and New Mexico: Oklahoma Geological Survey, Circular 86, p. 24.
- File, L., and Northrop, S. A., 1966, County, Township, and Range locations of New Mexico's Mining Districts, New Mexico Bureau of Mines and Mineral Resources Circular 84, 66 p.
- Finch, W. I., 1972, Uranium in eastern New Mexico: New Mexico Geologic Society, Guidebook 23, p. 171-175.
- Finnell, T. L., 1987, Geologic map of the Cliff quadrangle, Grant County, New Mexico: U. S. Geological Survey, Miscellaneous Geologic Investigations Map I-1768, scale 1:50,000.
- Fishman, N. S., 1981, Origin of the Marino Lake uranium deposit, McKinley County, New Mexico [M. S. thesis]: University of Colorado, 97 p.
- Fishman, N. S., and Reynolds, R. L., 1982, Origin of the Marino Lake uranium deposit, McKinley County, New Mexico: U. S. Geological Survey, Open-file Report 82-888, p. 52.
- Fitch, D. C., 1980, Exploration for uranium deposits, Grants mineral belt, *in* Rautman, C. A., (compiler), ed., Geology and mineral technology of the Grants uranium region 1979, New Mexico Bureau of Mines and Mineral Resources, Mem. 38, p. 40-51.
- Flesch, G. A., 1974, Stratigraphy and sedimentology of the Morrison Formation (Jurassic), Ojito Springs quadrangle, Sandoval County, New Mexico-a preliminary discussion, Ghost Ranch (central-northern New Mexico), New Mexico Geological Society, Guidebook 25, p. 185-195.
- Flesch, G. A., and Wilson, M. D., 1974, Petrography of Morrison Formation (Jurassic) sandstone of the Ojito Springs (central-northern New Mexico) quadrangle, Sandoval County, New Mexico, Ghost Ranch, New Mexico Geological Society, Guidebook 25, p. 197-210.
- Foran, J. F., and Perhac, R. M., 1954, Investigation of radioactivity at the Kennecott Copper Corporation's Chino mine, Santa Rita, New Mexico: U. S. Atomic Energy Comm. Report RME-1047, p. 9.
- Foster, J. F., and Quintanar, R. J., 1980, An anomalous orebody within the Ambrosia Lake trend at Sandstone mine, *in* Rautman, C. A., (compiler), ed., Geology and mineral technology of the Grants uranium region 1979,

- New Mexico Bureau of Mines and Mineral Resources, Mem. 38, p. 240-243.
- Foster, R. W., Hawks, W. L., Parkhill, T. A., Smith, C. T., and Navenor, K. C., 1970, Mineral Resources evaluation of State lands in east-central New Mexico (area 7A): New Mexico Bureau of Mines and Mineral Resources Open File report 28, p. 66.
- Fulp, M. S., and Woodward, L. A., 1990, Epithermal gold deposits from Precambrian volcanic sulfide source during Late Cenozoic continental rifting: *Geology*, v. 18, p. 179-182.
- Gabelman, J. W., 1956a, Uranium deposits in paludal black shales of the Dakota Formation, San Juan Basin, New Mexico, Contributions to the geology of uranium and thorium, U.S. Geological Society Professional Paper 300, p. 300-319.
- , 1956b, Uranium deposits in limestone, Contributions to the geology of uranium and thorium, U.S. Geological Society Professional Paper 300, p. 387-404.
- , 1970, The Flat Top uranium mine, Grants, New Mexico: U. S. Atomic Energy Comm. Report RME-4112.
- Gaggini, L. P., 1948, Examination made of Mr. Marc Jenkins of the property in the White Signal mining district, Grant County, New Mexico: U. S. Atomic Energy Comm. Report RMO-97, p. 8.
- Gates, E. E., 1985, The Geology of the Carrizalillo Hills, Luna County, New Mexico [M.S. thesis]: University of Texas at El Paso, 133 p.
- Geller, B. A., 1996, Telluride occurrences in the Four-corner states (abstr.), *New Mexico Geology*, 20 p.
- Gese, D. D., 1985, Mineral resources of the West Potrillo Mountains/Mount Riley, (NM-030-052) Study area and Aden lava flow (NM-030-053) Wilderness study area, Dona Ana and Luna Counties, New Mexico, U.S. Bureau of Mines, Report MLA 78-85, 19 p.
- Gibson, R., 1952, Reconnaissance of some red-bed copper deposits in the southwestern United States: U. S. Atomic Energy Comm. Rept. RMO-890.
- Gillerman, E. G., 1952, Fluorspar deposits of Burro Mountains and vicinity, Grant County, New Mexico: U. S. Geological Survey Bulletin 973-F, p. 261-288.
- Gillerman, E. G., and Granger, H., 1952, The Hines and Langford uraniferous fluorspar prospects, Grant County, New Mexico: U. S. Geological Survey, Trace Element Memo. TEM-120.
- Gillerman, E. G., 1953a, Fluorite deposits of Burro Mountains and vicinity, Southwestern New Mexico, New Mexico Geological Society, Guidebook 4, p. 137-138.
- , 1953b, White Signal uranium deposits, New Mexico, Southwestern New Mexico, New Mexico Geological Society, Guidebook 4, p. 133-137.
- Gillerman, E. G., and Whitebread, D. H., 1956, Uranium bearing nickel-cobalt-native silver deposits, Black Hawk district, Grant County, New Mexico: U.S. Geological Survey, Bulletin 1009-K, p. 30.
- Gillerman, E. G., 1964, Mineral deposits of western Grant County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 83, p. 213.
- , 1968, Uranium mineralization in the Burro Mountains, New Mexico: *Economic*

- Geology, v. 63, p. 329-246.
- Goddard, E. N., 1966, Geologic map and sections of the Zuni Mountains fluorspar district, Valencia (now Cibola) County, New Mexico: U. S. Geological Survey, Misc Geological Inv. Map I-454, scale 1:31,680.
- Goerold, W. T., 1981, Geology and geochemistry of tin occurrences in southwestern New Mexico [M.S. thesis]: Pennsylvania State University, 131 p.
- Goodnight, C. S., and Dexter, J. J., 1983, Evaluation of uranium anomalies in the southwest part of the Costilla Massif, Taos County, New Mexico: U. S. Department of Energy Report.
- Gorman, J. M., and Robeck, R. C., 1946, Asphalt deposits of north-central Guadalupe County, New Mexico, scale 1 in = 1 mi.
- Gott, G. B., and Erickson, R. L., 1951, A preliminary summary report for a reconnaissance of sandstone-type copper-uranium deposits in parts of New Mexico, Colorado, Utah, Idaho, and Wyoming: U. S. Geological Survey, Trace Element Memo. TEM-290, p. 13.
- , 1952, Reconnaissance of uranium and copper deposits in parts of New Mexico, Colorado, Utah, Idaho, and Wyoming: U. S. Geological Survey, Circular 219, p. 16.
- Granger, H. C., 1950, Preliminary investigation of radioactivity in the Black Hawk district, Grant County, New Mexico: U. S. Geological Survey, Trace Element Memo. TEM-118, p. 1.
- Granger, H. C., and Bauer, H. L., 1950a, A radiometric examination of the Tunnel Site No. 1 claim, Grant County, New Mexico: U. S. Geological Survey, Trace Element Memo. TEM-134, p. 3.
- Granger, H. C., and Bauer, H. L., 1950b, Reported occurrences of pitchblend, Black Range, Grant and Sierra Counties, New Mexico: U. S. Geological Survey, Trace Element Memo. TEM-119, p. 3.
- Granger, H. C., and Bauer, H. L., Jr., 1951a, Uranium occurrences on the Blue Jay claim, White Signal district, Grant County, New Mexico: U. S. Geological Survey, Trace Element Memo. TEM-117, p. 21.
- , 1951b, Results of diamond drilling, Merry Widow claims, White Signal district, Grant County, New Mexico: U. S. Geological Survey, Trace Element Memo. TEM-146A, p. 11.
- Granger, H. C., and Bauer, H. L., 1951c, Uranium occurrences of the Merry Widow claims, White Signal district, Grant County, New Mexico: U. S. Geological Survey, Trace Element Memo. TEI-157, p. 41.
- Granger, H. C., Bauer, H. L., Jr., Loverling, T. G., and Gillerman, E. G., 1952, Uranium deposits in Grant County, New Mexico: U. S. Geological Survey, Trace Element Memo. TEM-156, p. 65.
- Granger, H. C., Santos, E. S., Dean, B. G. and Moore, F. B., 1959, Ambrosia Lake area, New Mexico, Geologic investigations of radioactive deposits, semiannual progress report, June 1 to November 30, 1959, U. S. Geologic Survey Trace Element Inv. TEI-72, p. 22-30.
- Granger, H. C., 1960, Pitchblend identification in a sandstone-type uranium deposit in the central part of the Ambrosia Lake district, New Mexico:

- Geological Survey research 1960, U. S. Geological Survey, Prof. Paper 400-B, p. 54-55.
- Granger, H. C., Santos, E. S., Dean, B. G. and Moore, F. B., 1961, Sandstone-type uranium deposits at Ambrosia Lake, New Mexico- an interim report: *Economic Geology*, v. 56, no. 7, p. 1179-1210.
- Granger, H. C., 1962, Clays on the Morrison Formation and their spatial relation to the uranium deposits at Ambrosia Lake, New Mexico: Geological Survey research 1962, U. S. Geological Survey, Prof. Paper 450-D, p. 15-20.
- Granger, H. C., and Santos, E. S., 1963, An ore-bearing cylindrical collapse structure in the Ambrosia Lake uranium district, New Mexico, *Short papers in geology*, U. S. Geological Survey, Professional Paper 475-C, p. 156-161.
- Granger, H. C., 1963a, Mineralogy, *in* Kelley, V. C., (compiler), ed., *Geology and technology of the Grants uranium region*, New Mexico Bureau of Mines and Mineral Resources, Mem. 15, p. 21-37.
- , 1963b, Radium migration and its effect on the apparent age of uranium deposits at Ambrosia Lake, New Mexico: U. S. Geological Survey, Professional Paper 475B, p. B60-B63.
- Granger, H. C., and Ingram, B. L., 1966, Occurrence and identification of jordanite at Ambrosia Lake, New Mexico, *Geological Survey Research*, 1966, U. S. Geological Survey, Prof. Paper 550-B, p. 120-124.
- Granger, H. C., 1968, Localization and control of uranium deposits in southern San Juan Basin mineral belt, New Mexico-a hypothesis, *Short papers in geology*, U. S. Geological Survey, Prof. Paper 600-B, p. 60-70.
- Granger, H. C., Finch, W. I., Kirk, A. R., and Thaden, R. E., 1980, Genetic-geologic models for tabular humate uranium deposits, Grants mineral belt, San Juan Basin, New Mexico: U. S. Geological Survey, Open-file Report 80-2018-C, p. 58.
- Granger, H. C., and Santos, E. S., 1982, Geology and ore deposits of the section 32 mine, Ambrosia Lake, New Mexico: U. S. Geological Survey, Open-file Report 82-207, p. 74.
- Green, M. W., and Pierson, C. T., 1971, Geologic map of the Thoreau NE quadrangle, McKinley County, New Mexico: U. S. Geological Survey, Geologic Quad. Map GQ-954, scale 1:24,000.
- Green, M. W., 1975, Paleo-depositional units in the upper Jurassic rocks in the Gallup-Laguna uranium area, New Mexico: U. S. Geological Survey, Open-file Report 75-610, p. 13.
- Green, M. W., and Jackson, T. J., 1976, Geology of the Gallup East quadrangle, McKinley County, New Mexico: U. S. Geological Survey, Open-file Report 76-453, scale 1:24,000.
- Green, M. W., 1976, Geologic map of the Continental Divide quadrangle, McKinley County, New Mexico: U. S. Geological Survey, Geologic Quad. Map GQ-1338, scale 1:24,000.
- Green, M. W., and Pierson, C. T., 1977, A summary of the stratigraphy and depositional environments of Jurassic and related rocks in the San Juan

- Basin, Arizona, Colorado and New Mexico, San Juan Basin III, New Mexico Geological Society, Guidebook 28, p. 147-152.
- Green, M. W., and others, 1980a, Uranium resources evaluation, Aztec NMTS 1- by 2- degree quadrangle, New Mexico and Colorado: U.S. Dept. Energy, Prelim. Report PGJ-012.
- , 1980b, Uranium resource evaluation, Gallup 1- by 2-degree quadrangle, Arizona and New Mexico: U. S. Department of Energy Preliminary report PGJ-013(80), p. 159.
- , 1980c, Uranium resource evaluation, Albuquerque 1- by 2-degree quadrangle, New Mexico: U. S. Department of Energy Preliminary report PGJ-016, p. 91.
- , 1980d, Uranium resource evaluation, Shiprock 1- by 2-degree quadrangle, New Mexico: U. S. Department of Energy Preliminary report PGJ-024, p. 69.
- Gresens, R. L., 1967, Tectonic-hydrothermal pegmatites, II-an example: Contributions to Mineralogy and Petrology, v. 16, p. 1-28.
- Griffitts, W. R., 1965, Beryllium, Mineral and Water resources of New Mexico: Bulletin 87, New Mexico Bureau of Mines and Mineral Resources, p. 196-200.
- Griggs, R. L., 1953, A reconnaissance for uranium in New Mexico: U. S. Geological Survey, Circular 354, p. 9.
- , 1955, Tucumcari-Sabinoso area, Geologic investigation of radioactive deposits, semiannual progress report, June 1 to November 30, 1955, U. S. Geological Survey Trace Element Inv. TEI-590, p. 191-195.
- Griggs, R. L., and Wagner, H. C., 1966, Geology and ore deposits of the Steeple Rock mining district, New Mexico: U. S. Geological Survey, Bulletin 1222-E, p. 29.
- Griswold, G. B., 1959, Mineral deposits of Lincoln County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 67, p. 117.
- , 1961, Mineral Deposits of Luna County, New Mexico, New Mexico Bureau of Mines and Mineral Resources, Bulletin 72, 157 p.
- Griswold, G. B., Boy, R., Olson, R. R., and Zrinscak, P., 1989, Reconnaissance gold geochemical survey of five selected areas in southwestern New Mexico, New Mexico Bureau of Mines and Mineral Resources, Open-File Report OF-357, 19 p.
- Gruner, J. W., Gardiner, L., and Smith, D. K., Jr., 1954, Mineral associations in the uranium deposits of the Colorado Plateau and adjacent regions: U. S. Atomic Energy Comm. Report RME-3092, p. 48.
- Gruner, J. W., and Smith, D. K., Jr., 1955a, A comparison of four important areas of black uranium ore mineralization in Utah, New Mexico, and Wyoming, in the Chinle, including the Shinarump, Brushy Basin (Morrison), and Windy River Formations, Annual Report, April 1, 1954 to March 31, 1955, U. S. Atomic Energy Comm. Rept. RME-3020, p. 1-15.
- , 1955b, Some additional determinations of minerals of the Colorado Plateau, Annual report, April 1, 1954 to March 31, 1955, U. S. Atomic Energy Comm. Report. RME-3020, p. 34-37.

- Guilinger, D. R., 1982, Geology and uranium potential of the Tejana Mesa-Hubbell Draw area, Catron County, New Mexico [M. S. thesis]: New Mexico Institute of Mining and Technology, NMBMMR Open file report 176, 129 p.
- Gundiler, I. H., 2000a, Brief history of Deming-area mills and manganese stockpiles, *in* Lawton, T. F., McMillan, N. J., McLemore, V.T., Austin, G. S., and Barker, J. M., ed., *Southwest Passage, a Trip through the Phanerozoic*, New Mexico Geological Society, Guidebook 51, p. 279-281.
- , 2000b, The Hildago Smelter, *in* Lawton, T. F., McMillan, N. J., McLemore, V.T., Austin, G. S., and Barker, J. M., ed., *Southwest Passage, a Trip through the Phanerozoic*, New Mexico Geological Society, Guidebook 51, p. 263-266.
- Hackman, R. J., and Olsen, A. B., 1977, Geology, Structure and uranium deposits of the Gallup 1- by 2-degree quadrangle, New Mexico and Arizona: U. S. Geological Survey, Misc. Geol. Inv. Map I-981, scale 1:250,000.
- Hail, W. J., Jr., 1955, Reconnaissance for uranium in asphalt-bearing rocks in the western states: U. S. Geological Survey, Trace Element Inv. TEI-559, p. 49.
- Hail, W. J., Jr., Myers, A. T., and Horr, C. A., 1956, Uranium in asphalt-bearing rocks of the western United States, *Contributions to the geology of uranium and thorium*, U. S. Geological Society, Prof. Paper 300, p. 521-526.
- Hail, W. J., Jr., 1957, Reconnaissance for uranium in asphalt-bearing rocks in the western United States: U. S. Geological Survey, bulletin 1040-E, p. 55-85.
- Haji-Vassiliou, A. a. K., P. F., 1972, Uranium-organic matter association at La Bajada, New Mexico: *Economic Geology*, v. 67, p. 41-54.
- Hall, R. B., and Bauer, C. W., 1983, Alunite, *in* Lefond, S. J., ed., *Industrial Minerals and Rocks* (5th ed.), New York, Society of Mining Engineers, p. 417-434.
- Hall, R. G., 1978, World nonbauxite aluminum resources-alunite, U. S. Geological Survey, Professional Paper 1076A, 35 p.
- Hammarstrom, J. M., Drewes, Harald, Friedman, J. D., Klein, D. P., Kulik, D. M., Watts, K. C., Jr., Pitkin, J. A., Simpson, S. L. and Theodore, T. G., 1988, Preliminary mineral resource assessment of the Douglas 1° x 2° quadrangle, Arizona-New Mexico: U.S. Geological Survey, Administrative Report.
- Harder, J. O., and Wyant, D. G., 1944, Preliminary report on a trace-element reconnaissance in western states: U. S. Geological Survey, Trace Element Inv. TEI-4.
- Harley, G. T., 1934, The geology and ore deposits of Sierra County, New Mexico, New Mexico Bureau of Mines and Mineral Resources, Bulletin 10, 220 p.
- , 1940, The geology and ore deposits of northeastern New Mexico (exclusive of Colfax County): New Mexico Bureau of Mines and Mineral Resources, Bulletin 15, p. 104.
- Harrer, C. M., and Kelly, F. J., 1963, Reconnaissance of iron resources of New

- Mexico, U.S. Bureau of Mines, Information Circular 8190, 112 p.
- Harrer, C. M., 1965, Iron, Mineral and Water resources of New Mexico, New Mexico Bureau of Mines and Mineral Resources, Bulletin 87, p. 176-183.
- Harrison, R. W., 1986, General geology of Chloride mining district, Sierra and Catron Counties, New Mexico, *in* Clemons, R. E., King, W. E., Mack, G. H., and Zidek, J., ed., Truth or Consequences Region: New Mexico Geological Society, Guidebook 37, p. 265-272.
- , 1988, Mineral paragenesis, structure and "ore shoot" geometry at the U.S. Treasury mine, Chloride mining district, New Mexico: New Mexico Geology, v. 10, p. 10-11, 15-16.
- Hatchell, W. O., and Wentz, C., 1981, Uranium resources and technology-a review of the New Mexico uranium New Mexico uranium industry 1980: New Mexico Energy and Mineral Dept. Report, p. 226.
- Hatchell, W. O., 1981a, Uranium, *in* Arnold, E. C., and Hill, J. M. (compilers), ed., New Mexico's energy resources '80-annual report of Bureau of Geology in the Mining and Minerals division of New Mexico Energy and Minerals Department, New Mexico Bureau of Mines and Mineral Resources, Cir. 181, p. 35-49.
- , 1981b, Uranium, *in* Arnold, E. C., and Hill, J. M. (compilers), ed., New Mexico's energy resources '80-annual report of Bureau of Geology in the Mining and Minerals division of New Mexico Energy and Minerals Department, New Mexico Bureau of Mines and Mineral Resources, Cir. 181.
- Hatchell, W. O., Blagbrough, J. W., and Hill, J. M., 1982, Stratigraphy and copper deposits of the Abo Formation, Abo Canyon area, central New Mexico, Albuquerque country, II:, New Mexico Geological Society Guidebook 23, p. 249-260.
- Hatton, K. S., Childs, M. B., Barker, J. M., King, R. S. and Bolton, R. G., 1990, Mines and mills in New Mexico, New Mexico Energy Mineral and Natural Resources Department, Santa Fe, 50 p.
- Hatton, K. S., Barker, J. M., Glomer, N. A., Campbell, K., Hemenway, L., and Mansell, M., compilers, 1994, Mines, mills, and quarries in New Mexico, New Mexico Bureau of Mines and Mineral Resources, 66 p.
- Hazlett, G. W., and Kreek, J., 1963, Geology and ore deposits of the southeastern part of Ambrosia Lake area, *in* Kelley, V. C., (compiler), ed., Geology and technology of the Grants uranium region, New Mexico Bureau of Mines and Mineral Resources, Mem 15., p. 82-89.
- Hedlund, D. C., 1977, Mineral resource map of the Hillsboro and San Lorenzo quadrangles, Sierra and Grant Counties, New Mexico: U. S. Geological Survey, Misc. Field Studies Map MF-900B, scale 1:48,000.
- , 1978a, Geologic Map of the Wind Mountain quadrangle, Grant County, New Mexico: U. S. Geological Survey Field Studies map MF-1031, scale 1:24,000.
- , 1978b, Geologic map of the Ninetysix Ranch quadrangle, New Mexico: U. S. Geological Survey, Misc. Field Studies Map MF-1034, scale 1:24,000.
- , 1978c, Geologic map of the Gold Hill quadrangle, New Mexico: U. S. Geological Survey, Misc. Field Studies Map MF-1035, scale 1:24,000.

- , 1978d, Geologic map of the Tyrone quadrangle, New Mexico: U. S. Geological Survey, Misc. Field Studies Map MF-1037, scale 1:24,000.
- , 1978e, Geologic map of Werney Hill quadrangle, New Mexico: U. S. Geological Survey, Misc. Field Studies Map MF-1038, scale 1:24,000.
- , 1978f, Geologic map of the C Bar Ranch quadrangle, New Mexico: U.S. Geological Survey, Misc. Field Studies Map MF-1039, scale 1:24,000.
- , 1978g, Geologic map of the Burro Peak quadrangle, New Mexico: U. S. Geological Survey, Misc. Field Studies Map MF-1040, scale 1:24,000.
- , 1978h, Geologic map of the White Signal quadrangle, New Mexico: U. S. Geological Survey, Misc. Field Studies Map MF-1041, scale 1:24,000.
- Hedlund, D. C., 1980a, Geologic map of the Redrock NW quadrangle, Grant County, New Mexico: U.S. Geological Survey, Miscellaneous Field Studies Map MF-1263, scale 1:24,000.
- , 1980b, Geologic map of the Redrock NE quadrangle, Grant County, New Mexico: U.S. Geological Survey, Miscellaneous Field Studies Map MF-1264, scale 1:24,000.
- , 1980c, Geologic map of the Redrock SE quadrangle, Grant and Hidalgo Counties, New Mexico: U. S. Geological Survey, Misc. Field Studies Map MF-1265, scale 1:24,000.
- , 1985, Geology, mines, and prospects of the Tyrone stock and vicinity, Grant County, New Mexico: U. S. Geological Survey, Open-file Report 85-232.
- Heidrick, T., 1983, Victorio project geologic report: unpublished report to Gulf Mineral Resources Co., on file at New Mexico Bureau of Mines and Mineral Resources archives, 141 p.
- Heinrich, E. W., 1966, The geology of carbonatites: Chicago, Rand, McNally & Co., 555 p.
- Henley, R. W., 1985, The geothermal framework for epithermal deposits, *in* Berger, B. R., and Bethke, P. M., ed., Geology and geochemistry of epithermal systems: Reviews in Economic Geology, p. 1-24.
- Hernon, R. M., Jones, W. R., and Moore, S. L., 1964, Geology of the Santa Rita quadrangle, New Mexico: U. S. Geological Survey, Geological Quad. Map GQ-306, scale 1:24,000.
- Hess, F. L., and Wells, R. C., 1930, Samarskite from Petaca, New Mexico: American Journal of Science, v. 19, p. 17-26.
- Hewitt, C. H., 1959, Geology and mineral deposits of the northern Big Burro Mountains-Redrock area, Grant County, New Mexico, New Mexico Bureau of Mines and Mineral Resources, Bulletin 60, 151 p.
- Hicks, R. T., Lowry, R. M., Della Valle, R. S., and Brookins, D. G., 1980, Petrology of Westwater Canyon Member, Morrison Formation, East Chaco Canyon drilling project, *in* Rautman, C. A., (compiler), ed., Geology and mineral technology of the Grants uranium region 1979, New Mexico Bureau of Mines and Mineral Resources, Mem. 38, p. 208-214.
- Hill, G. T., 1994, Geochemistry of Southwestern New Mexico fluorite deposits with possible base and precious metal exploration significance [M.S. thesis]: New Mexico Institute of Mining and Technology, 44 p.
- Hill, S. R., 1980, Geology of the Mining Mountain area, Cuba, New Mexico [M.S.

- thesis]: New Mexico Institute of Mining and Technology, 116 p.
- Hillard, P. D., 1969, Geology and beryllium mineralization near Apache Warm Springs, Socorro County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Circular 103, p. 16.
- Hilpert, L. S., and Corey, A. F., 1955, Northwest New Mexico, Geologic investigations of radioactive deposits - semiannual progress report, June 1 to November 30, 1955, U. S. Geological Survey, Trace Element Inv. TEI-590, p. 104-118.
- Hilpert, L. S., 1955, Uranium in sandstone-type deposits -northwestern New Mexico, Geologic investigations of radioactive deposits, semiannual progress report, December 1, 1954 to May 31, 1955, U. S. Geological Survey, Trace Element Inv. TEI-540, p. 106-107.
- Hilpert, L. S., and Corey, A. F., 1957, Northwest New Mexico, Geologic investigations of radioactive deposits-semiannual progress report, December 1, 1956 to May 31, 1957, U. S. Geological Survey, Trace Element Inv. TEI-690, p. 366-381.
- Hilpert, L. S., and Moench, R. H., 1959, Uranium deposits of the southern part of the San Juan Basin, New Mexico: U. S. Geological Survey, Trace Element Inv. TEI-510, p. 64.
- , 1960, Uranium deposits of the southern part of the San Juan Basin, new Mexico: Economic Geology, v. 55, no. 3, p. 429-464.
- Hilpert, L. S., 1961, Structural control of epigenetic uranium deposits in carbonate rocks of northwestern New Mexico, Geological Survey Research 1961, U.S. Geological Society Professional Paper 424-B, p. 5-8.
- Hilpert, L. S., 1963, Regional and local stratigraphy of uranium-bearing rocks, *in* Kelley, V. C., (compiler), ed., Geology and technology of the Grants uranium region, New Mexico Bureau of Mines and Mineral Resources, Mem. 15, p. 6-18.
- , 1965, Uranium, Mineral and water resources of New Mexico, New Mexico Bureau of Mines and Mineral Resources, Bulletin 87, p. 209-266.
- , 1969, Uranium resources of northwestern New Mexico: U. S. Geological Survey Prof. Paper 603, v. 166, p. 16.
- Hodgson, S. A., 2000, Structural geology and Laramide tectonics of the Little Hatched Mountains, Southwestern New Mexico, *in* Lawton, T. F., McMillan, N. J., McLemore, V. T., Austin, G., and Barker, J. M., ed., Southwest Passage, a trip through the Phanerozoic, New Mexico Geological Society, Guidebook 51, p. 109-116.
- Hoffer, J. M., and Hoffer, R. L., 1994, Pumice and Pumicite in New Mexico, New Mexico Bureau of Mines and Mineral Resources, Bulletin 140, 23 p.
- Hoffman, G. K., 1996, Coal resources of New Mexico, New Mexico Bureau of Mines and Mineral Resources, Resource Map 20, 22 p.
- Holen, H. K., 1982, A summary of uranium geology in the Grants mineral belt, New Mexico: U. S. Department of Energy Tech. Memo. TM-311, p. 3.
- Holmquist, R. J., 1970, The discovery and development of uranium in the Grants mineral belt, New Mexico: U. S. Atomic Energy Comm. Report RME-172, p. 122.

- Holser, W. T., 1953, Beryllium minerals in the Victorio Mountains, Luna County, New Mexico: *American Mineralogist*, v. 38, p. 599-611.
- , 1959a, Trans-Pecos region, *in* Warner, L. A., Holser, W. T., Wilmarth, V. R., and Cameron, E. N., ed., Occurrence of nonpegmatite beryllium in the United States, U. S. Geological Survey, Prof. Paper 318, p. 130-143.
- Holser, W. T., 1959b, New Mexico, *in* Warner, L. A., Holser, W. T., Wilmarth, V. R., and Cameron, E. N., ed., Occurrences of nonpegmatite beryllium in the United States, U. S. Geological Prof. Paper 318, p. 107-130.
- Homme, F. C., 1958, Contact metamorphism in the Tres Hermanas Mountains, Luna County, New Mexico [M.S. thesis]: University of New Mexico, 88 p.
- Homme, F. C., and Rosenzweig, A., 1959, Spurrite and monticellite skarns in the Tres Hermanas Mountains, Luna County, New Mexico (abstr.): *Geological Society, Bulletin* 69, no. 12, p. 1586.
- , 1970, Contact Metamorphism in the Tres Hermanas Mountains, Luna County, *in* Woodward, L. A., ed., Tyrone-Big Hatchet Mountains-Florida Mountains region, New Mexico Geological Society, Guidebook 21, p. 141-145.
- Hoppe, R., 1978, The jackpot at Jackpile is still paying off: *Engineering and Mining Journal*, November, p. 86-90.
- Hough, H. W., 1955, The team that found the Jackpile mine: *Uranium Magazine*, v. 1, no. 7, p. 6-8.
- Houston, R. S., and Murphy, J. F., 1977, Depositional environment of Upper Cretaceous black sandstones of the western interior: U. S. Geological Survey Prof. Paper 994-A, p. A1-A29.
- Howard, E. V., 1967, Metalliferous occurrences in New Mexico, Phase 1, state resources development plan: State Planning Office, Santa Fe, 270 p.
- Huskinson, E. J., Jr., 1975, Geology and fluorspar deposits of the Chise fluorspar district, Sierra County, New Mexico [unpublished M. S. thesis]: University of Texas at El Paso, 73 p.
- Huston, O. C., 1958, Geology of the northern end of the San Pedro Mountains, Rio Arriba and Sandoval Counties, New Mexico [M. S. thesis]: University of New Mexico, 55 p.
- Jackson, D., 1977, Gulf digs in to tap a major uranium orebody: *Engineering and Mining Journal*, August, p. 73-79.
- Jacobsen, L. C., 1980, Sedimentary controls on uranium ore at L-Bar deposits, Laguna district, New Mexico, *in* Rautman, C. A., (compiler), ed., *Geology and mineral Technology of the Grants uranium region 1979*, New Mexico Bureau of Mines and Mineral Resources, Mem. 38, p. 284-291.
- Jahns, R. H., 1946, Mica deposits of the Petaca district, Rio Arriba County, New Mexico, with brief description of the Ojo Caliente district, Rio Arriba county and the Elk Mountain district, San Miguel County: New Mexico Bureau of Mines and Mineral Resources, *Bulletin* 25, p. 294.
- , 1953, The genesis of pegmatites, II-Quantitative analysis of lithium-bearing pegmatite, Mora County, New Mexico: *American Mineralogist*, v. 38, p. 1078-1112.
- , 1955a, Geology of the Sierra Cuchillo, New Mexico, South-central New Mexico, New Mexico Geological Society, Guidebook 6, p. 158-174.

- , 1955b, The study of pegmatites: Economic Geology, 50th anniversary volume, pt. 2, p. 1025-1130.
- Jahns, R. H., and Ewing, R. C., 1976, The Harding mine, Taos County, New Mexico, Vermejo Park (northeastern New Mexico), New Mexico Geological Society, Guidebook 27, p. 213-275.
- Jaworski, M. J., 1973, Copper mineralization of the upper Moya Sandstone, Chupadero mines area, Socorro County, New Mexico [unpublished M. S. thesis]: New Mexico Institute of Mining and Technology, 102 p.
- Jedlicka, J. J., and Mallory, N. S., 1955, An airborne radiometric survey of an area near Santa Fe, New Mexico: U. S. Atomic Energy Comm. Report RME-1057, p. 13.
- Jerome, S. E., Campbell, D. D., Wright, J. S., and Vitz, H. E., 1965, Geology and ore deposits of the Sacramento (High Rolls) mining district, Otero County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 86, p. 30.
- Jicha, H. L., Jr., 1954, Geology and mineral deposits of Lake Valley Quadrangle, Grant, Luna, and Sierra Counties, New Mexico, New Mexico Bureau of Mines and Mineral Resources, Bulletin 37, 93 p.
- Jicha, H. L., and Elston, W. E., 1962, Tertiary Volcanics and associated rocks of the Lake valley and Sherman quadrangles, Sierra, Grant, and Luna Counties, New Mexico: Geological Society of America, Bulletin 63, v. 12, p. 1333.
- Johnson, M. G., 1972, Placer gold deposits of New Mexico, U.S. Geological Survey, Bulletin 1348, 46 p.
- Johnston, W. D., Jr., 1928, Fluorspar in New Mexico, New Mexico Bureau of Mines and Mineral Resources, Bulletin 4, 128 p.
- Jones, E. L., Jr., 1920, Deposits of Manganese ore in New Mexico: U.S. Geological Survey, Bulletin 710, p. 37-60.
- Jones, F. A., 1904, New Mexico Mines and Minerals, (World's Fair edition, 1904), Santa Fe, 349 p.
- Jones, J. L., Kilbourne, J. E., Zimbelman, D. R., and Siems, D. F., 1987, Analytical results and sample locality maps of heavy mineral concentrate and rock samples from the West Potrillo Mountains/ Mt. Riley Wilderness Study Area (030-052), Luna and Dona Ana Counties, New Mexico, U.S. Geological Survey, Open-file Report 87-265, 23 p.
- Jones, T. S., 1997, Manganese, U. S. Geological Survey, Mineral Industries Surveys, 8 p.
- Jones, W. R., 1965, Copper, Mineral and Water resources of New Mexico, New Mexico Bureau of Mines and Mineral Resources, Bulletin 87, p. 160-176.
- Jones, W. R., Hernon, R. M., and Moore, S. L., 1967, General geology of Santa Rita quadrangle, Grant County, New Mexico: U. S. Geological Survey, Professional Paper 555, p. 23.
- Jones, W. R., Moore, S. L., and Pratt, W. P., 1970, Geologic map of the Fort Bayard quadrangle, Grant County, New Mexico: U. S. Geological Survey, Geologic Quad. Map GQ-865, scale 1:24,000.
- Just, E., 1937, Geology and economic features of the pegmatites of Taos and

- Rio Arriba Counties, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 13.
- Keith, S. B., 1944, Reconnaissance of the White Signal, Black Hawk, and San Lorenzo districts and the Swanson-Lauer property, New Mexico: Union Mines Dev. Copr. Report RMO-104, p. 16.
- , 1945a, Notes on the use of Geiger-Muller counter in the White Signal district, Grant County, New Mexico: Union Mines Dev. Copr. Report RMO-101, p. 3.
- , 1945b, Union Mines Development Corporation report on detailed examination of White Signal and associated districts, Grant County, New Mexico: Union Mines Dev. Corp. Rept. RMO-103.
- Kelley, V. C., 1949, Geology and economics of New Mexico iron-ore deposits, New Mexico University, Publications in Geology Series, 246 p.
- , 1951, Oolitic iron deposits of New Mexico: American Association of Petroleum Geologists Bulletin, v. 35, no. 10, p. 2199-2228.
- Kelley, V. C., and Silver, C., 1952, Geology of the Caballo Mountains: University of New Mexico, Geological Series 4, p. 286.
- Kelley, V. C., and Northrop, S. A., 1975, Geology of Sandia Mountains and vicinity, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Memoir 29, p. 136.
- Kendall, E. W., 1971, Trend orebodies of the Section 27 mines, Ambrosia Lake uranium district, New Mexico [Ph D. thesis]: University of California, Berkeley, 169 p.
- Kendall, E. W., 1972, Trend ore bodies of the Section 27 mines, Ambrosia Lake district, New Mexico, U. S. Energy Research Development Adm. Rept GJO-936-2 [Ph D thesis]: University of California, 167 p.
- Kent, S. C., 1980, Precambrian geology of the Tusas Mountain area, Rio Arriba County, New Mexico [M. S. thesis]: New Mexico Institute of Mining and Technology, 151 p.
- , 1982, Geologic map of Precambrian rocks in the Magdalena and Chupadera Mountains, Socorro County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Open-File Report 170.
- Kerr, P. F., Kulp, J. L., Patterson, C. M. and Wright, R. J., 1950, Hydrothermal alteration at Santa Rita, New Mexico: Geologic Society of America Bulletin, v. 61, p. 275-347.
- Kerr, P. F., and Wilcox, J. T., 1963, Structure and volcanism, Grants Ridge area, *in* Kelley, V. C., (compiler), ed., Geology and mineral technology of the grants uranium region, New Mexico Bureau of Mines and Mineral Resources, Mem. 15, p. 205-213.
- Kesler, S. E., 1973, Copper, molybdenum, and gold abundance in porphyry copper deposits: Economic Geology, v. 68, p. 106-112.
- Kilburn, J. E., Stoesser, D. B., Zimbelman, D. R., Hanna, W. F., and Gese, D. D., 1988, Mineral resources of the West Potrillo Mountains-Mount Riley and the Aden Lava Flow Wilderness Study Areas, Dona Ana and Luna Counties, New Mexico, U.S. Geological Survey, Bulletin 1735, 16 p.
- King, J. W., 1951, Geologic reconnaissance of King Tuttle Mesa, east Carrizo

- district, Arizona/New Mexico: U. S. Atomic Energy Comm. Report RMO-720, p. 11.
- , 1952a, Geology and ore deposits of the Beclabito dome area, Shiprock district, Arizona/New Mexico: U. S. Atomic Energy Comm. Report RMO-993, p. 17.
- , 1952b, Geology of Horse Mesa, Arizona/New Mexico: U. S. Atomic Energy Comm. Tech. Mem. TM-20, p. 5.
- Kirk, W. S., 1997, Iron ore, U. S. Geological Survey, Mineral Industry Surveys, 16 p.
- Kittle, D. F., Kelley, V. C., and Melancon, P. E., 1967, Uranium deposits of the Grants region, Defiance-Zuni-Mt. Taylor region, New Mexico Geological Society, Guidebook 18, p. 173-183.
- Kittleman, L. R., Jr., 1957, Geology and uranium occurrences of the upper Rio Puerco area, northwestern New Mexico: U. S. Atomic Energy Comm. Report RME-110, p. 46.
- Kittleman, L. R., Jr., and Chenoweth, W. L., 1957, Uranium occurrences on the Goodnear lease, Sandoval County, New Mexico: U. S. Atomic Energy Comm. Tech. Mem. TM-184, p. 12.
- Kolessar, J., 1982, The Tyrone copper deposit, *in* Titley, S. R., ed., *Advances in geology of porphyry copper deposits*, University of Arizona Press, p. 327-333.
- Konigsmark, T. A., 1955, Geologic reconnaissance of the southwest flank of the Zuni uplift, New Mexico: U. S. Atomic Energy Comm. Report RME-162, p. 38.
- Korzeb, S. L., Kness, R. F., Geroyan, R. I., and Ward, D. A., 1995, Mineral resource assessment of the Caballo Resource Area, Sierra and Otero Counties, New Mexico: U. S. Bureau of Mines, Open-file Report MLA 5-95.
- Kottlowksi, F. E., 1961, Reconnaissance geologic map of Las Cruces 30-min quadrangle: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 14, scale 1:126,720.
- Kottlowksi, F. E., and Armstrong, A. K., 1996, Limestones in New Mexico suitable for sulfur removal in coal-fired power plants, *in* Austin, G. S., Hoffman, G. K., Barker, J. M., Zidek, J., and Gilson, N., ed., *Proceedings of the 31st forum of Industrial Minerals- the Borderland forum*, New Mexico Bureau of Mines and Mineral Resources, Bulletin 154, p. 93-103.
- Kottlowski, F. E., 1957, High-purity dolomite deposits of South Central New Mexico, New Mexico Bureau of Mines and Mineral Resources, Circular 47, 433 p.
- Kottlowski, F. E., 1958, Pennsylvanian and Permian rocks near the late Paleozoic Florida Islands, Guidebook of the Hatchet Mountains and the Cook's Range-Florida Mountains areas, Roswell Geologic Society, Guidebook 11, p. 79-86.
- , 1960a, Summary of the Pennsylvanian sections in southwestern New Mexico and southeastern Arizona, New Mexico Bureau of Mines and Mineral Resources, Bulletin 66, 187 p.

- , 1960b, Reconnaissance geologic map of the Las Cruces thirty-minute Quadrangle: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 14, scale 1:126,720.
- , 1962, Reconnaissance of commercial high-calcium limestones in New Mexico, New Mexico Bureau of Mines and Mineral Resources, Circular 60, 77 p.
- Kottlowksi, F. E., and Foster, R.W., 1962, Pre-Tertiary strata of Tres Hermanas Mountains, Luna county, New Mexico: American Association of Petroleum Geologists, Bulletin, v. 46, p. 2090-2098.
- Kottlowksi, F. E., 1963, Paleozoic and Mesozoic strata of Southwestern and South Central New Mexico, New Mexico Bureau of Mines and Mineral Resources, Bulletin 79, 100 p.
- , 1965a, Talc, Pyrophyllite, and Ricolite, Mineral and Water Resources of New Mexico, New Mexico Bureau of Mines and Mineral Resources, Bulletin 87, p. 296-298.
- Kottlowksi, F. E., and Pray, L. C., 1967, Silurian outcrops of South Central and Southwestern New Mexico: Tulsa Geological Society Digest, v. 35, p. 209-230.
- Kottlowksi, F. E., and Steensma, R. S., 1979, Barite-fluorite-lead mines of Hansonburg mining district in central New Mexico: New Mexico Geology, v. 1, p. 17-20, 32.
- Kozusko, R. G. a. S., A. E., 1980, The Bernabe Montano uranium deposit, Sandoval County; Geology and mineral technology of the Grants uranium region 1979: New Mexico, Bureau of Mines and Mineral Resources, Memoir 38, p. 262-268.
- Krasen, J., Wedzick, A., and Cruver, S. K., 1982, Geology, energy, and mineral resource assessment of the Manzano area, New Mexico: U. S. Bureau of Land Management, unpublished report.
- Krauskopf, K. B., 1956, Uraniferous magnetite-hematite deposit at the Prince mine, New Mexico-a discussion: Economic Geology, v. 51, p. 725-727.
- Krewedl, D. A., 1974, Geology of the central Magdalena Mountains, Socorro County, New Mexico [Ph D thesis]: New Mexico Institute of Mining and Technology, 128 p.
- Kuellmer, F. J., 1956, Geology of the southern Black Range area, Grant, Luna, and Sierra Counties, New Mexico (abstr.): Geological Society of America, Bulletin 67, p. 1798.
- Ladoo, R. B., 1923, Fluorspar mining in the western United States, U.S. Bureau of Mines, Report of Investigation RI-2480, 35 p.
- , 1927, Fluorspar, its mining, milling, and utilization, U.S. Bureau of Mines, Bulletin 244.
- Lambert, P. W., 1961, Petrology of the Precambrian rocks of part of Monte Largo area, New Mexico [M. S. thesis]: University of New Mexico, 108 p.
- LaPoint, D. J., 1976, A comparison of selected sandstone copper deposits in New Mexico: Oklahoma Geological Survey, Circular 77, p. 80-96.
- , 1979, Geology, geochemistry, and petrology of sandstone copper deposits in New Mexico [Ph.D. thesis]: University of Colorado, 333 p.
- , 1989, A model for the diagenetic formation of sandstone copper deposits in

- sedimentary rocks of Permian and Triassic age, in New Mexico, U.S.A, *in* Boyle, R. W., Brown, A. C., Jefferson, C. W., Jowett, E. C., and Kirkham, R. V., ed., *Sediment-hosted stratiform copper deposits: Geological Association of Canada, Special Paper 36*, p. 357-370.
- Laroche, T. M., 1980, Geology of the Gallinas Peak area, Socorro County, New Mexico, New Mexico Bureau of Mines and Mineral Resources Open-file Rept. 128 [M. S. thesis]: New Mexico Institute of Mining and Technology, 145 p.
- Larsh, P. A., 1911, Vanadium in old silver mines in New Mexico: *Engineering and Mining Journal*, v. June 24, p. 1248.
- Lasky, S. G., 1932, The ore deposits of Socorro County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 8, p. 139.
- Lasky, S. G., and Wootton, T. P., 1933, The Metal resources of New Mexico and their economic features, New Mexico Bureau of Mines and Mineral Resources, Bulletin 7, 178 p.
- Lasky, S. G., 1940, Manganese deposits in the Little Florida Mountains, Luna County, New Mexico; a preliminary report: U.S. Geological Survey, Bulletin 922-C, p. 55-73.
- , 1947, Geology and ore deposits of the Little Hatched Mountains, Hidalgo and Grant counties, New Mexico, U. S. Geological Survey, Professional Paper, 101 p.
- Lease, L. W., 1979, Geologic report on East Chaco Canyon drilling project, McKinley and San Juan Counties, New Mexico: U. S. Department of Energy Report GJBX-98(80), p. 62.
- Lemmon, D. M., and Tweto, O. L., 1962, Tungsten in the United States, U.S. Geological Survey, Mineral Resources Map MR-25.
- Leonard, M. L., 1982, The Geology of the Tres Hermanas Mountains, Luna County, New Mexico [M.S. thesis]: University of Texas at El Paso, 105 p.
- Light, T. D., 1982, Mineral resources investigation of the Chama River Canyon Wilderness and contiguous Rare II further planning area, Rio Arriba County, New Mexico: U. S. Bureau of Mines, Open-file Report MLA-108-82, p. 2.
- Lindgren, W., 1909a, The Tres Hermanas Mining District, New Mexico: *The Mining World*, May 8, 1909, p. 873-874.
- , 1909b, The Tres Hermanas Mining District, *Contributions to Economic Geology*, part 1: U.S. Geological Survey Bulletin 380, p. 123, 128.
- Lindgren, W., Graton, L. C., and Gordon, C. H., 1910, The ore deposits of New Mexico, U.S. Geological Survey, Professional Paper 68, 361 p.
- Livingston, B. A., Jr., 1980, Geology and development of Marquez, New Mexico uranium deposits, *in* Rautman, C. A., (compiler), ed., *Geology and mineral technology of the Grants uranium region*, New Mexico Bureau of Mines and Mineral Resources, Mem. 38, p. 252-261.
- Loring, A. K. a. A., D. G., 1980, Cambrian-Ordovician syenites of New Mexico, part of a regional alkalic intrusive episode: *Geology*, v. 8, no. 344-348.
- Lovering, T. G., 1956, Radioactive deposits in New Mexico: U. S. Geological Survey, Bulletin 1009-L, p. 315-390.

- Lovering, T. G., and Heyl, A. V., 1989, Mineral belts in western Sierra County, New Mexico, suggested by mining districts, geology, and geochemical anomalies: U. S. Geological Survey, Bulletin 1876.
- Lowell, J. D., and Guilbert, J., 1970, Lateral and vertical alteration mineralization zoning in porphyry ore deposits: *Economic Geology*, v. 65, p. 373-408.
- Lowell, J. D., 1974, Regional characteristics of porphyry copper deposits of the southwest: *Economic Geology*, v. 69, p. 601-617.
- Lucas, S. G., Franks, E. E., and Hayden, S. N., 1989, No Cretaceous limestone in the Tres Hermanas Mountains, Luna county, New Mexico: *New Mexico Journal of Science*.
- Lucas, S. G., Estep, J. W. and Anderson, B. G., 2000, Lower Cretaceous stratigraphy and biostratigraphy in the Victorio Mountains, Luna County, New Mexico, *in* Lucas, S. G., ed., *New Mexico's fossil record 2: New Mexico Museum of Natural History and Science, Bulletin 16*, p. 63-72.
- Ludwig, K. R., Rubin, B., Fishman, N. S., and Reynold, R. L., 1982, U-Pb ages of uranium ores in the Church Rock uranium district, New Mexico: *Economic Geology*, v. 77, p. 1942-1944.
- Lueth, V. W., 1984, Comparison of copper skarn deposits in the Silver City mining region, southwestern New Mexico [M.S. thesis]: University of Texas at El Paso, 179 p.
- , 1988, Studies of the geochemistry of the semimetal elements: arsenic, antimony, and bismuth [Ph.D. thesis]: University of Texas at El Paso, 107 p.
- , 1996, Garnet resource potential in southern New Mexico, *in* Austin, G. S., Hoffman, G. K., Barker, J. M., Zidek, J. and Gilson, N., ed., *Proceedings of the 31st Forum on the Geology of Industrial Minerals*, New Mexico Bureau of Mines and Mineral Resources, Bulletin 154, p. 137-146.
- Lueth, V. W., and Goodell, P. C., 1996, A "remarkable deposit of jarosite": the product of rift basin dewatering (abstr.): *Geological Society of America, Abstracts with Programs*, v. 28, no. 7, p. A210.
- Lueth, V. W., and Heizler, M. T., 1997, 40Ar/39Ar age and origin of jarosite mineralization at the Hansonburg district, New Mexico (abstr.): *New Mexico Geology*, v. 19, no. 2, p. 51.
- Lueth, V. W., Goodell, P. C., Heizler, M. T., and Peters, L., 1998, Geochemistry, geochronology, and tectonic implications of jarosite mineralization in the northern Franklin Mountains, Doña Ana County, New Mexico, *in* Mack, G. H., Austin, G. S., and Barker, J. M., ed., *Las Cruces Country II*, New Mexico Geological Society, Guidebook 49, p. 309-316.
- Lufkin, J. L., 1972, Tin mineralization within rhyolite flow domes, Black Range, New Mexico [Ph.D. thesis]: Sanford University, 149 p.
- Lustig, L. K., 1958, The mineralogy and paragenesis of the Lone Star deposit, Santa Fe County, New Mexico [M.S. thesis]: University of New Mexico, 55 p.
- Lustig, L. K., and Rosenzweig, A., 1959, Mineralogy of the Lone Star deposit, Santa Fe County, New Mexico: *Compass*, v. 36, no. 3, p. 172-183.
- Macer, R. J., 1978, Fluid inclusion studies of fluorite around the Organ cauldron,

- Doña Ana County, New Mexico [unpublished M. S. thesis]: University of Texas at El Paso, 107 p.
- Mathewson, D. E., 1953b, Reconnaissance for uranium in the Morrison Formation north of Bluewater, McKinley County, New Mexico: U. S. Atomic Energy Comm. Report RME-57, p. 15.
- , 1954, Preliminary reconnaissance for uranium near the Rio Puerco, east of Mount Taylor in New Mexico: U. S. Atomic Energy Comm. Tech. Mem. TM-58, p. 7.
- Mathewson, D. E., and Allison, J. W., 1954, Uranium geology of the Jackpile area, Valencia County, New Mexico: U. S. Atomic Energy Comm. Report RME-192, p. 25.
- Maxwell, C. H., Foord, E. E., Oakman, M. R., and Harvey, D. B., 1986, Tin deposits in the Black Range tin district, *in* Clemons, R. E., King, W. E., Mack, G. H., and Zidek, J., ed., Truth or Consequences Region: New Mexico Geological Society, Guidebook 37, p. 273-281.
- May, R. T., Stroud, J. R., Reid, B. E., and Phillips, W. R., 1977, Preliminary study of favorability for uranium of the Sange de Cristo Formation in the Las Vegas Basin, northeastern New Mexico: U. S. Department of Energy Open-file Report GJBX-82(77), p. 46.
- May, R. T., Foster, M. G., Daw, P. E., Brouillard, L. A., and White, D. L., 1980, Uranium resource evaluation, Saint Johns quadrangle, Arizona and New Mexico: U. S. Department of Energy Preliminary report PGJ-011(80).
- May, R. T., Smith, E. S., Dickson, R. E., and Nystrom, R. J., 1981 (1982), Uranium resource evaluation, Douglas quadrangle, Arizona and New Mexico: U. S. Department of Energy Preliminary report PGJ-118 (81), p. 93.
- Mayerson, D. L., 1979, Geology of the Corkscrew Canyon-Abbe Spring area, Socorro, County, New Mexico [M.S. thesis]: New Mexico Institute of Mining and Technology, NMBMMR Open-file report 112, 125 p.
- Mayo, E. B., 1958, Lineament tectonics and some ore districts of the southwest: Mining Engineering, v. 11, p. 1169-1175.
- McAnulty, W. N., 1978, Fluorspar in New Mexico, New Mexico Bureau of Mines and Mineral Resources, Memoir 34, 64 p.
- McDowell, T. E., 1972, Geology of the Los Esteros Dam site, East-central New Mexico, New Mexico Geological Society, Guidebook 23, p. 178-183.
- McLaughlin, E. D., Jr., 1963, Uranium deposits in the Todilto Limestone in the Grants district, *in* Kelley, V. C., (compiler), ed., Geology and technology of the Grants uranium region, New Mexico Bureau of Mines and Mineral Resources, Mem. 15, p. 136-149.
- McLemore, V. T., 1980a, Geology of the Precambrian rocks of the Lemitar Mountains, Socorro County, New Mexico [M.S. thesis]: New Mexico Institute of Mining and Technology, 169 p.
- , 1980b, Carbonatites in the Lemitar Mountains, Socorro County, New Mexico: New Mexico Geology, v. 2, no. 4, p. 49-52.
- , 1982, Radioactive occurrences in veins and igneous and metamorphic rocks of New Mexico with annotated bibliography: New Mexico Bureau of Mines

- and Mineral Resources Open-file report 155; U. S. Dept. Energy Rept. GJBX-100(82).
- , 1982c, Uranium in the Albuquerque area, New Mexico, Albuquerque Country II: New Mexico Geological Society, Guidebook 33, p. 305-312.
 - McLemore, V. T., and Menzie, D., 1983, Geology and uranium potential of Sabinoso district, San Miguel County, New Mexico: New Mexico Geology, v. 5, no. 2, p. 35-38, 40.
 - McLemore, V. T., 1983a, Uranium and thorium occurrences in New Mexico: distribution, geology, production, and resources, with bibliography, New Mexico Bureau of Mines and Mineral Resources, Open-file Report 183, 960 p.
 - McLemore, V. T., 1983b, Uranium in the Socorro area, New Mexico, in Socorro Country: New Mexico Geological Society, Guidebook 34, p. 227-233.
 - , 1983c, Carbonatites in the Lemitar and Chupadera Mountains, Socorro County, New Mexico, in Socorro Country: New Mexico Geological Society, Guidebook 34, p. 235-240.
 - , 1984, Preliminary report on the geology and mineral-resource potential of Torrance County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Open-file Report OF-192, p. 211.
 - McLemore, V. T., and Barker, J. M., 1985, Barite in north-central New Mexico: New Mexico Geology, v. 7, no. 2, p. 21-25.
 - McLemore, V. T., and North, R. M., 1985, Copper and uranium mineralization in east-central New Mexico: New Mexico Geological Society, Guidebook 36, p. 289-300.
 - McLemore, V. T., 1986, Geology, geochemistry, and mineralization of syenites in the Red Hills, southern Caballo Mountains, Sierra County, New Mexico: New Mexico Geological Society, Guidebook 37, p. 151-160.
 - , 1987, Geology and regional implications of carbonatites in the Lemitar Mountains, central New Mexico: Journal of Geology, v. 95, p. 255-270.
 - McLemore, V. T., and North, R. M., 1987, Metallic mineral deposits in Colfax and Union Counties, northeastern New Mexico: New Mexico Geologic Society, Guidebook 38, p. 323-329.
 - McLemore, V. T., 1988, Copper, gold, silver, lead, and zinc production in Dona Ana, Southern grant, Hidalgo, and Luna Counties, New Mexico, *in* Mack, G. H., Lawton, T.F., and Lucas, S.G., ed., Cretaceous and Laramide tectonic evolution of southwestern New Mexico, New Mexico Geological Society, Guidebook 39, p. 199-201.
 - McLemore, V. T., North, R.M., and Leppert, S., 1988, Rare-Earth Elements (REE) in New Mexico: New Mexico Geology, v. 10, p. 33-38.
 - McLemore, V. T., and Chenoweth, W. L., 1989, Uranium resources in New Mexico, New Mexico Bureau of Mines and Mineral Resources, Resource Map 18, 36 p.
 - McLemore, V. T., 1989, Base and precious metal deposits in the Zuni Mountains, Cibola County, New Mexico, *in* Anderson, B. G., Lucas, S. G., Love, D. W., and Cather, S. M., ed., Southeastern Colorado Plateau, New Mexico Geological Society, Guidebook 40, p. 317-320.

- McLemore, V. T., and Phillips, R. S., 1991, Geology of the mineralization and associated alteration in the Capitan Mountains, Lincoln County, New Mexico: New Mexico Geological Society, Guidebook 42, p. 291-298.
- McLemore, V. T., 1992, Uranium occurrences in the Chihuahua desert area, Sierra, Grant, Hidalgo, Luna, and Dona Ana Counties, New Mexico, *in* Goodell, P. C., Gutierrez, C.G., and Cortes, I.R., ed., Energy resources of the Chihuahua desert region, p. 224-235.
- , 1993, Geology and geochemistry of the mineralization and alteration in the Steeple Rock district, Grant County, New Mexico and Greenlee County, Arizona [Ph.D. thesis]: University of Texas at El Paso, 526 p.
- , 1994a, Placer Gold deposits in New Mexico: New Mexico Geology, v. 16, no. 2, p. 21-25.
- , 1994b, Summary of the mineral resources in the San Andres and Organ Mountains, south-central New Mexico, *in* Garber, R. A., and Keller, D. R., ed., Field guide to the Paleozoic sections of the San Andres Mountains, PBS-SEPM Publication No. 94-35, p. 143-153.
- McLemore, V. T., and Lueth, V. W., 1995, Carbonate hosted lead-zinc deposits in New Mexico (abstr.): International Conference on Carbonate-hosted lead-zinc deposits, extended abstracts, Society of Economic Geologists, p. 209-211.
- McLemore, V. T., MacIntosh, W.C., and Pease, T.C., 1995, $^{40}\text{Ar}/^{39}\text{Ar}$ age determinations of four plutons associated with mineral deposits in Southwestern New Mexico, New Mexico Bureau of Mines and Mineral Resources, Open-file report 410, 34 p.
- McLemore, V. T., 1995a, Great Plains margin (alkaline-related) gold deposits in New Mexico, Geology and ore deposits of the American Cordillera; symposium proceedings, Geological Society of Nevada, Reno, NV, p. 935-950.
- McLemore, V. T., 1995b, Mineral resources of the southern Sangre de Cristo Mountains, Santa Fe and San Miguel Counties, New Mexico, *in* Bauer, P. W., Kues, B. S., Dunbar, N. W., Karlstrom, K. E., and Harrison, B., ed., Geology of the Santa Fe region, New Mexico Geological Society, Guidebook 46, p. 155-160.
- , 1995c, Volcanic-epithermal precious-metal deposits in New Mexico (abstr.), *in* Cyner, A. R., and Fahey, P. L., ed., Geology and ore deposits of the American Cordillera: Geological Society of Nevada Symposium Proceedings, April 1995: Reno/Sparks, Nevada, p. 951-969.
- McLemore, V. T., and Lueth, V. W., 1996, Lead-zinc deposits in carbonate rocks of New Mexico, *in* Sangster, D. F., ed., Economic Geology, 76th Anniversary Volume, Special Publication 4, p. 264-279.
- McLemore, V. T., Sutphin, D.M., Hack, D.R., and Pease, T.C., 1996, Mining history and mineral resources of the Mimbres Resource area, Dona Ana, Luna, Hidalgo, and Grant Counties, New Mexico: New Mexico Bureau of Mines and Mineral Resources Open File report OF-424, p. 251.
- McLemore, V. T., 1996a, Copper in New Mexico: New Mexico Geology, v. 18, p. 25-36.

- , 1996b, Great Plains Margin (alkalic-related) gold deposits in New Mexico (abstr.), *in* Cyner, A. R., and Fahey, P. L., ed., *Geology and ore deposits of the American Cordillera: Reno/Sparks, Nevada*, Geological Society of Nevada Symposium Proceedings, April 1995, p. 935-950.
- , 1996c, Volcanic-epithermal precious-metal deposits in New Mexico, *in* Cyner, A. R., and Fahey, P. L., ed., *Geology and ore deposits of the American Cordillera*, Geological Society of Nevada Symposium Proceedings, Reno/Sparks, Nevada, April 1995, p. 951-969.
- , 1997, Victorio Mountains, *in* Bartsch-Winkler, S., ed., *Geology, Mineral and Energy Resources of the Mimbres Resource Area, New Mexico*, U.S. Geological Survey, Open-file Report 97-521, p. 204-207.
- McLemore, V. T., and Chenoweth, W. C., 1997, *Geology and uranium-vanadium deposits in the Salt Wash Member, Morrison Formation, King Tutt Mesa area, San Juan County, New Mexico*: New Mexico Geological Society, Guidebook 48, p. 273-278.
- McLemore, V. T., Giordano, T. H., Lueth, V. W., and Witcher, J. C., 1998, *Origin of barite-fluorite-galena deposits in the southern Rio Grande Rift, New Mexico*, *in* Mack, G. H., Austin, G. S., and Barker, J. M., ed., *Las Cruces Country II*, New Mexico Geological Society, Guidebook 49, p. 251-263.
- McLemore, V. T., 1998, *Geology and mineral resources of mining district in Doña Ana County, New Mexico*, *in* Mack, G. H., Austin, G.S., and Barker, J.M., ed., *Las Cruces country II*, New Mexico Geological Society, Guidebook 49, p. 299-307.
- McLemore, V. T., McMillan, N. J., Heizler, M., and McKee, C., 1999a, *Cambrian alkaline rocks at Lobo Hill, Torrance County, New Mexico: More evidence for a Cambrian-Ordovician aulagogen*, *in* Pazzaglia, F., Lucas, S. G., and Austin, G. S., ed., *Albuquerque Country III*, New Mexico Geological Society, Guidebook 50, p. 247-253.
- McLemore, V. T., Munroe, E. A., Heizler, M. T. and McKee, C., 1999b, *Geochemistry of the Copper Flat porphyry and associated deposits in the Hillsboro mining district, Sierra County, New Mexico, USA*: *Journal of Geochemical Exploration*, v. 66, p. 167-189.
- McLemore, V. T., and Elston, W. E., 2000, *Geology and mineral occurrences of the mineral districts of Hidalgo County, southern New Mexico*, *in* Lawton, T. F., McMillan, N. J., McLemore, V. T., Austin, G., and Barker, J. M., ed., *Southwest Passage, A Trip through the Phanerozoic, New Mexico Geological Society, Guidebook 51*, p. 253-263.
- McLemore, V. T., and Dunbar, N. W., 2000, *Rockhound state park and Spring Canyon recreation area: New Mexico Geology*, v. 22, p. 66-71, 86.
- McLemore, V. T., 2000a, *Florida Mountains Mining district, Luna County, New Mexico*, *in* Lawton, T. F., McMillan, N. J., McLemore, V. T., Austin, G., and Barker, J. M., ed., *Southwest passage, a trip through the Phanerozoic, New Mexico Geological Society, Guidebook 51*, p. 35.
- McLemore, V. T., Dunbar, N. W., and McIntosh, W. C., 2000a, *Rockhound state park and Spring Canyon Recreation area*, *in* Lawton, T. F., McMillan, N. J., McLemore, V. T., Austin, G., and Barker, J. M., ed., *Southwest*

- passage, a trip through the Phanerozoic, New Mexico Geological Society, Guidebook 51, p. 33-34.
- McLemore, V. T., Dunbar, N. W., Heizler, M., and Donahue, K., 2000b, Geology and Mineral deposits of the Victorio Mining District, Luna County, New Mexico: Preliminary observations, *in* Lawton, T. F., McMillan, N. J., McLemore, V. T., Austin, G., and Barker, J. M., ed., Southwest passage, a trip through the Phanerozoic, New Mexico Geological Society, Guidebook 51, p. 251-263.
- McLemore, V. T., 2000c, The Tres Hermanas Mining district, Luna County, New Mexico, *in* Lawton, T. F., McMillan, N. J., McLemore, V. T., Austin, G., and Barker, J. M., ed., Southwest passage, a trip through the Phanerozoic, New Mexico Geological Society, Guidebook 51, p. 40-41.
- McLemore, V. T., Munroe, E. A., Heizler, M. T. and McKee, C., 2000c, Geology and evolution of the Copper Flat Porphyry-Copper and associated mineral deposits in the Hillsboro mining district, Sierra County, New Mexico, *in* Cluer, J. K., Price, J. G., Struhsacker, E. M., Hardyman, R. F. and Morris, C. L., ed., Geology and Ore Deposits 2000, The Great Basin and Beyond, Geological Society of Nevada, Symposium Proceedings, p. 643-659.
- McLemore, V. T., 2000d, The Tres Hermanas mining district, Luna County, New Mexico, *in* Lawton, T. F., McMillan, N. J., McLemore, V. T., Austin, G., and Barker, J. M., ed., Southwest Passage, A Trip through the Phanerozoic, New Mexico Geological Society, Guidebook 51, p. 40-41.
- , 2001, Silver and Gold occurrences in New Mexico, New Mexico Bureau of Mines and Mineral Resources, Resources Map 21, 60 p.
- McLemore, V. T., and Lueth, V. W, in press, Metallic resources of New Mexico: An overview: New Mexico Geological Society, Special Publications.
- McMahon, T. P., 1989, Structural and stratigraphic controls of deposition and microstratigraphy of fluorite-barite deposits in the southern Rio Grande rift, New Mexico; [M.S. thesis]: New Mexico State University, 87 p.
- Meeves, H. C., 1966, Reconnaissance of beryllium-bearing pegmatite deposits in the Southwestern States-Arizona, Colorado, New Mexico, South Dakota, Utah, and Wyoming, U.S. Bureau of Mines, Information Circular 8298, 34 p.
- Meinert, L. D., 1987, Skarn zonation and fluid evolution in the Groundhog mine, Central mining district, New Mexico: Economic Geology, v. 82, p. 523-545.
- Melancon, P. E., 1952, Uranium occurrences in the Caballo Mountains, Sierra County, New Mexico: U. S. Atomic Energy Comm. Tech. Mem. TM-213, p. 7.
- , 1953, Uranium occurrences in the Alamosa Creek area, Catron County, New Mexico: U. S. Atomic Energy Comm. Tech. Mem. TM-4, p. 5.
- Merrick, M. A., and Woodward, L. A., 1982, Geology of Regina quadrangle, Rio Arriba and Sandoval Counties, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Geologic Map GM-46, scale 1:24,000.
- Messenger, H. M., III, 1979, Geology and fluorspar deposits of the southern Zuni Mountains fluorspar district, Valencia County, New Mexico [M. S. thesis]: University of Texas at El Paso.

- Metzger, O. H., 1938, Gold mining in New Mexico, U.S. Bureau of Mines, Information Circular, 6987, 71 p.
- Miller, J. P., Montgomery, A., and Sutherland, P. K., 1963, Geology of part of the southern Sange de Cristo Mountains, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Memoir 11, p. 106.
- Moench, R. H., and Puffett, W. P., 1963, Geologic map of the Mesa Gigante quadrangle, New Mexico: U. S. Geological Survey, Geological Quad. Map GQ-212, scale 1:24,000.
- Moench, R. H., 1963a, Geologic map of the Laguna quadrangle, New Mexico: U. S. Geological Survey, Geologic Quad. Map GQ-208, scale 1:24,000.
- , 1963b, Geologic limitations on the age of uranium deposits of the Laguna district, *in* Kelley, V. C., (compiler), ed., Geology and technology of the Grants uranium region, New Mexico Bureau of Mines and Mineral Resources, Mem. 15, p. 157-166.
- , 1964a, Geology of the Dogh Mountain quadrangle, New Mexico: U. S. G., Geologic Quad. Map GQ-354, scale 1:24,000.
- , 1964b, Geology of the South Butte quadrangle, New Mexico: U. S. Geological Survey, Geologic Quad Map GQ-355, scale 1:24,000.
- Moench, R. H., and Schlee, J. S., 1967, Geology and uranium deposits of the Laguna district, New Mexico: U. S. Geological Survey, Professional Paper 519, p. 117.
- Moore, J. C., 1979, Uranium deposits in the Galisteo Formation of the Hagen Basin, Sandoval County, New Mexico, Santa Fe Country, New Mexico Geologic Society Guidebook 30, p. 265-267.
- Moore, S. C., and Lavery, N. G., 1980, Magnitude and variability of disequilibrium in San Antonio Valley uranium deposit, Valencia County, *in* Rautman, C. A., (compiler), ed., Geology and mineral technology of the Grants uranium region 1979, New Mexico Bureau of Mines and Mineral Resources, Mem. 38, p. 276-283.
- Morris, R. W., 1974a, Geology and Mineral Deposits of the Northern Cook's Range, Grant County, New Mexico [M.S. thesis]: University of Texas at El Paso, 48 p.
- , 1974b, Geology and Fluorspar deposits of the Northern Cook's range (abstr.), *in* Siemers, W. T., Woodward, L. A., and Callender, J. F., ed., Ghost Ranch, New Mexico Geological Society, Guidebook 25, p. 381.
- Motts, W. S., 1962, Geology of the west Carlsbad quadrangle, New Mexico: U. S. Geological Survey, Geologic. Quad Map GQ-167, scale 1:24,000.
- Muehlberger, W. R., 1980, Texas lineament revisited, *in* Dickerson, P. W., Hoffer, J. M., and Callender, J. F., ed., Trans-Pecos Texas region, New Mexico Geological Society, Guidebook 31, p. 113-121.
- Murphy, M. O., 1992, Facetable stones of New Mexico (abstr.): New Mexico Geology, v. 14, p. 20-21.
- Mutschler, F. E., Griffin, M. E., Stevens, D. S., and Shannon, S. S., Jr., 1985, Precious metal deposits related to alkaline rocks in the North American Cordillera-an interpretive review: Transactions Geological Society of South Africa, v. 88, p. 355-377.

- Mutschler, F. E., Mooney, T. C., and Johnson, D. C., 1991, Precious metal deposits related to alkaline igneous rocks-a space-time trip through the Cordillera: *Mining Engineering*, v. 43, p. 304-309.
- Myers, D. A., and McKay, E. J., 1974, Geologic map of the southwest quarter of Torreon 15-min quadrangle, Tarrant and Valencia Counties, New Mexico: U. S. Geological Survey, Misc Geol. Inv. Map I-820, scale 1:24,000.
- Myers, D. A., 1977, Geologic map of the Scholle quadrangle, Socorro, Valencia, and Tarrant Counties, New Mexico: U.S. Geological Survey Geological Quadrangle Map GQ-1412, scale 1:24,000.
- Nash, J. T., 1968, Uranium deposits in the Jackpile sandstone, New Mexico: *Economic Geology*, v. 63, no. 7, p. 737-750.
- Nelson, M. A., 1974, Geology and fluorite deposits of the southern Caballo Mountains, Sierra and Dona Ana counties, New Mexico [M. S. thesis]: University of Texas at El Paso.
- Neubert, J. T., 1983, Mineral investigations of the Apache Kid and Mt. Withington Wilderness Areas, Socorro County, New Mexico: U. S. Bureau of Mines, Open-file Report MLA-72-83, p. 35.
- , 1986, Mineral investigation of a part of the Sierra Ladrones Wilderness Study Area (NM-020-016), Socorro County, New Mexico: U. S. Bureau of Mines, Open-file Report MLA 44-86.
- New Mexico Abandoned Mines Land Bureau, 1998, Fluorite Ridge Mine Safeguard Project, Abandoned Mines Land Bureau, project no. EMNRD-MMD-98-1, 49 p.
- New Mexico State Mine Inspector, 1912-1999, New Mexico State Mine Inspector, 1912-1999, Annual reports, New Mexico Energy and Minerals Department, Albuquerque, various paginated.
- New-Mexico-Geological-Society, 1959, Uranium deposits in Datil Mountains-Bear Mountains region, New Mexico, West-central New Mexico, New Mexico Geological Society, Guidebook 10.
- North, R. M., and McLemore, V. T., 1985, Geology and mineralization of the El Cuervo Butte barite-fluorite-galena deposit in southern Santa Fe County, New Mexico, *in* Lucas, S. G., and Zidek, J., ed., Santa Rosa-Tucumcari region, New Mexico Geological Society, Guidebook 36, p. 301-305.
- North, R. M., and Tuff, M. A., 1986, Fluid-inclusion and trace-element analyses of some barite-fluorite deposits in south-central New Mexico, *in* Clemons, R. E., King, W. E., and Mack, G. H., ed., Truth or Consequences Region, New Mexico Geological Society, Guidebook 37, p. 301-306.
- North, R. M., and McLemore, V.T., 1986, Silver and Gold Occurrences in New Mexico: New Mexico Bureau of Mines and Mineral Resources, Resources Map 15, 32 pp., scale 1:1,000,000.
- North, R. M., and McLemore, V. T., 1988, A classification of the precious metal deposits of New Mexico, Bulk Mined precious metal deposits of the western United States Symposium Volume: Symposium held April 6-8, 1987, Geological Society of Nevada, Reno, p. 625-660.
- Northrop, S. A., 1959, Minerals of New Mexico, University of New Mexico Press,

- Albuquerque, New Mexico, 665 p.
- Northrop, S. A., and LaBruzza, F. A., 1996, Minerals of New Mexico, University of New Mexico Press: Albuquerque, New Mexico, 356 p.
- Olsen, J. D., and Adams, J. W., 1962, Thorium and rare earths in the United States, exclusive of Alaska and Hawaii: U. S. Geological Survey, Mineral Inv. Resources Map MR-28.
- O'Neill, A. J., and Thiede, D. S., 1982, Uranium Resources evaluation, Silver City quadrangle, New Mexico and Arizona: U. S. Depart. Energy Report PGJ/F-131(82).
- Osburn, J. C., 1980, Evaluation of Scoria Deposits in New Mexico, New Mexico Bureau of Mines and Mineral Resources Annual Report, 1978-1979, p. 75-80.
- , 1982, Scoria exploration and utilization in New Mexico: New Mexico Bureau of Mines and Mineral Resources, Circular 182, p. 57-59.
- O'Sullivan, R. B., and Beikman, H. M., 1963, Geology, structure, and uranium deposits of the Shiprock 1- by 2-degree quadrangle, New Mexico and Arizona: U. S. Geological Survey, Misc. Geo. Inv. Map I-345, scale 1:24,000.
- Otte, C., Jr., 1959, Late Pennsylvanian and early Permian stratigraphy of the northern Sacramento Mountains, Otero County, New Mexico: New Mexico Bureau of Mines & Mineral Resources, Bulletin 50.
- Overstreet, W. C., 1967, The geologic occurrence of monzonite, U. S. Geological Survey, Professional Paper 530, 327 p.
- Page, L. R., 1950, Uranium in pegmatites: Economic Geology, v. 45, p. 12-34.
- Paige, S., 1922, Copper deposits of the Tyrone district, New Mexico, U. S. Geological Survey, Professional Paper 122, 53 p.
- Parker, B. H., 1933, Classic plugs and dikes of the Cimarron Valley area of Union County, New Mexico: Journal of Geology, v. 41, p. 38-51.
- Patterson, S. H., and Homes, R. W., 1965, Clays, Mineral and Water Resources of New Mexico, New Mexico Bureau of Mines and Mineral Resources, Bulletin 87, p. 312-322.
- Perhac, R. M., 1964, Notes on the mineral deposits of the Gallinas Mountains, New Mexico, Ruidoso country, New Mexico Geologic Society, Guidebook 15, p. 152-154.
- Perhac, R. M., and Heinrich, E. W., 1964, Fluorite-bastnaesite deposits of the Gallinas Mountains, New Mexico and bastnaesite paragenesis: Economic Geology, v. 59, no. 226-239.
- Perhac, R. M., 1970, Geology and mineral deposits of the Gallinas Mountains, Lincoln and Torrance New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 95, p. 51.
- Perkins, B. L., 1979, An overview of the Mexico uranium industry: New Mexico Bureau of Mines and Mineral Resources Report 147, p. 5.
- , 1980, Uranium, *in* Arnold, E. C., and Hill, J. M. (compilers), ed., New Mexico's energy resources '79, New Mexico Bureau of Mines and Mineral Resources, Circ. 172, p. 39-48.
- Peterson, N. V., and Mason, R. S., 1983, Pumice, pumicite, and volcanic cinders,

- in* LeFond, S. J., ed.: New York, New York, Industrial Minerals and Rocks: Society of Mining Engineers (AIME), p. 1079-1084.
- Peterson, R. J., 1980, Geology of pre-Dakota uranium geochemical cell, sec. 13, T. 16N, R. 17W., Church Rock area, McKinley County, *in* Rautman, C. A., (compiler), ed., Geology and mineral technology of the Grants uranium region 1979, New Mexico Bureau of Mines and Mineral Resources, Mem. 38, p. 131-138.
- Peterson, S. L., 1976, Geology of the Apache No. 2 district, Hidalgo County, New Mexico [M. S. thesis]: University of New Mexico, 86 p.
- Petty, D. M., 1979, Geology of the southeastern Magdalena Mountains, Socorro County, New Mexico [M.S. thesis]: New Mexico Institute of Mining and Technology, 163 p.
- Phillips, J. S., 1960, Sandstone-type copper deposits of the western United States [Ph. D. thesis]: Harvard University, 320 p.
- Phillips, R. S., Campbell, A. R., and McLemore, V. T., 1991, Th-U-REE quartz/fluorite veins, Capitan pluton, New Mexico: Evidence for a magmatic/hydrothermal origin: New Mexico Geological Society, Guidebook 42, p. 129-136.
- Pierce, A. P., and Rosholt, J. N., Jr., 1961, Radiation damage and isotopic disequilibria in some uranium-bearing asphaltite nodules in back-reef dolomites, Carlsbad, New Mexico: U. S. Geological Survey research 1961, Prof. Paper 424-D, p. D320-323.
- Pierson, C. T., and Green, M. W., 1980, Factors controlling localization of uranium deposits in the Dakota Sandstone, Gallup and Ambrosia Lake mining districts, McKinley County, New Mexico: U. S. Geological Survey, Bulletin 1485, p. 31.
- Pierson, C. T., Wenrich-Verbeek, K. J., Hannigan, B. J., and Machette, M. N., 1981 (1982), National uranium resource evaluation, Socorro quadrangle, New Mexico: U.S. Dept Energy Prelim. Report. PGJ-0681(81).
- Pierson, C. T. a. G., M. W., 1977, Factors controlling localization of uranium deposits in the Dakota Sandstone, Gallup and Ambrosia Lake mining districts, McKinley County, New Mexico: U. S. Geological Survey, Open-File Report OF 77-0766.
- Potter, S. C., 1970, Geology of Baca Canyon, Socorro County, New Mexico [M. S. thesis]: Univeristy of Arizona, 54 p.
- Putnam, B. R., III, 1980, Fluid inclusion and microchemical analysis of the Hansonburg Mississippi valley-type ore deposits in central New Mexico [M.S. thesis]: New Mexico Institute of Mining and Technology, 120 p.
- Putnam, B. R., III, Norman, D. I., and Smith, R. W., 1983, Mississippi valley-type lead-fluorite-barite deposits of the Hansonburg mining district, *in* Chapin, C. E., and Callender, J. F., ed., Socorro Region II, New Mexico Geological Society, Guidebook 34, p. 253-259.
- Raines, G. L., 1984, Preliminary map showing limonitic areas in the silver City 1° x 2° quadrangle, Arizona and New Mexico: U.S. Geological Survey, Miscellaneous Field Studies Map MF-1183-Q, scale 1:250,000.
- Rapaport, I., 1963, Uranium deposits of the Poison Canyon ore trend, Grants

- district, *in* Kelley, V. C., (compiler), ed., Geology and technology of the Grants uranium region, New Mexico Bureau of Mines and Mineral Resources Mem. 15, p. 122-135.
- Ratte, J. C., 1980, Geologic quadrangle map of the Saliz Pass quadrangle, Catron County, New Mexico: U. S. Geological Survey, Misc. Field Studies Map MF-1203, scale 1:24,000.
- , 1981, Geologic map of the Mogollon quadrangle, Catron County, New Mexico: U. S. Geological Survey Quad. Map GQ-1557, scale 1:24,000.
- Ratte, J. C., and Hedlund, D. C., 1981, Geologic map of the Hells Hole further planning area (RAREII) Greenlee County, Arizona, and Grant County, New Mexico: U. S. Geological Survey, Misc Field Studies Map MF-1344A, scale 1:62,500.
- Raup, R. B., Jr., 1953, Reconnaissance for uranium in the United States-Southwest district, Geologic investigations of radioactive deposits semiannual progress report, June 1 - November 30, 1953, U. S. Geological Survey, Trace Element Inv. TEI-390, p. 209-212.
- Read, C. B., 1952, Recent discoveries of radioactive carbonaceous shale, Sandoval County, New Mexico: U. S. Geological Survey, Trace Element Memo. TEM-278, p. 11.
- Redmon, D. E., 1961, Reconnaissance of selected pegmatite districts in north-central New Mexico: U. S. Bureau of Mines, Information Circular IC-8013, p. 79.
- Reid, B. E., Griswold, G. B., Jacobsen, L. C., and Lessard, R. H., 1980a, National uranium resource evaluation, Santa Fe quadrangle, New Mexico: U. S. Dept. of Energy Prelim. Report PGJ-021(80).
- Reid, B. E., Griswold, G. B., Jacobsen, L. C., and Lessard, R. H., 1980b, National uranium resource evaluation, Raton quadrangle, New Mexico and Colorado: U. S. Department of Energy Report GJQ-005(80), p. 83.
- Reimer, L. R., 1969, Stratigraphy, paleohydrology, and uranium deposits of Church Rock quadrangle, McKinley County, New Mexico [M. S. thesis]: Colorado School of Mines, 254 p.
- Reiter, D. E., 1980, Geology of Alamo Hueco and Dog Mountains, Hidalgo County, New Mexico [M. S. thesis]: University of New Mexico, 110 p.
- Rhett, D. W., 1979, Mechanisms of uranium retention in intractable uranium ores from northwestern New Mexico: *Journal of Metals*, October, p. 45-50.
- , 1980, Heavy-mineral criteria for subsurface uranium exploration, San Juan Basin, New Mexico, *in* Rautman, C. A., (compiler), ed., Geology and mineral technology of the Grants uranium region 1979, New Mexico Bureau of Mines and Mineral Resources, Mem. 38, p. 202-207.
- Richter, D. H., and Lawrence, V. A., 1983, Mineral deposit map of the Silver City 1° x 2° quadrangle, New Mexico and Arizona: U. S. Geological Survey, Miscellaneous Investigations series map I-1310-B, scale 1:250,000.
- Richter, D. H., Sharp, W. N., Watts, K. C., Raines, G. L., Houser, B. B., and Klein, D. P., 1983, Mineral resource assessment of the Silver City 1° x 2° quadrangle, New Mexico-Arizona, U. S. Geological Survey, Open-file Report 83-924, 77 p.

- Richter, D. H., Sharp, W. N., Watts, K. C., Raines, G. L., Houser, B. B., and Klein, D. P., 1986, Maps showing mineral resource assessment of the Silver City 1° x 2° quadrangle, New Mexico and Arizona: U. S. Geological Survey, Map I-1310F, scale 1:1,150,000.
- Ridgley, J. L., 1979, A preliminary report on the geology of the Dennison-Bunn uranium claim, Sandoval County, New Mexico: U. S. Geological Survey, Open-file Report 79-1510, p. 40.
- , 1980, Geology and Characteristics of uranium mineralization in the Morrison Formation at Dennison-Bunn claim, Sandoval County, Geology and mineral technology of the Grants uranium region, New Mexico Bureau of Mines and Mineral Resources, Mem. 38, p. 299-303.
- Riese, W. C., 1977, Geology and geochemistry of the Mt. Taylor uranium deposit, Valencia County, New Mexico [M. S. thesis]: University of New Mexico, 119 p.
- Riese, W. C., and Brookings, D. G., 1977, Subsurface stratigraphy of the Morrison Formation in the Mt. Taylor area and its relation to uranium ore genesis, San Juan Basin II, New Mexico Geological Society, Guidebook 28, p. 271-275.
- Riese, W. C., 1980, The Mount Taylor uranium deposit, San Mateo, New Mexico [Ph D thesis]: University of New Mexico, 643 p.
- Riese, W. C., and Brookings, D. G., 1980, Mount Taylor uranium deposits, San Mateo, New Mexico (abs), *in* Rautman, C. A., (compiler), ed., Geology and mineral technology of the Grants uranium region 1979, New Mexico Bureau of Mines and Mineral Resources, Mem. 38, p. 397.
- Riese, W. C., Brookings, D. G., and Della Valle, R. S., 1980, Scanning-electron-microscope investigation of paragenesis of uranium deposits, Mount Taylor and elsewhere, Grants mineral belt, *in* Rautman, C. A., (compiler), ed., Geology and mineral technology of the Grants uranium region, 1979, New Mexico Bureau of Mines and Mineral Resources, Mem. 38, p. 244-251.
- Ristorcelli, S. J., 1980, Geology of eastern Smith Lake ore trend, Grants mineral belt, *in* Rautman, C. A., (compiler), ed., Geology and mineral technology of the Grants uranium region 1979, New Mexico Bureau of Mines and Mineral Resources, Mem. 38, p. 145-152.
- Robertson, J. F., and Jackson, T. J., 1975, Geologic and structure contour maps of the Hosta Butte quadrangle, McKinley County, New Mexico: U. S. Geological Survey, Open-file Report 75-320, scale 1:24,000.
- Robinson, B. R., 1981, Geology of the D Cross Mountain quadrangle, Socorro and Catron Counties, New Mexico: New Mexico Bur. Mines and Mineral Resources, Open-file report 147.
- Rose, A. W., and Baltosser, W. W., 1966, The porphyry copper deposits at Santa Rita, New Mexico, *in* Titley, S. R., and Hicks, C. L., ed., Geology of porphyry copper deposits in southwestern North America, University of Arizona Press, p. 205-220.
- Rose, A. W., 1976, The effect of cuprous chloride complexes in the origin of red-bed copper and related deposits: *Economic Geology*, v. 71, p. 1036-1048.

- Rosenberg, P. S., and Hooper, R. L., 1982, Fission-track dating of sandstone-type uranium deposits: *Geology*, v. 10.
- Ross, C. A., Ross, and June R. P., 1986, Paleozoic paleotectonics and sedimentation in Arizona and New Mexico, *American Association of Petroleum Geologists, Memoir*, p. 653-668.
- Rothrock, H. E., Johnson, C.H., and Hahn, A. D., 1946, Fluorspar Resources of New Mexico, New Mexico Bureau of Mines and Mineral Resources, *Bulletin* 21, 239 p.
- Rupert, M. G., 1986, Structure and stratigraphy of the Klondike Hills, Southwestern New Mexico [M.S. thesis]: New Mexico State University, Las Cruces, 138 p.
- , 1988, Klondike Hills, southwestern New Mexico: evidence for Laramide strike-slip deformation, *in* Mack, G. H., Lawton, T.F., and Lucas, S.G., ed., *Cretaceous and Laramide tectonic evolution of southwestern New Mexico*, New Mexico Geological Society, *Guidebook* 39, p. 199-201.
- Rupert, M. G., and Clemons, R. E., 1988, Klondike Hills, southwestern New Mexico; example of Laramide deformation: *American Association of Petroleum Geologists, Bulletin* 72, p. 102-103.
- , 1990, Stratigraphy and structure of the Klondike Hills, southwestern New Mexico: *New Mexico Geology*, v. 12, no. 2, p. 23-30.
- Russell, P. L., 1947, Exploration of the Fluorite Ridge fluorspar district, Luna County, New Mexico, U. S. Bureau of Mines, *Report of Investigations*, 7 p.
- Ruzycki, J., 1957, Radiometric airborne survey of the southwest Zuni Mountains, New Mexico: U. S. Atomic Energy Comm. Tech. Mem. TM-120, p. 7.
- Ryan, O. J., and Berkoff, E. W., 1959, Brief guide to the geology and uranium deposits of the Gallup-Grants-Laguna district, New Mexico: U. S. Atomic Energy Comm. Tech. Mem. TM-128, p. 15.
- Rytuba, J. J., 1981, Relation of calderas to ore deposits in the western United States, *in* Dickinson, W. R., and Payne, W. D., ed., *Relations of tectonics to ore deposits in the southern Cordillera*, *Arizona Geological Society Digest*, p. 22.
- Santos, E. S., 1970, Stratigraphy of the Morrison Formation and structure of the Ambrosia Lake district, New Mexico: U. S. Geological Survey, *Bulletin* 1272-E, p. 30.
- Santos, E. S., Hall, R. B., and Weisner, R. C., 1975, Minin resources of the San Pedro Parks wilderness and vicinity, Rio Arriba and Sandoval Counties, New Mexico: U. S. Geological Survey, *Bulletin* 1385-C, p. 29.
- Santos, E. S., 1975a, Lithology and uranium potential of Jurassic formations in the San Ysidro-Cuba and Majors Ranch areas, northwestern New Mexico: U. S. Geological Survey, *Bulletin* 1329, p. 22.
- , 1975b, A chacteristic pattern of disequilibrium in some uranium ore deposits: U. S. Geological Survey, *Journal of Research*, v. 3, no. 3, p. 363-386.
- Saucier, A. E., 1974, Stratigraphy and uranium potential of the Burro Canyon Formation in the southern Chama Basin, New Mexico, Ghost Ranch (central-northern New Mexico), New Mexico Geological Society, *Guidebook* 25, p. 211-217.

- Sayala, D., and Ward, D. L., 1983, Multidisciplinary studies of a uranium deposit in the San Juan Basin, New Mexico: U. S. Department of Energy Report GJBX-2(83), p. 236.
- Schilling, J. H., 1960, Mineral resources of Taos County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 71, p. 124.
- , 1965, Molybdenum resources of New Mexico, New Mexico Bureau of Mines and Mineral Resources, Bulletin 76, 76 p.
- Schlee, J. S., and Moench, R. H., 1961, Properties and genesis of "Jackpile" sandstone, Laguna, New Mexico, in *Geometry of sandstone bodies*, Tulsa, Oklahoma: American Association of Petroleum Geologists, Studies in geology, p. 134-150.
- Schmidt, P. G., and Craddock, C., 1964, The geology of the Jarilla Mountains, Otero County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 82, p. 55.
- Schmidt, R. R., 1987, Zeolites: Their market potential and occurrence in New Mexico, New Mexico Energy and Mineral Department Report of Investigation 1, 68 p.
- Schmitt, H. A., 1966, The porphyry copper deposits in their regional setting, *in* Titley, S. R., and Hicks, C. L., ed., *Geology of the porphyry copper deposits, southwestern North America*: Tucson, Arizona, The University of Arizona Press, p. 17-33.
- Schnake, D. W., 1977, Conditions of formation of the iron-bearing skarns at Lone Mountain, Lincoln County, New Mexico [M.S. thesis]: New Mexico Institute of Mining and Technology, 88 p.
- Schreiner, R. A., 1994, Mineral investigation of Wind Mountain and the Chess Draw area, Cornudas Mountains, Otero County, New Mexico: U. S. Bureau of Mines, MLA 26-94.
- Scott, G. R., Mytton, J. W., and Schneider, G. B., 1980, Geologic map of the Star Lake quadrangle, McKinley County, New Mexico: U. S. Geological Survey, Misc. Field Studies Map MF-1248.
- Seager, W. R., Hawley, J. W., and Clemons, R. E., 1971, Geology of San Diego Mountain area, Doña Ana County, New Mexico, New Mexico Bureau of Mines and Mineral Resources, Bulletin 7, 38 p.
- Seager, W. R., 1973, Geologic map and sections of Bishop Cap-Organ Mountains area, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 29, scale 1:24,000.
- Seager, W. R., and Hawley, J. W., 1973, Geology of Rincon quadrangle, New Mexico: New Mexico Bureau of Mines and Mineral Resources Bulletin 101.
- Seager, W. R., and Clemons, R. E., 1975, Middle to late Tertiary geology of the Cedar Hills-Selden Hills area, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Circular 133, p. 24.
- Seager, W. R., 1975, Geology of south half San Diego Mountain Quadrangle, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 35, scale 1:24,000.
- Seager, W. R., Clemons, R. E., Hawley, J. W., and Kelley, R. E., 1982, Geology

- of northwest part of Las Cruces 1° x 2° sheet, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 53, scale 1:125,000.
- Seager, W. R., 1987, Geologic map of the southwest quarter of the Las Cruces and northwest part of the El Paso 1° x 2° sheets: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 57, scale 1:1,000,000.
- Seager, W. R., and Clemons, R. E., 1988, Geology of the Hermanas Quadrangle, Luna County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 63, scale 1:24,000.
- Seager, W. R., 1989, Geology beneath and around the West Potrillo basalts, Dona Ana and Luna Counties, New Mexico: New Mexico Geology, v. 11, no. 3, p. 53-59.
- Seager, W. R., and Mack, G. H., 1990, Eagle Nest-Granite Hill area, Luna County, New Mexico- a new look at some old rocks: New Mexico Geology, v. 12, p. 1-7, 19.
- Seager, W. R., 1995, Geology of southwest quarter of Las Cruces and Northwest El Paso 1° x 2° sheets, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 60, scale 1:125,000.
- Sharp, J. V. A., 1954, Reconnaissance for uranium in the Morrison Formation Church Rock area, McKinley County, New Mexico: U. S. Atomic Energy Comm. Tech. Mem. TM-68.
- , 1955, Uranium deposits in the Morrison Formation, Church Rock area, McKinley County, New Mexico: U. S. Atomic Energy Comm. Report RME-79, p. 19.
- Sharp, W. N., 1991, Petrochemistry of igneous rocks, silver city 1° x 2° quadrangle, New Mexico and Arizona: U.S. Geological survey Miscellaneous field series, Map 1310-H, 7 p., scale 1:250,000.
- Sheridan, M. J., 1947, Lincoln County iron deposits, New Mexico: U.S. Bureau of Mines, Report Inv. RI-3988, p. 19.
- Shoemaker, E. M., 1956, Occurrence of uranium in diatremes in the Navajo and Hopi Reservations, Arizona, New Mexico, and Utah, Contributions to the geology of uranium and thorium, U. S. Geological Survey, Prof. Paper 300, p. 179-185.
- Siapno, W. D., 1955, Airborne radiometric reconnaissance of the east side of the San Juan Basin, New Mexico, 1955: U. S. Atomic Energy Comm. Tech. Mem. TM-285, p. 15.
- Siemers, W. T., and Austin, G. S., 1979, Mines, processing plants, and power plants in New Mexico: New Mexico Bureau of Mines and Mineral Resources, Resource Map RM-9, scale 1:1,000,000.
- Slaughter, A. L., and Clabaugh, S. E., 1945, Preliminary report on a trace-element reconnaissance in central and southwestern states: U. S. Geological Survey, Trace Element Inv. TEI-9(45).
- Slawson, W. R., and Austin, C. F., 1962, An isotope study defines a geologic structure: Economic Geology, v. 57, p. 21-29.
- Smith, C. T., Budding, A. J., and Pitrat, C. W., 1961, Geology of the southeastern part of the Chama Basin: New Mexico Bureau of Mines and Mineral

- Resources, Bulletin 75, p. 57.
- Smith, C. T., and others, 1964, Reconnaissance geology of the Little Black Peak quadrangle, Lincoln and Socorro Counties, New Mexico, Ruidoso country, New Mexico Geological Survey, Guidebook 15, p. 92-99.
- Smith, D. A., and Peterson, R. J., 1980, Geology and recognition of a relict uranium deposit in sec. 28, T 14N, R. 10W, southwest Ambrosia Lake area, McKinley County, *in* Rautman, C. A., (compiler), ed., Geology and mineral technology of the Grants uranium region 1979, New Mexico Bureau of Mines and Mineral Resources, Mem. 38, p. 215-225.
- Smith, E. W., 1992, Adobe bricks in New Mexico, New Mexico Bureau of Mines and Mineral Resources, Open-file Report 382, 16 p.
- Smith, T. J., 1981, Barite in the White Sands Missile Range: New Mexico Geology, v. 3, p. 1-5.
- Smythe, D. D., 1921, Arsenopyrite twins from New Mexico: American Mineralogist, v. 6, no. 5, p. 85-86.
- Soulé, J. H., 1956, Reconnaissance of the "red bed" copper deposits in southeastern Colorado and New Mexico, U. S. Bureau of Mines, Information Circular 7740, 74 p.
- Soulé, J. H., 1946, Exploration of the White Eagle Fluorspar mine, Cooke's Peak mining district, Grant County, New Mexico, U.S. Bureau of mines, Report of Investigations RI-3903, 5 p.
- Spiegel, Z. E., 1958, Report of investigation of the geology and hydrology of T 27 S, R 8 W, Luna County, New Mexico, New Mexico State Engineer, Open-file Report, 5 p.
- Squyres, J. B., 1963, Geology and ore deposits of the Ann Lee mine, Ambrosia Lake area, *in* Kelley, V. C., (compiler), ed., Geology and mineral technology of the Grants uranium region, New Mexico Bureau of Mines and Mineral Resources, Mem. 15, p. 90-101.
- , 1980, Origin and significance of organic matter in uranium deposits of Morrison Formation, San Juan Basin, New Mexico, *in* Rautman, C. A., (compiler), ed., Geology and mineral technology of the Grants region, 1979, New Mexico Bureau of Mines and Mineral Resources, Mem. 38, p. 86-97.
- Staatz, M. H., Adams, J. W., and Conklin, N. M., 1965, Thorium-bearing microcline-rich rocks in the southern Caballo Mountains, Sierra County, New Mexico: U. S. Geological Survey, Professional Paper 525-D, p. D48-D51.
- Staatz, M. H., 1974, Thorium veins in the United States: Economic Geology, v. 69, p. 494-507.
- , 1982, Geologic map of the Laughlin Peak area, Colfax County, New Mexico: U. S. Geological Survey, Open-file Report 82-453, p. 1.
- Stacey, J. S., and Hedlund, D. C., 1983, Lead-isotopic compositions of diverse igneous rocks and ore deposits from southwestern New Mexico and their implications for early Proterozoic crustal evolution in western United States: Geological Society of America, Bulletin, v. 94, p. 43-57.
- Staples, M. E., 1982, Interpretation of the structural history of the West Lime Hills area, Luna County, New Mexico, Missouri Academy of Sciences,

- Transactions 16, 167 p.
- , 1984, Geology and mineralization, West Lime Hills, Luna County, New Mexico [M.S. thesis]: University of Missouri Rolla.
 - Stehle, F. T., 1955, Airborne radiometric survey in Cahma Basin, New Mexico: U. S. Atomic Energy Comm. Tech. Mem. TM-264, p. 8.
 - Sterrett, D. B., 1908, Meerschaum in New Mexico, *in* Hayes, C. W., and Lindgren, W., ed., Contributions to Economic Geology 1907, U.S. Geological Survey, Mineral Resources for 1909, part 2, p. 791-795.
 - , 1911, Gems and precious stones, Mineral Resources for 1909, part 2, U.S. Geological Survey, p. 791-795.
 - Storms, W. R., 1945, Preliminary War Minerals report on the Jose section of the Cook's Peak mining district, Luna County, New Mexico, U.S. Bureau of Mines.
 - Strickland, F. G., 1981, Structure, stratigraphy, and Economic Geology of Goat Ridge, Luna County, New Mexico [M.S. thesis]: University of Texas at El Paso, El Paso, Texas.
 - Strongin, O., 1957a, Reconnaissance of the geology and ore deposits of the Apache Hills and Sierra Rica, New Mexico [M. A. thesis]: Columbia University, 237 p.
 - , 1957b, Geology and ore deposits of Apache Hills and northern Sierra Rica, Hidalgo County, New Mexico [Ph.D. thesis]: Columbia University, 221 p.
 - Sun, M.-S., and Allen, J. E., 1957, Authigenic brookite in Cretaceous Gallup Sandstone, Gallup, New Mexico: Journal of Sedimentary Petrology, v. 27, no. 3, p. 265-270.
 - Sur, F. J., 1946, Exploration of the Bishop Cap fluorspar project, Dona Ana County, New Mexico: U. S. Bureau of Mines, Report of Investigations RI-3946, p. 7.
 - Swanson, M. A., and Hatfield, K. G., 1952, Geology and drilling recommendations, Oak Springs area, Apache County, Arizona, and San Juan County, New Mexico: U. S. Atomic Energy Comm. Report RMO-811, p. 17.
 - Tabet, D. E., and Frost, S. J., 1979, Coal geology of Torreon Wash area, southeast San Juan Basin, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 49, scale 1:24,000.
 - Talmadge, S. B., and Wootton, T. P., 1937, The Nonmetallic Mineral Resources of New Mexico and their economic features, New Mexico Bureau of Mines and Mineral Resources, Bulletin 12, 159 p.
 - Templain, C. J., and Dotterer, F. E., 1978, Preliminary study of the uranium favorability of the Jornada del Muerto Basin and adjacent areas, south-central New Mexico: U. S. Department of Energy Report GJBX-80(78), p. 22.
 - Tessendorf, T. N., 1980, Redistributed ore bodies of Poison Canyon, Sec. 18 and 19, T. 13 N, R. 9 W, McKinley County, New Mexico, *in* Rautman, C. A., (compiler), ed., Geology and mineral technology of the Grants uranium region 1979, New Mexico Bureau of Mines and Mineral Resources, Mem. 38, p. 226-229.

- Thaden, R. E., Santos, E. S., and Ostling, E. J., 1966a, Geologic map of the Goat Mountain quadrangle, McKinley County, New Mexico: U. S. Geological Survey, Geologic Quad Map GQ-518, scale 1:24,000.
- , 1966b, Geologic map of the Dos Lomas quadrangle, Valencia and McKinley Counties, New Mexico: U. S. Geological Survey Geologic Map GQ-680, scale 1:24,000.
- Thaden, R. E., Santos, E. S., and Raup, O. B., 1967, Geologic map of the grants quadrangle, Valencia (now Cibola) County, New Mexico: U. S. Geological Survey, Geologic Quad. Map GQ-681, scale 1:24,000.
- Thompson, A. J., 1965a, Lead, Mineral and water resources of New Mexico, New Mexico Bureau of Mines and Mineral Resources, Bulletin 87, p. 149-154.
- , 1965b, Zinc, Mineral and water resources of New Mexico, New Mexico Bureau of Mines and Mineral Resources, Bulletin 87, p. 154-159.
- Thompson, T. B., 1973, Mineral deposits of Nogal and Bonito mining districts, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Circular 123, p. 30.
- Thorman, C. H., and Drewes, H., 1978, Geologic map of the Gary and Lordsburg quadrangles, Hidalgo County, New Mexico: U. S. Geological Survey, Miscellaneous Investigations Series I- 1151, scale 1:24,000.
- , 1979, Geologic Map of parts of the Grandmother Mountains East and Grandmother mountain West quadrangles, Luna County, New Mexico: U.S. Geological Survey, Miscellaneous Field studies map MF-1088, scale 1:24,000.
- , 1980, Geologic map of the Victorio Mountains, New Mexico: U.S. Geological Survey, Miscellaneous Field Studies Map MF-1175, scale 1:24,000.
- , 1981, Geological map of the Gage SW quadrangle, Grant and Luna Counties, New Mexico, U.S. Geological Survey, Miscellaneous Field Studies Map I- 1231: U.S. Government Printing office, variously paginated, scale 1:24,000.
- Tschanz, C. M., Laub, D. C., and Fuller, G. W., 1954, The copper and uranium deposits of the Coyote district, Mora County, New Mexico: U. S. Geological Survey, Trace Element Memo. TEI-356, p. 81.
- Tschanz, C. M., 1958, Radioactive phonolite and associated thorium-rare-earth-niobium veins in the Laughlin Peak area, Chico Hills, Colfax County, New Mexico: U. S. Geological Survey, Trace Element Inv. TEI-230, p. 4.
- Tsosie, B., Semken, S. C., and Harrison, B., 1997, The Shiprock uranium-mill tailings remedial action (UMPTRA) site, New Mexico, *in* Anderson, O. J. K., Barry S.; Lucas, Spencer G., ed., Mesozoic geology and paleontology of the Four Corners region, New Mexico Geological Society, Guidebook 48, p. 279-281.
- Turner, D. R., and Bowman, J. R., 1993, Origin and evolution of skarn fluids, Empire zinc skarns, Central mining district, New Mexico, U.S.A: Applied Geochemistry, v. 8, p. 9-36.
- Turner, G. L., 1962, The Deming axis southeastern Arizona, New Mexico, and Trans-Pecos Texas, *in* Weber, R. H., and Peirce, H. W., ed., Mogollon Rim region, New Mexico Geological Society, Guidebook 13, p. 59-71.

- Turner-Peterson, C. E., 1980a, Tabular uranium ore in Poison Canyon area, Morrison Formation, San Juan Basin, and application of lacustrine-humite model (abs.): Association of Petroleum Geologists, Bulletin, v. 64, p. 795.
- U. S. Bureau of Mines, Spatial Data Extracted from the Minerals Availability System/Mineral Industry Location System (MAS/MILS), Specail Publication 12-95 CD-ROM.
- , 1927-1990, Mineral Yearbook: Washington, D.C., U. S, Government Printing Office, variously paginated.
- , 1995, MAS/MILS CD-ROM: U. S. Bureau of Mines, Special Publication 12-95, CD-ROM.
- U. S. Geological Survey, 1902-1927, Mineral resources of the United States (1901-1923): Washington, D.C., U. S., Government Printing Office, variously paginated.
- , 1996, Mineral Resources Data System (MRDS) CD-ROM, U.S. Geological Survey Digital Data Series DDS-20.
- van Alstine, R. E., 1976, Continental rifts and lineaments associated with major fluorspar districts: Economic Geology, v. 71, p. 977-987.
- van der Spuy, P. M., 1970, Geologic and Geochemical Investigations of geophysical anomalies, Sierra Rica, Hidalgo County, New Mexico [M. S. thesis]: Colorado School of Mines, 156 p.
- Varnell, R. J., 1976, Geology of the Hat Top Mountain Quadrangle, Grant and Luna Counties, New Mexico [M.S. thesis]: University of Texas at El Paso, 62 p.
- Varnell, R. J., Nials, F. L., and Corbitt, L. L., 1976, Laramide Thrust Faulting in the Klondike Hills, northern Cedar Mountains, Luna County, New Mexico (abstr.): Geological Society of America, Abstracts with Programs, v. 8, p. 642.
- Vine, J. D., Bachman, G. O., Read, C. B., Moore, G. W., 1953, Uranium-bearing coal and carbonaceous shale in the La Ventana Mesa area, Sandoval County, New Mexico: U. S. Geological Survey, Trace Element Inv. TEI-241, p. 34.
- Vizcaino, H. P., and O'Neill, A. J., 1977, Preliminary study of the uranium potential of Tertiary rocks in the central San Juan Basin, New Mexico: U. S. Energy and Development Administration, Report GJBX-78(77), p. 27.
- Vizcaino, H. P., O'Neill, A. J., and Dotterrer, F. E., 1978, Preliminary study of the favorability for uranium in the Madera Limestone, and Cutler and Chinle Formations of the Sierra Nacimiento-Jemez Mountains area, New Mexico: U. S. Department of Energy Report GJBX-4(78), p. 18.
- Vogt, T. C., Strom, E. T., and Venuto, P. B., 1982b, In-situ leaching of Crownpoint, New Mexico ore, pt. VI-The section 9 pilot test-SPE paper 11047, *in* 1982 SPE Annual Technical Conference and Exhibition, New Orleans, Spet. 27-30, 1982, p. 19.
- Wade, W. R., 1913, Minerals of the Tres Hermanas district: Engineering and Mining Journal, v. 96, p. 589-590.
- Wahl, D. E., 1980, Mid-Tertiary geology in parts of Greelee County, Arizona and Grant and Hidalgo Counties, New Mexico [Ph D thesis]: Arizona State

- University, 148 p.
- Walker, G. W., and Osterwald, F. W., 1956, Uraniferous magnetite-hematite deposit at the Prince mine, Lincoln County, New Mexico: *Economic Geology*, v. 51, p. 213-222.
- , 1963a, Introduction to the geology of uranium-bearing veins in the conterminous United States, *Geology of uranium-bearing veins in the conterminous United States*, U. S. Geological Society Prof. Paper 455-a, p. 1-28.
- Walker, G. W., and Osterwald, F. W., 1963b, Concepts of origin of uranium-bearing veins in the conterminous United States, *Geology of uranium-bearing veins in the conterminous United States*, U. S. Geological Society Prof. Paper 455-F, p. 105-120.
- Walters, M. A., 1972, Geological and geochemical evidence for a possible concealed mineral deposit near the Old Hadley Mining District, Luna county, New Mexico [M.S. thesis]: Stanford University, Stanford, CA, 63 p.
- Waltman, R. M., 1954, Uranium in southeast New Mexico, *Southeastern New Mexico*, New Mexico Geological Society, Guidebook 5, p. 113-114.
- Walton, A. W., Salter, T. L., and Zetterlund, D., 1980a, Post emplacement uranium mobility in an ash-flow tuff and several rhyolite lavas (all Oligocene) from Hidalgo County, New Mexico (abs.): *American Association of Petroleum Geologists, Bulletin*, v. 65, p. 771.
- , 1980b, Uranium potential of southwestern New Mexico (southern Hidalgo County) including observations on crystallization, history of lavas and ash tuffs and the release of uranium from them-final report: U. S. Department of Energy Report, GJBX-169(80).
- Warner, L. A., Holser, W. T., Wilmarth, V. R., and Cameron, E. N., 1956, Nonpegmatitic resources of beryllium in the United States: U. S. Geological Survey, Trace Element Inv. TEI-137, p. 7.
- , 1959, Occurrence of nonpegmatite beryllium in the United States, U.S. Geological Survey, Professional Paper 318, 198 p.
- Watts, K. C., 1978, Anomaly patterns for selected metals in heavy mineral concentrates and oxalic acid residues, Dwyer quadrangle, Grant and Luna counties, New Mexico: United States Geological Survey, Miscellaneous Field Studies Series, Map MF-1027, scale 1:96,000.
- Watts, K. C., and Hassemer, J. R., 1980, Distribution and Abundance of Fluorite in stream-sediment concentrates, Silver city 1° x 2° quadrangle, Arizona and New Mexico: U.S. Geological Survey, Miscellaneous Field Studies Series Map MF-1183-C, scale 1:250,000.
- Weber, R. H., and Willard, M. E., 1959, Reconnaissance geologic map of the Mogollon 30-min quadrangle: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 10, scale 1:24,000.
- Weber, R. H., 1965, Lightweight aggregates, Mineral and water resources of New Mexico, New Mexico Bureau of Mines and Mineral Resources, Bulletin 87, p. 332-344.
- Weber, R. H., and Austin, G. S., 1982, Perlite in New Mexico, *Industrial rocks*

- and minerals of the Southwest: New Mexico Bureau of Mines and Mineral Resources, Circular 182, p. 97-101.
- Weissenborn, A. E., 1948, A new occurrence of helvite: *American Mineralogist*, v. 33, no. 9-10, p. 648-649.
- Wells, E. H., 1918, Manganese in New Mexico, New Mexico Bureau of mines and Mineral Resources, Bulletin 2, 85 p.
- Wells, E. H., and Wootton, T. P., revised by Wootton, T. P., 1932, Gold mining and Gold deposits in New Mexico, New Mexico Bureau of Mines and Mineral Resources Circular 5, 24 p.
- , 1940, Gold mining and gold deposits in New Mexico, New Mexico Bureau of Mines and Mineral Resources, Circular 5, 25 p.
- Wentworth, D. W., Porter, D. A., and Jensen, H. N., 1980, Geology of Crownpoint Sec. 29 uranium deposit, McKinley County, *in* Rautman, C. A., (compiler), ed., *Geology and mining technology of the Grants uranium region*, New Mexico Bureau of Mines and Mineral Resources, Mem. 38, p. 139-144.
- Wertz, J. B., 1970a, Arizona's copper province and the Texas lineament: *Mining Engineering*, v. 5, p. 80-81.
- , 1970b, The Texas lineament and its economic significance in southeastern Arizona: *Economic Geology*, v. 65, p. 166-181.
- White, D. L., and Foster, M. G., 1981 (1982), Uranium resources evaluation, Clifton quadrangle, Arizona and New Mexico: U. S. Department of Energy Preliminary report PGJ-116(81), p. 53.
- White, J. L., Chavez, Jr., W. X., and Barker, J. M., 1996, Economic geology of the St. Cloud Mining Company (Cuchillo Negro) clinoptillolite deposit, Sierra County, New Mexico, *in* Austin, G. S., et al., ed., *Proceedings of the 31st Forum on the Geology of Industrial Minerals-Borderland Forum: New Mexico Bureau of Mines and Mineral Resources Bulletin 154*, p. 113-120.
- Wilkinson, W. H., Jr., 1976, Geology of the Tres Montosas-Cat Mountain area, Socorro County, New Mexico, New Mexico Bureau of Mines and Mineral Resources, Open-file report 39 [M. S. thesis]: New Mexico Inst. of Mining and Tech, 169 p.
- Wilks, M. E., and Chapin, C. E., 1997, The New Mexico Geochronological Database, New Mexico Bureau of Mines and Mineral Resources, CD-ROM.
- Williams, F. E., Fillo, P. V., and Bloom, P. A., 1964, Barite deposits of New Mexico, New Mexico Bureau of Mines and Mineral Resources, Circular 76, 46 p.
- Williams, F. E., 1966, Fluorspar deposits of New Mexico, U.S. Bureau of Mines, Information Circular 8307, 143 p.
- Williams, M. L. a. B., P. W., 1995, The Copper Hill Cu-Ag-Sb deposit, Picuris Range, New Mexico: Retrograde mineralization in a brittle-ductile trap: *Economic Geology*, v. 90, p. 1994-2005.
- Willson, R. E., 1957, Geologic reconnaissance for uranium in the Acoma Basin, Valencia County, New Mexico: U. S. Atomic Energy Commission report RME-201.
- Wolfe, H. D., 1953, Preliminary examination of Hanosh Mines, Inc. property,

- Monticello, New Mexico, and reconnaissance of other fluorite properties in Grant, Lincoln, Sierra, and Socorro Counties, New Mexico: U. S. Atomic Energy Comm. Report RME-1020.
- Wood, G. H., Jr, Northrop, S. A., and Griggs, R. L., 1953, Geology and stratigraphy of Koehler and Mount Laughlin quadrangles and parts of Abbot and Springer quadrangles, eastern Colfax County, New Mexico: U. S. Geological Survey, Oil and Gas Inv. Map OM-141.
- Woodward, L. A., ed., 1970, Precambrian rocks of southwestern New Mexico, *in* Cordoba, D. A., Wengerd, S. A., and Shomaker, J. W., ed., The border region, New Mexico Geological Society, Guidebook 20, p. 80-90.
- Woodward, L. A., Anderson, J. B., Kaufman, W. H., and Reed, R. K., 1973, Geologic map and sections of San Pablo quadrangle, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 36, scale 1:24,000.
- Woodward, L. A., and Schumacher, O. L., 1973, Geologic map and sections of the La Ventana quadrangle, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 28, scale 1:24,000.
- Woodward, L. A., and Martinez, R., 1974, Holy Ghost Spring quadrangle, Sandoval County: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 33, scale 1:24,000.
- Woodward, L. A., McLelland, D. and Kaufman, W. H., 1974, Geologic map and sections of Nacimiento quadrangle, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Geologic map 32, scale 1:24,000.
- Woodward, L. A., and Ruetschilling, R. L., 1976, Geology of San Ysidro quadrangle, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 37, scale 1:24,000.
- Woodward, L. A., Gibson, G. G., McLelland, D., 1976, Geology of Gallina quadrangle, Rio Arriba County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Geologic map 39, scale 1:24,000.
- Woodward, L. A., and Timmer, R. S., 1979, Geology of Jarosa quadrangle, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 47, scale 1:24,000.
- Woodward, L. A., and Duchene, H. R., 1981, Overthrust belt of Southwestern New Mexico: Comparison with Wyoming-Utah overthrust belt: American Association of Petroleum Geologists, Bulletin, v. 65, p. 722-729.
- Woodward, L. E., DuChene, H. R., Martinez, R., 1977, Geology of Gilman Quadrangle, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 45, scale 1:24,000.
- Woodward, T. W., 1982, Geology of the Lookout Mountain area, northern Black Range, Sierra County, New Mexico [M.S. thesis]: University of New Mexico, 95 p.
- Woolley, A. R., 1987, Alkaline rocks and carbonatites of the world, part 1: North and South America, University of Texas Press, Austin, and British Museum of Natural History, Cambridge, England, 216 p.
- Wright, H. E., 1943, Cerro Colorado, an isolated nonbasaltic volcano in central New Mexico: American Journal of Science, v. 241, no. 1, p. 43-56.

- Wright, L. A., 1948, The Globe pegmatite, Rio Arriba County, New Mexico: American Journal of Science, v. 246, no. 11, p. 665-688.
- Wylie, E. T., 1963, Geology of the Woodrow breccia pipe, *in* Kelley, V. C., (compiler), ed., Geology and technology of the Grants uranium region, New Mexico Bureau of Mines and Mineral Resources, Mem. 15, p. 177-181.
- Zapp, A. D., 1941, Geology of the northeastern Cornudas Mountains, New Mexico [M. S. thesis]: University of Texas, El Paso, 63 p.
- Zeller, H. D., and Baltz, E. H., Jr., 1952, Uranium-bearing copper deposits in the Coyote mining district, Mora County, New Mexico: U. S. Geological Survey, Trace Element Memo. TEM-556, p. 18.
- , 1953, Uranium-bearing copper deposits in the Coyote district, Mora County, New Mexico: U. S. Geological Survey, Trace Element Inv. TEI-338, p. 40.
- , 1954, Uranium-bearing copper deposits in the Coyote mining district, Mora County, New Mexico: U. S. Geological Survey, Circular 334, p. 11.
- Zeller, R. A., Jr., 1958, Reconnaissance geologic map of Dog Mountains quadrangle, Hidalgo County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 8, scale 1:62,500.
- , 1975, Structural geology of Big Hatchet Peak quadrangle, Hidalgo County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Circular 146, p. 23.