Revised June 1972

STATE ENGINEER OFFICE

WELL RECORD

Section 1. GENERAL INFORMATION

(A) Owner of well JACK COLLINSWORTH Owner's Well No. _____
Street or Post Office Address 1111 - TENTH STREET #240
City and State ALAMOGORDO, NM 88310 258-9472

Well was drilled under Permit No. T-3117 and is located in the:

a. ~~NE~~ ¼ ~~NE~~ ¼ ~~SW~~ ¼ _____ ¼ of Section 5 Township 16S Range 11E N.M.P.M.

b. Tract No. _____ of Map No. _____ of the _____

c. Lot No. _____ of Block No _____ of the _____
Subdivision, recorded in OTERO County.

d. X= _____ feet, Y= _____ feet, N.M. Coordinate System _____ Zone in the _____ Grant.

(B) Drilling Contractor Statewide Drilling, Inc. License No. WD-601
Address P. O. Box 458 La Luz, NM 88337

Drilling Began 04/08/97 Completed 08/14/97 Type tools AIR ROTARY Size of hole 8 in.

Elevation of land surface or _____ at well is _____ ft. Total depth of well 680 ft.

Completed well is ☐ shallow ☐ artesian. Depth to water upon completion of well 350 ft.

Section 2. PRINCIPAL WATER-BEARING STRATA

Depth in Feet From	Depth in Feet To	Thickness in Feet	Description of Water-Bearing Formation	Estimated Yield (gallons per minute)
640			fracture	5

Section 3. RECORD OF CASING

Diameter (inches)	Pounds per foot	Threads per in.	Depth in Feet Top	Depth in Feet Bottom	Length (feet)	Type of Shoe	Perforations From	Perforations To
5	PVC		0	680	680		480	680
6	steel		+1	2	3			

Section 4. RECORD OF MUDDING AND CEMENTING

Depth in Feet From	Depth in Feet To	Hole Diameter	Sacks of Mud	Cubic Feet of Cement	Method of Placement

RECEIVED 97 APR 25 AM 11:40 STATE ENGINEER OFFICE AS GRANTS, NEW MEXICO

Section 5. PLUGGING RECORD

Plugging Contractor _____
Address _____
Plugging Method _____
Date Well Plugged _____
Plugging approved by _____
State Engineer Representative

No.	Depth in Feet Top	Depth in Feet Bottom	Cubic Feet of Cement
1			
2			
3			
4			

FOR USE OF STATE ENGINEER ONLY

Date Received APRIL 25, 1997

Quad _____ FWL _____ FSL _____

File No. T-3117 Use MULTI-DOMESTIC Location No. 16S.11E.5.322

Section 6. LOG OF HOLE

Depth in Feet From	Depth in Feet To	Thickness in Feet	Color and Type of Material Encountered
0	18	18	Red clay & gravel
18	54	36	Gray shale
54	680	626	Limestone & gray shale

Section 7. REMARKS AND ADDITIONAL INFORMATION

The undersigned hereby certifies that, to the best of his knowledge and belief, the foregoing is a true and correct record of the above described hole.

Mike McKinney
Driller

INSTRUCTIONS: This form should be executed in triplicate, preferably typewritten, and submitted to the appropriate district office of the State Engineer. All sections, [illegible]t Section 5, shall be answered as complete[illegible]nd accurately as possible when any well is drilled, repaired or deepened. When this form is used as a plugging record, only Section 1(a) and Section 5 need be completed.

Phone (505) 524-6161

STATE OF NEW MEXICO
STATE ENGINEER OFFICE
LAS CRUCES

THOMAS C. TURNEY
STATE ENGINEER

133 WYATT DR SUITE 3
LAS CRUCES NEW MEXICO 88005

April 30, 1997

FILE: T-3117

Jack & Shirley Collinsworth
1111 Tenth Street, #240
Alamogordo, NM 88310

Dear Mr. & Mrs. Collinsworth:

Enclosed is your copy of **Well Record** for **Multi-Domestic Well Permit No. T-3117** which has been accepted for filing subject to the conditions as noted on your permit.

Your attention is called to the reverse side of your permit to all **General Conditions of Approval**, but specific attention is directed to **Specific Conditions Nos. 4 and 5b**, which state:

4. Use shall be limited to household, non-commercial trees, lawn and garden not to exceed one acre and/or stock use.

5b. A totalizing meter shall be installed before the first branch of the discharge line from the well and the installation shall be acceptable to the State Engineer; the Engineer shall be advised of the make, model, serial number, date of installation and initial reading of the meter prior to appropriation of water and pumping records shall be submitted to the **District Supervisor on or before the 10th of January, April, July and October of each year for the preceding calendar months.**

The meter required under this permit shall be installed on the discharge line from the well before the line enters the ground, or, in the case of the discharge line exiting the casing below ground, the meter shall be installed immediately adjacent to the casing. The meter report for the initial installation shall be completed and submitted as soon as the meter is installed. **Please read the meter at the end of each quarter and submit quarterly reports by the 10th day of the following month whether the well is or is not pumped.**

Meter Report Forms were mailed to you with your Permit on March 24, 1997.

FILE: T-3117

Please advise this office of any change in the mailing address that may occur in the future. If the property is sold, a change of ownership must be filed with the State Engineer and subsequently recorded with the county clerk's office, in the county in which the well was drilled, according to state law. Thank you for your cooperation in this matter.

This is the final filing under **Multi-Domestic Well Permit No. T-3117.**

Sincerely,

J. B. Nixon,
Supervisor District 4

JBN:eah

enc: Multi-Domestic Well Record

cc: State Engineer