T-00255-S-3
TRN236122
Revised June 1972

STATE ENGINEER OFFICE

WELL RECORD

Section 1. GENERAL INFORMATION

(A) Owner of well ROBERT D. & DARLA D. CRENSHAW Owner's Well No. _____
Street or Post Office Address P.O. BOX 882
City and State CARRIZOZO, NM 88301

Well was drilled under Permit No. T-00255 and is located in the:

a. SE ¼ SE ¼ NE ¼ ____ ¼ of Section 11 Township 8 S Range 11 E N.M.P.M.

b. Tract No. _____ of Map No. _____ of the _____

c. Lot No. _____ of Block No. _____ of the _____
Subdivision, recorded in LINCOLN County.

d. X= _____ feet, Y= _____ feet, N.M. Coordinate System _____ Zone in the _____ Grant.

(B) Drilling Contractor McCLENDON DRILLING SERVICE License No. WD-346

Address 3508 GREASEWOOD AVE. ALAMOGORDO, NM 88310

Drilling Began 9/26/02 Completed 10/12/02 Type tools CABLE Size of hole 5 in.

Elevation of land surface or _____ at well is _____ ft. Total depth of well 160 ft.

Completed well is ☐ shallow ☐ artesian. Depth to water upon completion of well 45 ft.

Section 2. PRINCIPAL WATER-BEARING STRATA

Depth in Feet From	Depth in Feet To	Thickness in Feet	Description of Water-Bearing Formation	Estimated Yield (gallons per minute)
?	?		SAND & GRAVEL	10

Section 3. RECORD OF CASING

Diameter (inches)	Pounds per foot	Threads per in.	Depth in Feet Top	Depth in Feet Bottom	Length (feet)	Type of Shoe	Perforations From	Perforations To
5" ID	STEEL		0	160			120	160

Section 4. RECORD OF MUDDING AND CEMENTING

Depth in Feet From	Depth in Feet To	Hole Diameter	Sacks of Mud	Cubic Feet of Cement	Method of Placement

02 NOV 12 PM 2:
STATE ENGINEER OFFICE SANTA FE

2002 OCT 29 AM 11:02
STATE ENGINEER OFFICE ROSWELL, NEW MEXICO

Section 5. PLUGGING RECORD

Plugging Contractor _____
Address _____
Plugging Method _____
Date Well Plugged _____
Plugging approved by:
_____
State Engineer Representative

No.	Depth in Feet Top	Depth in Feet Bottom	Cubic Feet of Cement
1			
2			
3			
4			

FOR USE OF STATE ENGINEER ONLY

Date Received October 29, 2002

File No. T-00255-S-3 Use Irrigation Location No. 08S.11E.11.244 FWL _____ FSL _____

Section 6. LOG OF HOLE

Depth in Feet From	Depth in Feet To	Thickness in Feet	Color and Type of Material Encountered
0	18	18	TOPSOIL; SOME GRAVEL
18	160	142	SAND & GRAVEL

Section 7. REMARKS AND ADDITIONAL INFORMATION

The undersigned hereby certifies that, to the best of his knowledge and belief, the foregoing is a true and correct record of the above described hole.

M R McCarter

Driller

INSTRUCTIONS: This form should be executed in triplicate, preferably typewritten, and submitted to the appropriate district office of the State Engineer. All sections, except Section 5, shall be answered as completely and accurately as possible when any well is drilled, repaired or deepened. When this form is used as a plugging record, only Section 1(a) and Section 5 need be completed.

John R. D Antonio, Jr., P.E.
State Engineer

Las Cruces Office
PO BOX 729
LAS CRUCES, NM 88004-0729

STATE OF NEW MEXICO
OFFICE OF THE STATE ENGINEER

Trn Nbr: 236122
File Nbr: T 00255
Well File Nbr: T 00255 S-3

May. 28, 2003

ROBERT D & DARLA D CRENSHAW
P.O. BOX 882
CARRIZOZO, NM 88301

Greetings:

Enclosed is your copy of the well record for the above numbered permit, which has been accepted for filing.

Sincerely,

Elizabeth Hays
(505)524-6161

Enclosure
cc: Santa Fe Office

wellrrcv