STATE ENGINEER OFFICE

WELL RECORD

Revised June 1972

Section 1. GENERAL INFORMATION

(A) Owner of well US FOREST SERVICE LINCOLN NATIONAL FOREST Owner's Well No. _____

Street or Post Office Address 1101 NEW YORK AVE.

City and State ALAMOGORDO, NM 88310

'95 FEB 10 AM 10 02
STATE ENGINEER OFFICE
SANTA FE NEW MEXICO

Well was drilled under Permit No. T-2651 and is located in the:

a. SW ¼ NE ¼ NE ¼ ____ ¼ of Section 34 Township 10S Range 10E N.M.P.M.

b. Tract No. _____ of Map No. _____ of the _____

c. Lot No. _____ of Block No. _____ of the _____
Subdivision, recorded in LINCOLN County.

d. X= _____ feet, Y= _____ feet, N.M. Coordinate System _____ Zone in the _____ Grant.

(B) Drilling Contractor STATEWIDE DRILLING, Inc. License No. WD-601

Address P.O. BOX 458 * LA LUZ, NM 88337

Drilling Began 12-15-94 Completed 12-27-94 Type tools AIR ROTARY Size of hole 8 in.

Elevation of land surface or _____ at well is _____ ft. Total depth of well 220 ft.

Completed well is ☒ shallow ☐ artesian. Depth to water upon completion of well 73 ft.

Section 2. PRINCIPAL WATER-BEARING STRATA

Depth in Feet From	Depth in Feet To	Thickness in Feet	Description of Water-Bearing Formation	Estimated Yield (gallons per minute)
105			FRACTURE	

Section 3. RECORD OF CASING

Diameter (inches)	Pounds per foot	Threads per in.	Depth in Feet Top	Depth in Feet Bottom	Length (feet)	Type of Shoe	Perforations From	Perforations To
5	PVC		-3	220	217		120 150 180 210	130 160 190 220
6	STEEL		+2	18	20			

'95 FEB 2 PM 12 57
RECEIVED
STATE ENGINEER OFFICE
LAS CRUCES, NEW MEXICO

Section 4. RECORD OF MUDDING AND CEMENTING

Depth in Feet From	Depth in Feet To	Hole Diameter	Sacks of Mud	Cubic Feet of Cement	Method of Placement
-3	18	8	4BAGS (80lbs) GROUT MIX		POUR

Section 5. PLUGGING RECORD

Plugging Contractor _____

Address _____

Plugging Method _____

Date Well Plugged _____

Plugging approved by:

_____
State Engineer Representative

No.	Depth in Feet Top	Depth in Feet Bottom	Cubic Feet of Cement
1			
2			
3			
4			

FOR USE OF STATE ENGINEER ONLY

Date Received February 2, 1995

Quad _____ FWL _____ FSL _____

File No. T-2651 Use Drinking & Sanitary Location No. 10S.10E.34.223

Section 6. LOG OF HOLE

Depth in Feet From	Depth in Feet To	Thickness in Feet	Color and Type of Material Encountered
0	22	22	BLACK TOPSOIL, ROCKS, GRAVEL
22	70	48	GRANITE AND PINK SANDSTONE
70	110	40	GRAY GRANITE
110	125	15	PURPLE & GRAY SANDSTONE
125	220	95	GRAY GRANITE

Section 7. REMARKS AND ADDITIONAL INFORMATION

The undersigned hereby certifies that, to the best of his knowledge and belief, the foregoing is a true and correct record of the above described hole.

Mike McMurrey
Driller

INSTRUCTIONS: This form should be executed in triplicate, preferably typewritten, and submitted to the appropriate district office of the State Engineer. All sections, except Section 5, shall be answered as completely and accurately as possible when any well is drilled, repaired or deepened. When this form is used as a plugging record, only Section 1 and Section 5 need be completed.

(505) 524-6161

'95 FEB 10 AM 10 02

STATE ENGINEER OFFICE
SANTA FE NEW MEXICO

STATE OF NEW MEXICO
STATE ENGINEER OFFICE
LAS CRUCES

ELUID L. MARTINEZ
STATE ENGINEER

133 WYATT DR., SUITE 3
LAS CRUCES, NEW MEXICO 88005

February 7, 1995

FILE: T-2651

U. S. Forest Service - Lincoln National Forest
1101 New York Ave.
Alamogordo, NM 88310

Gentlemen:

Enclosed is your copy of Well Record under Drinking and Sanitary Well Permit No. T-2651, which has been accepted for filing subject to the conditions as noted on your permit.

Your attention is called to the reverse side of your permit to all General Conditions, but special attention is directed to Specific Condition Nos. 4 and 5b, which state:

4. Use shall be limited to household, non-commercial trees, lawn and garden not to exceed one acre and/or stock use.

5b. A totalizing meter shall be installed before the first branch of the discharge line from the well and the installation shall be acceptable to the State Engineer; the Engineer shall be advised of the make, model, serial number, date of installation, and initial reading of the meter prior to appropriation of water and pumping records shall be submitted to the District Supervisor on or before the 10th of January, April, July and October of each year for the three preceding calendar months.

The meter required under this permit shall be installed on the discharge line from the well before the line enters the ground, or,

in the case of the discharge line exiting the casing below ground, the meter shall be installed immediately adjacent to the casing. In the latter instance, the State Engineer Office in Las Cruces shall be advised of the meter installation and allowed 7 days for inspection prior to filling in the ditch. The meter report for the initial installation shall be completed and submitted as soon as the meter is installed. Quarterly reports shall be submitted by the 10th of January, April, July and October of each year for the three preceding calendar months whether the well is or is not pumped.

Please advise this office of any change in mailing address that may occur in the future. If the property is ever sold, a change of ownership for the well must be filed at the county clerk's office, in the county in which the well was drilled, in accordance with state law.

Sincerely,

J. B. Nixon
Supervisor, District 4

JBN:raj

Encl: Well Record

cc: State Engineer