Revised June 1972

TRN159353

STATE ENGINEER OFFICE

WELL RECORD

Section 1. GENERAL INFORMATION

(A) Owner of well Dan Abercrombie Owner's Well No. _____
Street or Post Office Address Box 306
City and State Alamogordo, NM 88311

Well was drilled under Permit No. T-03418 and is located in the:

a. _____ ¼ NE ¼ SW ¼ NE ¼ of Section 19 Township 14s Range 10E N.M.P.M.

b Tract No. _____ of Map No. _____ of the _____

c. Lot No. _____ of Block No. _____ of the _____
Subdivision, recorded in Otero County.

d X= _____ feet, Y= _____ feet, N.M. Coordinate System _____ Zone in the _____ Grant.

(B) Drilling Contractor New Mexico Drilling, Inc. License No. WD-471

Address P.O. Box 1423 Alamogordo, NM 88311-1423

Drilling Began 2/12/99 Completed 2/15/99 Type tools B E #1 Size of hole 8 in.

Elevation of land surface or _____ at well is _____ ft. Total depth of well 300 ft.

Completed well is ☒ shallow ☐ artesian. Depth to water upon completion of well 180 ft.

Section 2. PRINCIPAL WATER-BEARING STRATA

Depth in Feet From	Depth in Feet To	Thickness in Feet	Description of Water-Bearing Formation	Estimated Yield (gallons per minute)
179	186	7	pea gravel	15
248	256	8	large gravel	350

Section 3. RECORD OF CASING

Diameter (inches)	Pounds per foot	Threads per in.	Depth in Feet Top	Depth in Feet Bottom	Length (feet)	Type of Shoe	Perforations From	Perforations To
5" PVC			0	302	302		260	300

99 MAY 25 PM 12:46
STATE ENGINEER OFFICE
LAS CRUCES, NEW MEXICO
RECEIVED

Section 4. RECORD OF MUDDING AND CEMENTING

Depth in Feet From	Depth in Feet To	Hole Diameter	Sacks of Mud	Cubic Feet of Cement	Method of Placement

Section 5. PLUGGING RECORD

Plugging Contractor _____
Address _____
Plugging Method _____
Date Well Plugged _____
Plugging approved by _____
State Engineer Representative

No.	Depth in Feet Top	Depth in Feet Bottom	Cubic Feet of Cement
1			
2			
3			
4			

FOR USE OF STATE ENGINEER ONLY

Date Received May 25, 1999 Quad _____ FWL _____ FSL _____

File No. T-03418 Use Domestic Location No. 14S.10E.19.232

Section 6. LOG OF HOLE

Depth in Feet From	Depth in Feet To	Thickness in Feet	Color and Type of Material Encountered
0	179	179	clay and gravel
179	186	7	pea gravel
186	248	62	clay
248	256	8	large gravel
256	300	44	clay and gravel

Section 7. REMARKS AND ADDITIONAL INFORMATION

The undersigned hereby certifies that, to the best of his knowledge and belief, the foregoing is a true and correct record of the above described hole.

Terrell Davis
Driller

INSTRUCTIONS. This form should be executed in triplicate, preferably typewritten, and submitted to the appropriate district office of the State Engineer All sections, except Section 5, shall be answered as completely and accurately as possible when any well is drilled, repaired or deepened. When this form is used as a plugging record, only Section 1(a) [illegible] Section 5 need be completed

Thomas C. Turney
State Engineer

Las Cruces Office
133 WYATT DRIVE, SUITE 3
LAS CRUCES, NM 88005

STATE OF NEW MEXICO
OFFICE OF THE STATE ENGINEER

Trn Nbr: 159353
File Nbr: T 03418
Well File Nbr: T 03418

June 4, 1999

DAN C. ABERCROMBIE
BOX 306
ALAMOGORDO, NM 88311

Greetings:

Enclosed is your copy of the well record for the above numbered permit, which has been accepted for filing.

Sincerely,

Tom Valverde

Tom Valverde
(505)524-6161

Enclosure
cc: Santa Fe Office

wellrrcv