Revised June 1972

STATE ENGINEER OFFICE

WELL RECORD

T-02083
TRN176044

Section 1. GENERAL INFORMATION

(A) Owner of well ROBERT HOOTEN Owner's Well No. _____
Street or Post Office Address _____
City and State _____

Well was drilled under Permit No. T-2083 and is located in the:

a. ___ ¼ NE ¼ NW ¼ SW ¼ of Section 22 Township 9S. Range 8E. N.M.P.M.

b. Tract No. _____ of Map No. _____ of the _____

c. Lot No. _____ of Block No. _____ of the _____
Subdivision, recorded in ~~OTERO~~ LINCOLN County.

d. X= _____ feet, Y= _____ feet, N.M. Coordinate System _____ Zone in the _____ Grant.

(B) Drilling Contractor Statewide Drilling, Inc. License No. WD-601
Address P. O. Box 458 La Luz, NM 88337

Drilling Began 09/17/98 Completed 09/18/98 Type tools AIR ROTARY Size of hole 8 in.

Elevation of land surface or _____ at well is _____ ft. Total depth of well 300 ft.

Completed well is ☐ shallow ☐ artesian. Depth to water upon completion of well 214 ft.

Section 2. PRINCIPAL WATER-BEARING STRATA

Depth in Feet From	Depth in Feet To	Thickness in Feet	Description of Water-Bearing Formation	Estimated Yield (gallons per minute)
245	250	5	gravel	15
285	300	15	sand & gravel	15

Section 3. RECORD OF CASING

Diameter (inches)	Pounds per foot	Threads per in.	Depth in Feet Top	Depth in Feet Bottom	Length (feet)	Type of Shoe	Perforations From	Perforations To
5	PVC		0	300	300		240	300
6	Steel		+1	3	4			

Section 4. RECORD OF MUDDING AND CEMENTING

Depth in Feet From	Depth in Feet To	Hole Diameter	Sacks of Mud	Cubic Feet of Cement	Method of Placement

RECEIVED 99 JAN 19 PM 2:44 STATE ENGINEER OFFICE LAS CRUCES, NEW MEXICO

Section 5. PLUGGING RECORD

Plugging Contractor _____
Address _____
Plugging Method _____
Date Well Plugged _____
Plugging approved by:
_____
State Engineer Representative

No.	Depth in Feet Top	Depth in Feet Bottom	Cubic Feet of Cement
1			
2			
3			
4			

JANUARY 19, 1999 FOR USE OF STATE ENGINEER ONLY
Date Received

Quad _____ FWL _____ ESL _____

T-02083 MULTI-DOMESTIC, LIVESTOCK & WILDLIFE **09S.08E.22.312**
File No. _____ Use _____ Location No. **TRN176044**

Section 6. LOG OF HOLE

Depth in Feet From	Depth in Feet To	Thickness in Feet	Color and Type of Material Encountered
0	25	25	brown sand
25	38	13	Brown clay
38	200	62	red clay
200	245	45	red sandstone
245	250	5	gravel
250	285	35	red sandstone
285	300	15	sand & gravel

Section 7. REMARKS AND ADDITIONAL INFORMATION

Three yards of 3/8" gravel for gravel pack.

The undersigned hereby certifies that, to the best of his knowledge and belief, the foregoing is a true and correct record of the above described hole.

Mike McMurry
Driller

INSTRUCTIONS: This form should be executed in triplicate, preferably typewritten, and submitted to the appropriate district office of the State Engineer. All sections, [illegible]pt Section 5, shall be answered as complete[illegible]nd accurately as possible when any well is drilled, repaired or deepened. When this form is used as a plugging record, only Section 1(a) and Section 5 need be completed.

Thomas C. Turney
State Engineer

Las Cruces Office
PO BOX 729
LAS CRUCES, NM 88004-0729

STATE OF NEW MEXICO
STATE ENGINEER OFFICE

Trn Nbr: 176044
File Nbr: T 02083
Well File Nbr: T 02083

Jan. 17, 2002

Robert I. Hooten
WITHER'S RANCH
P.O. BOX 712
CARRIZOZO, NM

Greetings:

Enclosed is your copy of the well record for the above numbered permit, which has been accepted for filing.

Sincerely,

David Bernardone
(505)524-6161

Enclosure
cc: Santa Fe Office

wellrrcv