RECEIVED 01 MAR 12 AM 7:26 STATE ENGINEER OFFICE SANTA FE, NEW MEXICO

Revised June 1973

STATE ENGINEER OFFICE

WELL RECORD

T-03845

TRN205412

Section 1. GENERAL INFORMATION

(A) Owner of well HIGH NOGAL RANCH/ DAVID CHRISTOPHER Owner's Well No. _____

Street or Post Office Address 1616 LEESWAY

City and State RICHMOND, TX 77469 281-341-5525

Well was drilled under Permit No. T-03845 and is located in the:

a. NE ¼ SE ¼ SW ¼ ¼ of Section 3 Township 12 Range 10 N.M.P.M.

b. Tract No. _____ of Map No. _____ of the _____

c. Lot No. _____ of Block No. _____ of the _____ Subdivision, recorded in OTERO County.

d. X= _____ feet, Y= _____ feet, N.M. Coordinate System _____ Zone in the _____ Grant.

(B) Drilling Contractor STATEWIDE DRILLING, INC. License No. WD-601

Address PO BOX 458 LA LUZ, NM 88337

Drilling Began 02/28/01 Completed 03/01/01 Type tools AIR ROTARY Size of hole 8 in.

Elevation of land surface or _____ at well is _____ ft. Total depth of well 340 ft.

Completed well is ☒ shallow ☐ artesian. Depth to water upon completion of well 32 ft.

Section 2. PRINCIPAL WATER-BEARING STRATA

Depth in Feet From	Depth in Feet To	Thickness in Feet	Description of Water-Bearing Formation	Estimated Yield (gallons per minute)
40			on sandstone	1½-2

Section 3. RECORD OF CASING

Diameter (inches)	Pounds per foot	Threads per in.	Depth in Feet Top	Depth in Feet Bottom	Length (feet)	Type of Shoe	Perforations From	Perforations To
8	steel		2	13	15			
5	pvc		0	340	340		280	340

Section 4. RECORD OF MUDDING AND CEMENTING

Depth in Feet From	Depth in Feet To	Hole Diameter	Sacks of Mud	Cubic Feet of Cement	Method of Placement

Section 5. PLUGGING RECORD

Plugging Contractor _____

Address _____

Plugging Method _____

Date Well Plugged _____

Plugging approved by:

_____ State Engineer Representative

No.	Depth in Feet Top	Depth in Feet Bottom	Cubic Feet of Cement
1			
2			
3			
4			

MARCH 12, 20001

FOR USE OF STATE ENGINEER ONLY

Date Received T-03845

Quad DOMESTIC FWL 12S.10E.03.342

File No. _____ Use _____ Location No. _____

Depth in Feet From	Depth in Feet To	Thickness in Feet	Color and Type of Material Encountered
0	10	10	sand & gravel
10	25	15	caliche
25	340	315	gray shale & sandstone

Section 7. REMARKS AND ADDITIONAL INFORMATION

15' of 8" surface pipe

The undersigned hereby certifies that, to the best of his knowledge and belief, the foregoing is a true and correct record of the above described hole.

Mike McMurry
Driller

INSTRUCTIONS: This form should be executed in triplicate, preferably typewritten, and submitted to the appropriate district office of the State Engineer. All sections, except Section 5, shall be answered as completely and accurately as possible when any well is drilled, repaired or deepened. When this form is used as a plugging record, only Section 1(a) and Section 5 need be completed.

Thomas C. Turney
State Engineer

Las Cruces Office
133 WYATT DRIVE, SUITE 3
LAS CRUCES, NM 88005

STATE OF NEW MEXICO
STATE ENGINEER OFFICE

Trn Nbr: 205412
File Nbr: T 03845
Well File Nbr: T 03845

Mar. 15, 2001

DAVID CHRISTOPHER
HIGH NOGAL RANCH
183 SNAKE TANK ROAD
TULAROSA, NM 88352

Greetings:

Enclosed is your copy of the well record for the above numbered permit, which has been accepted for filing.

Sincerely,

David Bernardone
(505)524-6161

Enclosure
cc: Santa Fe Office

wellrrcv