179181

Revised June 1972

STATE ENGINEER OFFICE

WELL RECORD

Section 1. GENERAL INFORMATION

(A) Owner of well DAVE WOFFORD Owner's Well No. _____

Street or Post Office Address PO BOX 1322

City and State ALAMOGORDO, NM 88310

'85 SEP 10 AM 10 01

Well was drilled under Permit No. T-1167 and is located in the

STATE ENGINEER OFFICE

a. _____ ¼ SE ¼ SE ¼ SE ¼ of Section 9 Township 16S Range 9E N M.P.M.

b Tract No. _____ of Map No _____ of the _____

c. Lot No. _____ of Block No. _____ of the _____

Subdivision, recorded in OTERO County

d. X= _____ feet, Y= _____ feet, N M. Coordinate System _____ Zone in the _____ Grant.

(B) Drilling Contractor WESLEY WEEHUNT License No. WD-630

Address PO BOX 905 BOOKOUT NORTHWEST TULAORSA, NM 88352

Drilling Began 8/22/85 Completed 8/23/85 Type tools ROTARY Size of hole 8 in.

Elevation of land surface or _____ at well is _____ ft. Total depth of well 170 ft.

Completed well is ☒ shallow ☐ artesian. Depth to water upon completion of well 90 ft.

Section 2. PRINCIPAL WATER-BEARING STRATA

Depth in Feet From	Depth in Feet To	Thickness in Feet	Description of Water-Bearing Formation	Estimated Yield (gallons per minute)
134	135	1	SMALL GRAVEL	30

Section 3. RECORD OF CASING

Diameter (inches)	Pounds per foot	Threads per in.	Depth in Feet Top	Depth in Feet Bottom	Length (feet)	Type of Shoe	Perforations From	Perforations To
4 1/2	SCHEDULE	40	0	170	20	none	90	170

Section 4. RECORD OF MUDDING AND CEMENTING

Depth in Feet From	Depth in Feet To	Hole Diameter	Sacks of Mud	Cubic Feet of Cement	Method of Placement

'85 AUG 29 AM 8 38

STATE ENGINEER OFFICE

Section 5. PLUGGING RECORD

Plugging Contractor _____

Address _____

Plugging Method _____

Date Well Plugged _____

Plugging approved by _____

State Engineer Representative

No.	Depth in Feet Top	Depth in Feet Bottom	Cubic Feet of Cement
1			
2			
3			
4			

FOR USE OF STATE ENGINEER ONLY

Date Received August 29 ,1985

Quad _____ FWL _____ FSL _____

File No. T-1167 Use Stock Location No. 16S.9E.9.444

Section 6. LOG OF HOLE

Depth in Feet From	Depth in Feet To	Thickness in Feet	Color and Type of Material Encountered
0	68	68	RED CLAY SANDED
68	86	18	CALECHIE SANDED
86	134	48	RED CLAY SANDED
134	135	1	SMALL GRAVEL
135	170	35	RED CLAY SANDED

Section 7. REMARKS AND ADDITIONAL INFORMATION

The undersigned hereby certifies that, to the best of his knowledge and belief, the foregoing is a true and correct record of the above described hole.

N Wesley Weekant

Driller

INSTRUCTIONS: This form should be completed in triplicate, preferably typewritten, and submitted to the appropriate district office of the State Engineer. All sections, except Section 5, shall be answered as completely and accurately as possible when any well is drilled, repaired or deepened. When this form is used as a plugging record, only Section 1(a) and Section 5 need be completed.

Phone (505) 524-6161

STATE OF NEW MEXICO
STATE ENGINEER OFFICE
LAS CRUCES

S E REYNOLDS
STATE ENGINEER

September 9. 1985

530 SO MELENDRES ST
LAS CRUCES, NEW MEXICO 88005

'85 SEP 10 AM 10 01

FILE· T-1167

Mr. Dave Wofford
P.O. Box 1322
Alamogordo, NM 88310

Dear Mr. Wofford:

Enclosed is your copy of the Well Record for your Livestock Well # T-1167, which has been accepted for filing subject to the conditions as noted on your permit.

Your attention is called to the reverse side of your Permit to all General Conditions and to Specific Condition No. 4, which states as follows:

> 4. Use shall be limited to one household, non-commercial trees, lawn and garden not to exceed one acre and/or stock use.

This is the final filing under Livestock Well Permit # T-1167.

Sincerely,

G. Guaderrama, Jr.

G. Guaderrama, Jr.
W.R. Specialist
District III, Sub-Office

GG:cjt
Encl: Well Record
cc: State Engineer