TRN200547 T 3811

Revised June 1972

T-3811

TRN200547

STATE ENGINEER OFFICE

WELL RECORD

Section 1. GENERAL INFORMATION

(A) Owner of well WILLIAM D. LAMAY Owner's Well No. T 3811

Street or Post Office Address Box 233

City and State CARRIZOZO NM 88301

Well was drilled under Permit No. T 3811 and is located in the:

a. NE ¼ NW ¼ SW ¼ ____ ¼ of Section 12 Township 8S Range 12E N.M.P.M.

b. Tract No. ____ of Map No. ____ of the ____

c. Lot No. ____ of Block No. ____ of the ____ Subdivision, recorded in LINCOLN County.

d. X= ____ feet, Y= ____ feet, N.M. Coordinate System ____ Zone in the ____ Grant.

(B) Drilling Contractor L & L WELL DRILLING & PUMP CO License No. WD-1305

Address P.O. BOX 159 NOGAL NM 88341

Drilling Began 1/10/01 Completed 1/22/01 Type tools ROTARY Size of hole 6½ in.

Elevation of land surface or ____ at well is ____ ft. Total depth of well 150 ft.

Completed well is ☒ shallow ☐ artesian. Depth to water upon completion of well 72 ft.

Section 2. PRINCIPAL WATER-BEARING STRATA

Depth in Feet From	Depth in Feet To	Thickness in Feet	Description of Water-Bearing Formation	Estimated Yield (gallons per minute)
140	150	10	SAND & LARGE GRAVEL	45-50

Section 3. RECORD OF CASING

Diameter (inches)	Pounds per foot	Threads per in.	Depth in Feet Top	Depth in Feet Bottom	Length (feet)	Type of Shoe	Perforations From	Perforations To
4½	SCH 40	PVC	-1	150	151	—	130	150

Section 4. RECORD OF MUDDING AND CEMENTING

Depth in Feet From	Depth in Feet To	Hole Diameter	Sacks of Mud	Cubic Feet of Cement	Method of Placement

RECEIVED 01 FEB -1 AM 10:57 STATE ENGINEER OFFICE LAS CRUCES, NEW MEXICO

Section 5. PLUGGING RECORD

Plugging Contractor ____

Address ____

Plugging Method ____

Date Well Plugged ____

Plugging approved by:

____ State Engineer Representative

No.	Depth in Feet Top	Depth in Feet Bottom	Cubic Feet of Cement
1			
2			
3			
4			

~~FEBRUARY 6, 2001~~

FOR USE OF STATE ENGINEER ONLY

Date Received **T-3811** **DOMESTIC** Quad ____ FWL ____ FSL ____ **08S.12E.12.312**

File No. ____ Use ____ Location No. ____

Section 6. LOG OF HOLE

Depth in Feet From	Depth in Feet To	Thickness in Feet	Color and Type of Material Encountered
0	15	15	BROWN CLAY & CALICHE
15	35	20	GRAVEL
35	45	10	TAN CLAY
45	63	18	FINE GRAVEL
63	140	77	RED CLAY
140	150	10	SAND & LARGE GRAVEL

Section 7. REMARKS AND ADDITIONAL INFORMATION

The undersigned hereby certifies that, to the best of his knowledge and belief, the foregoing is a true and correct record of the above described hole.

Driller

INSTRUCTIONS: This form should be executed in triplicate, preferably typewritten, and submitted to the appropriate district office of the State Engineer. All sections, except Section 5, shall be answered as completely and accurately as possible when any well is drilled, repaired or deepened. When this form is used as a plugging record, only Section 1(a) and Section 5 need be completed.

Thomas C. Turney
State Engineer

Las Cruces Office
133 WYATT DRIVE, SUITE 3
LAS CRUCES, NM 88005

STATE OF NEW MEXICO
STATE ENGINEER OFFICE

Trn Nbr: 200547
File Nbr: T 03811
Well File Nbr: T 03811

Feb. 06, 2001

WILLIAM D LAMAY
BOX 233
CARRIZOZO, NM 88301

Greetings:

Enclosed is your copy of the well record for the above numbered permit, which has been accepted for filing.

Sincerely,

Tom Valverde
(505)524-6161

Enclosure
cc: Santa Fe Office

wellrrcv