Revised June 1972

154,194

STATE ENGINEER OFFICE

WELL RECORD

Section 1. GENERAL INFORMATION

86 DEC 1 A10:38

(A) Owner of well Bob L. Moore Owner's Well No. _____

Street or Post Office Address 603 Canal St.

City and State Alamogordo, N.M. 88310

SANTA FE, NEW MEXICO

Well was drilled under Permit No. T-1414 and is located in the:

a. NW ¼ SW ¼ NW ¼ ____ ¼ of Section 15 Township 16S Range 11E N.M.P.M

b. Tract No. _____ of Map No. _____ of the _____

c. Lot No. _____ of Block No _____ of the _____
Subdivision, recorded in Otero County.

d. X= _____ feet, Y= _____ feet, N.M. Coordinate System _____ Zone in the _____ Grant.

(B) Drilling Contractor Braziel Well Drilling Inc. License No. WD-601

Address P.O. Box 458, La Luz, N.M. 88337

Drilling Began 11/11/86 Completed 11/12/86 Type tools Air Rotery Size of hole 8 in.

Elevation of land surface or _____ at well is _____ ft. Total depth of well 120 ft.

Completed well is ☒ shallow ☐ artesian. Depth to water upon completion of well 45 ft.

Section 2. PRINCIPAL WATER-BEARING STRATA

Depth in Feet From	Depth in Feet To	Thickness in Feet	Description of Water-Bearing Formation	Estimated Yield (gallons per minute)
60	62	2	Limestone	5

Section 3. RECORD OF CASING

Diameter (inches)	Pounds per foot	Threads per in.	Depth in Feet Top	Depth in Feet Bottom	Length (feet)	Type of Shoe	Perforations From	Perforations To
5	PVC		+1	120	121		60	120

STATE ENGINEER OFFICE 86 NOV 24 PM 1:26

Section 4. RECORD OF MUDDING AND CEMENTING

Depth in Feet From	Depth in Feet To	Hole Diameter	Sacks of Mud	Cubic Feet of Cement	Method of Placement

Section 5. PLUGGING RECORD

Plugging Contractor _____

Address _____

Plugging Method _____

Date Well Plugged _____

Plugging approved by _____

State Engineer Representative

No.	Depth in Feet Top	Depth in Feet Bottom	Cubic Feet of Cement
1			
2			
3			
4			

FOR USE OF STATE ENGINEER ONLY

Date Received November 24, 1986

Quad _____ FWL _____ FSL _____

File No. T-1414 Use Domestic Location No. 16.11E.15.131

Section 6. LOG OF HOLE

Depth in Feet From	Depth in Feet To	Thickness in Feet	Color and Type of Material Encountered
0	3	3	Black Top soil
3	7	4	Red clay and gravel
7	60	53	Red Clay
60	62	2	lImestone
62	90	30	Red Clay
90	120	30	Red Cly and Limstone

all abo

Section 7. REMARKS AND ADDITIONAL INFORMATION

The undersigned hereby certifies that, to the best of his knowledge and belief, the foregoing is a true and correct record of the above described hole.

Tom Brazelp
Driller

INSTRUCTIONS: This form should be executed in triplicate, preferably typewritten, and submitted to the appropriate district office of the State Engineer. All sections, except Section 5, shall be answered as completely and accurately as possible when any well is drilled, repaired or deepened. When this form is used as a plugging record, only Section 1(a) and Section 5 need be completed.

Phone:(505) 524-6161

86 DEC 1 AM 10:37

STATE OF NEW MEXICO
STATE ENGINEER OFFICE
LAS CRUCES

SANTA FE, NEW MEXICO

S E REYNOLDS
STATE ENGINEER

530 SO MELENDRES ST
LAS CRUCES, NEW MEXICO 88005

November 26, 1986

FILE: T-1414

Mr. Bobby L. Moore
603 Canal Street
Alamogordo, NM 88310

Dear Mr. Moore:

Enclosed is your copy of the well record for your domestic well No. T-1414, which has been accepted for filing subject to the conditions as noted on your permit.

Your attention is called to the reverse side of your permit to all General Conditions, but special attention is directed to Specific Condition No. 4, which states:

> 4. Use shall be limited to household, non-commercial trees, lawn and garden not to exceed one acre and/or stock use.

This is the final filing under domestic well permit No. T-1414.

Sincerely,

J. B. Nixon
Engineer, District III

DN
Encl: Well Record
pc: State Engineer