Revised June 1972

TRN142631

STATE ENGINEER OFFICE

WELL RECORD

Section 1. GENERAL INFORMATION

(A) Owner of well AMERICAN LEGION POST #34 INC. Owner's Well No. _____

Street or Post Office Address BOX 76

City and State ALAMOGORDO, NM 88310

Well was drilled under Permit No. T-03245 and is located in the:

a. SE ¼ NE ¼ NE ¼ ____ ¼ of Section 15 Township 16S Range 9E N.M.P.M.

b. Tract No. _____ of Map No. _____ of the _____

c. Lot No. _____ of Block No. _____ of the _____ Subdivision, recorded in OTERO County.

d. X= _____ feet, Y= _____ feet, N.M. Coordinate System _____ Zone in the _____ Grant.

(B) Drilling Contractor *Statewide Drilling, Inc.* License No. WD-601

Address P. O. Box 458 La Luz, NM 88337

Drilling Began 12/17/97 Completed 12/18/97 Type tools AIR ROTARY Size of hole 8 in.

Elevation of land surface or _____ at well is _____ ft. Total depth of well 190 ft.

Completed well is ☒ shallow ☐ artesian. Depth to water upon completion of well 70 ft.

Section 2. PRINCIPAL WATER-BEARING STRATA

Depth in Feet From	Depth in Feet To	Thickness in Feet	Description of Water-Bearing Formation	Estimated Yield (gallons per minute)
90	95	5	red sand	5
105	120	15	sand & gravel	35

Section 3. RECORD OF CASING

Diameter (inches)	Pounds per foot	Threads per in.	Depth in Feet Top	Depth in Feet Bottom	Length (feet)	Type of Shoe	Perforations From	Perforations To
5	PVC		0	190	190		170 130	190 150
							90	110
6	STEEL		+1	2	3			

Section 4. RECORD OF MUDDING AND CEMENTING

Depth in Feet From	Depth in Feet To	Hole Diameter	Sacks of Mud	Cubic Feet of Cement	Method of Placement

RECEIVED 98 JAN 22 PM 2:44 STATE ENGINEER OFFICE LAS CRUCES, NEW MEXICO

Section 5. PLUGGING RECORD

Plugging Contractor _____

Address _____

Plugging Method _____

Date Well Plugged _____

Plugging approved by _____

State Engineer Representative

No.	Depth in Feet Top	Depth in Feet Bottom	Cubic Feet of Cement
1			
2			
3			
4			

FOR USE OF STATE ENGINEER ONLY

Date Received **January 22, 1998** Quad _____ FWL _____ FSL _____

File No. **T-03245** Use **Drinking & Sanitary** Location No. **16S.9E.15.224**

Section 6. LOG OF HOLE

Depth in Feet From	Depth in Feet To	Thickness in Feet	Color and Type of Material Encountered
0	90	90	red clay
90	95	5	red sand
95	105	10	red clay
105	120	15	sand & gravel
120	160	40	red sandy clay
160	165	5	sand & gravel
165	195	30	red clay

Section 7. REMARKS AND ADDITIONAL INFORMATION

3½ yards of ½" gravel for gravel pack.

The undersigned hereby certifies that, to the best of his knowledge and belief, the foregoing is a true and correct record of the above described hole.

Mike McMurry
Driller

INSTRUCTIONS: This form should be executed in triplicate, preferably typewritten, and submitted to the appropriate district office of the State Engineer. All sections, except Section 5, shall be answered as completely and accurately as possible when any well is drilled, repaired or deepened. When the form is used as a plugging record, only Section [illegible] and Section 5 need be completed.

Thomas C. Turney
State Engineer

Las Cruces Office
133 WYATT DRIVE, SUITE 3
LAS CRUCES, NM 88005

STATE OF NEW MEXICO
STATE ENGINEER OFFICE

Trn Nbr: 142631
File Nbr: T 03245
Well File Nbr: T 03245

Jan. 22, 1998

RICHARD R. LEE, VICE-COM.
AMERICAN LEGION POST #34, INC.
BOX 76
ALAMOGORDO,, NM 88310

Greetings:

The well driller's record for the above numbered well has been received in this office indicating your well has been completed.

Your permit was granted with the condition that a meter be installed and meter readings submitted to this office. A copy of your permit is enclosed for your information.

Per Condition 5B, please advise this office within 30 days, on the attached form, of the make, model, serial number, date of installation, and initial reading of the meter prior to appropriation of the water.

If you have any questions, please feel free to contact us.

Sincerely,

Tom Valverde

Tom Valverde,
Tularosa Basin Supervisor

TJV:eah

(505)524-6161

Enclosure

cc: Santa Fe Office

wellcon5