File Number: T-5299

NEW MEXICO OFFICE OF THE STATE ENGINEER
WELL RECORD

1. OWNER OF WELL

Name: Steven R. Anderson — Work Phone: _____
Contact: Ruben Martinez — Home Phone: _____
Address: 338 Laborcita Canyon
City: La Luz, State: NM Zip: 88337

2. LOCATION OF WELL (A, B, C, or D required, E or F if known)

A. NE 1/4 NE 1/4 NW 1/4 Section: 29 Township: 13-S Range: 11-E N.M.P.M. in Otero County.

B. X = _____ feet, Y = _____ feet, N.M. Coordinate System _____ Zone in the _____ Grant.
U.S.G.S. Quad Map _____

C. Latitude: 33 d 09 m 28N s Longitude: 105 d 53 m 29W s

D. East _____ (m), North _____ (m), UTM Zone 13, NAD __ (27 or 83)

E. Tract No. _____, Map No. _____ of the _____ Hydrographic Survey

F. Lot No. _____, Block No. _____ of Unit/Tract _____ of the _____ Subdivision recorded in _____ County.

G. Other: _____

H. Give State Engineer File Number if existing well: _____

I. On land owned by (required): Self

3. DRILLING CONTRACTOR

License Number: WD-1453
Name: Hydrotech Drilling — Work Phone: (505) 585-7918
Agent: Joseph or Kimberly Skaggs — Home Phone: (Same)
Mailing Address: 21 Prairie Trail
City: Tularosa State: NM Zip: 88352

RECEIVED
2007 JUN 14 PM 4:19
STATE ENGINEER
LAS CRUCES, NEW MEXICO

4. DRILLING RECORD

Drilling began: 06-04-07; Completed: 06-05-07; Type tools: Rotary Air;
Size of hole: 8.5 in.; Total depth of well: 585ft.; Completed well is: Shallow (shallow, artesian); Depth to water upon completion of well: Approx 400 ft.

File Number: T-5299

NEW MEXICO OFFICE OF THE STATE ENGINEER
WELL RECORD

5. PRINCIPAL WATER-BEARING STRATA

Depth in Feet From	To	Thickness in feet	Description of water-bearing formation	Estimated Yield (GPM)
280	300	20	Fractured limestone	1-2
480	500	20	Fractured sandstone	2-3

6. RECORD OF CASING

Diameter (inches)	Pounds per ft.	Threads per in.	Depth in Feet Top	Bottom	Length (feet)	Type of Shoe	Perforations From	To
5	PVC	PVC	-2	585	583		400	585
8 5/8	Steel	Steel	+2	38	40			

7. RECORD OF MUDDING AND CEMENTING

Depth in Feet From	To	Hole Diameter	Sacks of mud	Cubic Feet of Cement	Method of Placement

8. PLUGGING RECORD

Plugging Contractor: _____
Address: _____
Plugging Method: _____
Date Well Plugged: _____

Plugging approved by: _____
State Engineer Representative

No.	Depth in Feet Top	Bottom	Cubic Feet of Cement
1			
2			
3			
4			
5			

File Number: T-5299 Trn Number: _____
Form: wr-20

T-05299 TRN-382309

File Number: T-5299

NEW MEXICO OFFICE OF THE STATE ENGINEER
WELL RECORD

9. LOG OF HOLE

Depth in Feet From	To	Thickness in feet	Color and Type of Material Encountered
0	40	40	Topsoil, alluvial fill
40	280	240	Red sandy clay
280	300	20	Fractured limestone
300	480	180	Red sandstone
480	500	20	Fractured sandstone
500	585	85	Red sandstone

File Number: T-5299

NEW MEXICO OFFICE OF THE STATE ENGINEER
WELL RECORD

10. ADDITIONAL STATEMENTS OR EXPLANATIONS:

Bentonite Plug from -20' to -2' set by Pour Method.

The undersigned hereby certifies that, to the best of his knowledge and belief, the foregoing is a true and correct record of the above described hole.

Joe Skaggs
Driller

6/11/07
(mm/dd/year)

FOR STATE ENGINEER USE ONLY

Quad ____; FWL ____; FSL ____; Use _____; Location No. _____

John R. D Antonio, Jr., P.E.
State Engineer

Las Cruces Office
1680 HICKORY LOOP, SUITE J
LAS CRUCES, NM 88005

STATE OF NEW MEXICO
OFFICE OF THE STATE ENGINEER

Trn Nbr: 382309
File Nbr: T 05299
Well File Nbr: T 05299 POD1

Jul. 18, 2007

RUBEN MARTINEZ
STEVEN R ANDERSON
338 LABROCITA CANYON RD
LA LUZ, NM 88337

Greetings:

Enclosed is your copy of the well record for the above numbered permit, which has been accepted for filing.

Sincerely,

Sarah Rodriguez
(505)524-6161

Enclosure
cc: Santa Fe Office

wellrrcv