STATE ENGINEER OFFICE

WELL RECORD

T-03981
TRN216328

Section 1. GENERAL INFORMATION

(A) Owner of well: Bar W Ranch S.T. Spencer — Owner's Well No. _____
Street or Post Office Address: P.O. Box 731
City and State: Carrizozo, NM 88301

Well was drilled under Permit No. T03981 and is located in the:

a. NE ¼ NE ¼ SE ¼ ¼ of Section 13 Township 06S Range 10E N.M.P.M.

b. Tract No. _____ of Map No. _____ of the _____

c. Lot No. _____ of Block No. _____ of the _____
Subdivision, recorded in _____ County.

d. X= _____ feet, Y= _____ feet, N.M. Coordinate System _____ Zone in the _____ Grant.

(B) Drilling Contractor: Darren Weehunt/Weehunt Well Tech License No. WD-1335

Address: P.O. Box 1018 La Luz, NM 88337

Drilling Began: 11-10-01 Completed: 10-15-01 Type tools: Rotary Size of hole: 7 7/8 in.

Elevation of land surface or _____ at well is _____ ft. Total depth of well: 440 ft.

Completed well is: ☒ shallow ☐ artesian. Depth to water upon completion of well: 347 ft.

Section 2. PRINCIPAL WATER-BEARING STRATA

Depth in Feet From	Depth in Feet To	Thickness in Feet	Description of Water-Bearing Formation	Estimated Yield (gallons per minute)
390	395	5	Broken grey sandstone	14 gpm
41	420	4	Broken grey & yellow sandstone	65 gpm

Section 3. RECORD OF CASING

Diameter (inches)	Pounds per foot	Threads per in.	Depth in Feet Top	Depth in Feet Bottom	Length (feet)	Type of Shoe	Perforations From	Perforations To
5" PVC casing		SDR21	0	440	440	none	380	440

gravel pack

Section 4. RECORD OF MUDDING AND CEMENTING

Depth in Feet From	Depth in Feet To	Hole Diameter	Sacks of Mud	Cubic Feet of Cement	Method of Placement

RECEIVED 01 DEC 31 AM 8:07 STATE ENGINEER OFFICE LAS CRUCES, NEW MEXICO

Section 5. PLUGGING RECORD

Plugging Contractor _____
Address _____
Plugging Method _____
Date Well Plugged _____
Plugging approved by:
_____
State Engineer Representative

No.	Depth in Feet Top	Depth in Feet Bottom	Cubic Feet of Cement
1			
2			
3			
4			

DECEMBER 5, 2001 FOR USE OF STATE ENGINEER ONLY

Date Received

Quad _____ FWL _____ Field _____

T-03981 **LIVESTOCK** **06S.10E.13.422**

File No. _____ Use _____ Location **TRN216328**

0	4	4	Top soil
4	40	36	Loose rock & clay
40	75	35	Yellow clay & rock mix
75	390	315	Balck shale
390	395	5	Broken grey sandstone
395	416	24	Grey & yellow sandstone
416	420	4	Grey & yellow sandstone
420	440	20	Grey & blue sandstone

Section 7. REMARKS AND ADDITIONAL INFORMATION

The undersigned hereby certifies that, to the best of his knowledge and belief, the foregoing is a true and correct record of the above described hole.

Dan Wate
Driller

INSTRUCTIONS: *This form should be executed in triplicate, preferably typewritten, and submitted to the appropriate district office of the State Engineer. All sections, except Section 5, shall be answered as completely and accurately as possible when any well is drilled, repaired or deepened. When this form is used as a plugging record, only Section 1(a) and Section 5 need be completed.*

Thomas C. Turney
State Engineer

Las Cruces Office
PO BOX 729
LAS CRUCES, NM 88004-0729

Trn Nbr: 216328
File Nbr: T 03981
Well File Nbr: T 03981

STATE OF NEW MEXICO
OFFICE OF THE STATE ENGINEER
Dec. 05, 2001

S.T. SPENCER
BAR W RANCH
P. O. BOX 731
CARRIZOZO, NM 88301

Greetings:

Enclosed is your copy of the well record for the above numbered permit, which has been accepted for filing.

Sincerely,

Elizabeth Hays
(505)524-6161

Enclosure
cc: Santa Fe Office

wellrrcv