Revised June 1972

TRN 174170

STATE ENGINEER OFFICE

WELL RECORD

Section 1. GENERAL INFORMATION

(A) Owner of well Ben Stevens Owner's Well No. _____

Street or Post Office Address Box 367

City and State Alamogordo, N M 88310

Well was drilled under Permit No. T-565 and is located in the:

a. E ½ ¼ ____ ¼ NE ¼ SE ¼ of Section 21 Township 15S Range 10 E N.M.P.M.

b Tract No. _____ of Map No. _____ of the _____

c. Lot No. _____ of Block No. _____ of the _____ Subdivision, recorded in Otero County

d. X= _____ feet, Y= _____ feet, N.M. Coordinate System _____ Zone in the _____ Grant.

(B) Drilling Contractor Braziel Well Drilling Inc. License No. WD--601

Address Box 180 La Luz, N.M. 88337

Drilling Began 4-25-83 Completed 4--28--83 Type tools Air-Hammer Size of hole 8" in.

Elevation of land surface or _____ at well is _____ ft. Total depth of well 100 ft.

Completed well is [X] shallow [ ] artesian. Depth to water upon completion of well 30 ft.

Section 2. PRINCIPAL WATER-BEARING STRATA

Depth in Feet From	Depth in Feet To	Thickness in Feet	Description of Water-Bearing Formation	Estimated Yield (gallons per minute)
30	50	20	Sand & gravel	15

'83 MAY 19 AM 10 STATE ENGINEER SANTA FE, N.M.

Section 3. RECORD OF CASING

Diameter (inches)	Pounds per foot	Threads per in.	Depth in Feet Top	Depth in Feet Bottom	Length (feet)	Type of Shoe	Perforations From	Perforations To
6"	188	weld	0	82		none	42	82

Section 4. RECORD OF MUDDING AND CEMENTING

Depth in Feet From	Depth in Feet To	Hole Diameter	Sacks of Mud	Cubic Feet of Cement	Method of Placement

'83 MAY 9 AM 8 36 STATE ENGINEER SANTA FE, N.M.

Section 5. PLUGGING RECORD

Plugging Contractor _____

Address _____

Plugging Method _____

Date Well Plugged _____

Plugging approved by:

_____ State Engineer Representative

No.	Depth in Feet Top	Depth in Feet Bottom	Cubic Feet of Cement
1			
2			
3			
4			

FOR USE OF STATE ENGINEER ONLY

Date Received May 9, 1983

Quad _____ FWL _____ FSL _____

File No. T-565 Use Domestic Location No. 15.10E.21.42

Section 6. LOG OF HOLE

Depth in Feet		Thickness in Feet	Color and Type of Material Encountered
From	To		
0	25	25	Clay
25	50	25	Big gravel & sand
50	65	15	Clay
65	100	35	Sand stone

Section 7. REMARKS AND ADDITIONAL INFORMATION

The undersigned hereby certifies that, to the best of his knowledge and belief, the foregoing is a true and correct record of the above described hole.

Tom Brazil

Driller

INSTRUCTIONS: This form should be executed in triplicate, preferably typewritten, and submitted to the appropriate district office of the State Engineer. All sections, except Section 5, shall be answered as completely and accurately as possible when any well is drilled, repaired or deepened. When this f[redacted] used as a plugging record, only Section 1(a[redacted]ection 5 need be completed.

(505)546-2851

(505)546-7452

STATE OF NEW MEXICO

STATE ENGINEER OFFICE
DEMING

S.E. REYNOLDS
STATE ENGINEER

ADDRESS CORRESPONDENCE TO
P.O. Box 844
DEMING, N.M. 88031-0844

STATE ENGINEER
SANTA FE, N. M.
1983 MAY 19 AM 10 50

May 18, 1983

FILE: T-565

Mr. Ben Stevens
P. O. Box 367
Alamogordo, New Mexico 88310

Dear Sir:

Enclosed is your copy of the well record for your domestic well No. T-565, which has been accepted for filing.

This is the final filing under Domestic Well Permit No. T-565.

Yours truly,

L. T. Putnam
Supervisor, District III

LTP:sfs
Encl: Well Record
cc: State Engineer